


Для Вас  
мы изготовим

**ЛЮБОЙ**  
специальный  
инструмент!




## SCLCR/L



## SCLCR/L

| МОДЕЛЬ         |  | φD | φd | f   | L   | L1 | H  | α° | Винт                                                                                | Ключ                                                                                |
|----------------|-----------------------------------------------------------------------------------|----|----|-----|-----|----|----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                |                                                                                   |    |    |     |     |    |    |    |  |  |
| C06H-SCLCR/L04 | CC□□ 0402□□                                                                       | 8  | 6  | 3.5 | 100 | 15 | 5  | 15 | M2*4                                                                                | T-6                                                                                 |
| C08K-SCLCR/L06 |                                                                                   | 10 | 8  | 5   | 125 | 20 | 7  | 13 |                                                                                     |                                                                                     |
| C10K-SCLCR/L06 |                                                                                   | 13 | 10 | 6   | 125 | 22 | 9  | 12 |                                                                                     |                                                                                     |
| C12M-SCLCR/L06 |                                                                                   | 16 | 12 | 7   | 150 | 25 | 11 | 10 |                                                                                     |                                                                                     |
| C12M-SCLCR/L09 | CC□□ 09T3□□                                                                       | 16 | 12 | 7.5 | 150 | 28 | 11 | 12 | M3.5*8                                                                              | T-15                                                                                |
| C16Q-SCLCR/L09 |                                                                                   | 20 | 16 | 9.5 | 180 | 32 | 15 | 10 |                                                                                     |                                                                                     |

## SCLCR/L-A




## SCLCR/L-A

| МОДЕЛЬ               |  | φD  | φd | f    | L   | L1 | H  | α° | Винт                                                                                  | Ключ                                                                                  |
|----------------------|-------------------------------------------------------------------------------------|-----|----|------|-----|----|----|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                      |                                                                                     |     |    |      |     |    |    |    |  |  |
| C0604H-SCLCR/L03-A-3 | CC□□ 0301□□                                                                         | 5.5 | 6  | 2.5  | 100 | 12 | 5  | 15 | M1.6*4                                                                                | T-6                                                                                   |
| C0604H-SCLCR/L03-A-5 |                                                                                     | 5.5 | 6  | 2.5  | 100 | 20 | 5  | 15 |                                                                                       |                                                                                       |
| C0605H-SCLCR/L04-A-3 | CC□□ 0402□□                                                                         | 6   | 6  | 3    | 100 | 15 | 5  | 15 | M2*4                                                                                  | T-6                                                                                   |
| C0605H-SCLCR/L04-A-5 |                                                                                     | 6   | 6  | 3    | 100 | 25 | 5  | 15 |                                                                                       |                                                                                       |
| C06H-SCLCR/L04-A     |                                                                                     | 8   | 6  | 3.5  | 100 | 15 | 5  | 15 |                                                                                       |                                                                                       |
| C08K-SCLCR/L06-A     | CC□□ 0602□□                                                                         | 10  | 8  | 5    | 125 | 20 | 7  | 13 | M2.5*6                                                                                | T-8                                                                                   |
| C10K-SCLCR/L06-A     |                                                                                     | 13  | 10 | 6    | 125 | 22 | 9  | 12 |                                                                                       |                                                                                       |
| C12M-SCLCR/L06-A     |                                                                                     | 16  | 12 | 7    | 150 | 25 | 11 | 10 |                                                                                       |                                                                                       |
| C12Q-SCLCR/L09-A     |                                                                                     | 16  | 12 | 7.5  | 150 | 25 | 11 | 12 |                                                                                       |                                                                                       |
| C16Q-SCLCR/L09-A     | CC□□ 09T3□□                                                                         | 20  | 16 | 9.5  | 180 | 28 | 15 | 10 | M3.5*8                                                                                | T-15                                                                                  |
| C16R-SCLCR/L09-A     |                                                                                     | 20  | 16 | 9.5  | 200 | 28 | 15 | 10 |                                                                                       |                                                                                       |
| C20S-SCLCR/L12-A     |                                                                                     | 25  | 20 | 12   | 250 | 33 | 18 | 8  |                                                                                       |                                                                                       |
| C25T-SCLCR/L12-A     | CC□□ 1204□□                                                                         | 31  | 25 | 14.5 | 300 | 38 | 23 | 6  | M5*12                                                                                 | T-20                                                                                  |

Антивибрационные расточные оправки  
с твердосплавным элементом


## STFCR/L



## STFCR/L

| МОДЕЛЬ             |  | φD | φd | f   | L   | L1 | H  | α° | Винт                                                                                | Ключ                                                                                |
|--------------------|-----------------------------------------------------------------------------------|----|----|-----|-----|----|----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                    |                                                                                   |    |    |     |     |    |    |    |  |  |
| C08K-STFC(P)R/L 09 | TC(P) □ 0602 □                                                                    | 10 | 8  | 5   | 125 | 20 | 7  | 13 | M2*4                                                                                | T-6                                                                                 |
| C10K-STFC(P)R/L 09 |                                                                                   | 13 | 10 | 6   | 125 | 22 | 9  | 12 |                                                                                     |                                                                                     |
| C10K-STFC(P)R/L 11 | TC(P) □ 09T3 □                                                                    | 16 | 12 | 7   | 150 | 22 | 9  | 10 | M2.5*6                                                                              | T-8                                                                                 |
| C12M-STFC(P)R/L 11 |                                                                                   | 16 | 12 | 7.5 | 150 | 25 | 11 | 12 |                                                                                     |                                                                                     |
| C16Q-STFC(P)R/L 11 |                                                                                   | 20 | 16 | 9.5 | 180 | 28 | 15 | 10 |                                                                                     |                                                                                     |


## STFCR/L-A



## STFCR/L-A

| МОДЕЛЬ              |  | φD | φd | f    | L   | L1 | H  | α° | Винт                                                                                  | Ключ                                                                                  |
|---------------------|-------------------------------------------------------------------------------------|----|----|------|-----|----|----|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                     |                                                                                     |    |    |      |     |    |    |    |  |  |
| C08K-STFC(P)R/L09-A | TC(P) □ 0602 □                                                                      | 10 | 8  | 5    | 125 | 20 | 7  | 13 | M2*4                                                                                  | T-6                                                                                   |
| C10K-STFC(P)R/L09-A |                                                                                     | 13 | 10 | 6    | 125 | 22 | 9  | 12 |                                                                                       |                                                                                       |
| C12Q-STFC(P)R/L11-A | TC(P) □ 09T3 □                                                                      | 16 | 12 | 7.5  | 150 | 25 | 11 | 12 | M2.5*6                                                                                | T-8                                                                                   |
| C16R-STFC(P)R/L11-A |                                                                                     | 20 | 16 | 9.5  | 180 | 28 | 15 | 10 |                                                                                       |                                                                                       |
| C20S-STFC(P)R/L16-A | TC(P) □ 1603 □                                                                      | 25 | 20 | 12   | 250 | 33 | 18 | 8  | M3.5*8                                                                                | T-15                                                                                  |
| C25T-STFC(P)R/L16-A |                                                                                     | 31 | 25 | 14.5 | 300 | 38 | 23 | 6  |                                                                                       |                                                                                       |

## STUCR/L




## STUCR/L

| МОДЕЛЬ            |  | $\phi D$ | $\phi d$ | $f$ | $L$ | $L1$ | $H$ | $\alpha^\circ$ | Винт                                                                                  | Ключ                                                                                  |
|-------------------|------------------------------------------------------------------------------------|----------|----------|-----|-----|------|-----|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                   |                                                                                    |          |          |     |     |      |     |                |  |  |
| C06H-STUBR/L 06   | ТВ□□ 0602□□                                                                        | 8        | 6        | 3.5 | 100 | 15   | 5   | 15             | M2*4                                                                                  | T-6                                                                                   |
| C06H-STUBR/L 06-A |                                                                                    | 8        | 6        | 3.5 | 100 | 15   | 5   | 15             |                                                                                       |                                                                                       |




## SWUCR/L



## SWUCR/L

| МОДЕЛЬ         |  | $\phi D$ | $\phi d$ | f   | L   | L1 | H    | $\alpha^\circ$ | Винт                                                                                | Ключ                                                                                |
|----------------|-----------------------------------------------------------------------------------|----------|----------|-----|-----|----|------|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                |                                                                                   |          |          |     |     |    |      |                |  |  |
| C06H-SWUBR/L03 | TC(P) 0602                                                                        | 8        | 6        | 3.5 | 100 | 15 | 5 M2 | 15             | *4                                                                                  | T-6                                                                                 |

## SWUCR/L-A




## SWUCR/L-A

| МОДЕЛЬ             |  | $\phi D$ | $\phi d$ | f   | L   | L1 | H | $\alpha^\circ$ | Винт                                                                                  | Ключ                                                                                  |
|--------------------|-------------------------------------------------------------------------------------|----------|----------|-----|-----|----|---|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                    |                                                                                     |          |          |     |     |    |   |                |  |  |
| C06H-SWUBR/L03-A-3 | Wb 0302                                                                             | 6        | 6        | 3   | 100 | 15 | 5 | 15             | M2*4                                                                                  | T-6                                                                                   |
| C06H-SWUBR/L03-A-5 |                                                                                     | 6        | 6        | 3   | 100 | 25 | 5 | 15             |                                                                                       |                                                                                       |
| C06H-SWUBR/L03-A   |                                                                                     | 8        | 6        | 3.5 | 100 | 15 | 5 | 15             |                                                                                       |                                                                                       |

# Резцовые картриджи и антивибрационные оправки




*Резцовые картриджи и  
антивибрационные оправки*



## WGYZ


| МОДЕЛЬ        | ØD | H  | B  | L   | L1  | L2 | G     | Винт                                                                                | Ключ                                                                                |
|---------------|----|----|----|-----|-----|----|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|               |    |    |    |     |     |    |       |  |  |
| WGYZ-3232-310 | 32 | 29 | 30 | 310 | 200 | 8  | ZG1/4 | 0520 0530                                                                           | L4                                                                                  |
| WGYZ-4040-360 | 40 | 36 | 38 | 360 | 250 | 8  |       | 0620 0630                                                                           | L5                                                                                  |
| WGYZ-5050-460 | 50 | 46 | 48 | 460 | 320 | 8  |       |                                                                                     |                                                                                     |



## PTFZ

| МОДЕЛЬ        | ØD | H  | B  | L   | L1  | L2 | G     | Винт                                                                                  | Ключ                                                                                  |
|---------------|----|----|----|-----|-----|----|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|               |    |    |    |     |     |    |       |  |  |
| PTFZ 3232-200 | 32 | 29 | 29 | 200 | 140 | 8  | ZG1/4 | 0520 0530                                                                             | L4                                                                                    |
| PTFZ 3232-310 | 32 | 29 | 29 | 360 | 250 | 8  |       |                                                                                       |                                                                                       |
| PTFZ 4040-200 | 40 | 36 | 36 | 200 | 140 | 8  |       |                                                                                       |                                                                                       |
| PTFZ 4040-360 | 40 | 36 | 36 | 360 | 250 | 8  |       |                                                                                       |                                                                                       |
| PTFZ 5050-460 | 50 | 46 | 46 | 460 | 320 | 8  |       | 0620 0630                                                                             | L5                                                                                    |


## PCLNR/L



## PCLNR/L

| МОДЕЛЬ          |  | ØD | Ød | L  | L1 | f    | α° | Рычаг                                                                               | Винт                                                                                | Подкладка                                                                           | Втулка                                                                              | Ключ                                                                                |
|-----------------|-----------------------------------------------------------------------------------|----|----|----|----|------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                 |                                                                                   |    |    |    |    |      |    |  |  |  |  |  |
| KH32-PCLNR/L 12 | CN□□ 1204□□                                                                       | 40 | 32 | 50 | 40 | 22.5 | 10 | 0514                                                                                | 0820                                                                                | 1203                                                                                | 0606                                                                                | L3                                                                                  |
| KH40-PCLNR/L 12 |                                                                                   | 50 | 40 | 50 | 40 | 27   | 10 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| KH50-PCLNR/L 12 |                                                                                   | 60 | 50 | 50 | 40 | 32   | 10 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |

## PWLNLR/L




## PWLNLR/L

| МОДЕЛЬ           |  | ØD | Ød | L  | L1 | f    | α° | Рычаг                                                                                 | Винт                                                                                  | Подкладка                                                                             | Втулка                                                                                | Ключ                                                                                  |
|------------------|-------------------------------------------------------------------------------------|----|----|----|----|------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                  |                                                                                     |    |    |    |    |      |    |  |  |  |  |  |
| TH32-PWLNLR/L 08 | WN□□ 0804□□                                                                         | 40 | 32 | 50 | 40 | 22.5 | 10 | 0514                                                                                  | 0820                                                                                  | 0803                                                                                  | 0606                                                                                  | L3                                                                                    |
| TH40-PWLNLR/L 08 |                                                                                     | 50 | 40 | 50 | 40 | 27   | 10 |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| TH50-PWLNLR/L 08 |                                                                                     | 60 | 50 | 50 | 40 | 32   | 10 |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |




## PDUNR/L



## PDUNR/L

| МОДЕЛЬ          |  | ØD | Ød | L  | L1 | f    | α° | Рычаг                                                                               | Винт                                                                                | Подкладка                                                                           | Втулка                                                                              | Ключ                                                                                |
|-----------------|-----------------------------------------------------------------------------------|----|----|----|----|------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                 |                                                                                   |    |    |    |    |      |    |  |  |  |  |  |
| TH32-PDUNR/L 15 | DN□□ 1204□□                                                                       | 40 | 32 | 50 | 40 | 22.5 | 10 | 0514D                                                                               | 0821                                                                                | 1503                                                                                | 0606                                                                                | L3                                                                                  |
| TH40-PDUNR/L 15 |                                                                                   | 50 | 40 | 50 | 40 | 27   | 10 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TH50-PDUNR/L 15 |                                                                                   | 60 | 50 | 50 | 40 | 32   | 10 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |


## PTUNR/L



## PTUNR/L

| МОДЕЛЬ          |  | ØD | Ød | L  | L1 | f    | α° | Рычаг                                                                                 | Винт                                                                                  | Подкладка                                                                             | Втулка                                                                                | Ключ                                                                                  |
|-----------------|-------------------------------------------------------------------------------------|----|----|----|----|------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                 |                                                                                     |    |    |    |    |      |    |  |  |  |  |  |
| TH32-PTUNR/L 16 | TN□□ 1604□□                                                                         | 40 | 32 | 50 | 40 | 22.5 | 10 | 0310                                                                                  | 0618                                                                                  | 1603                                                                                  | 0505                                                                                  | L3                                                                                    |
| TH40-PTUNR/L 16 |                                                                                     | 50 | 40 | 50 | 40 | 27   | 10 |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| TH50-PTUNR/L 16 |                                                                                     | 60 | 50 | 50 | 40 | 32   | 10 |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |


## SVQCR/L



## SVQCR/L

| МОДЕЛЬ          |  | ØD | Ød | L  | L1 | f    | α° | Винт                                                                                | Ключ                                                                                |
|-----------------|-----------------------------------------------------------------------------------|----|----|----|----|------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                 |                                                                                   |    |    |    |    |      |    |  |  |
| TH32-SVQCR/L 16 | VC□□ 1604□□                                                                       | 40 | 32 | 50 | 40 | 22.5 | 4  | M3.5*8                                                                              | T15                                                                                 |
| TH40-SVQCR/L 16 |                                                                                   | 50 | 40 | 50 | 40 | 27   | 4  |                                                                                     |                                                                                     |
| TH50-SVQCR/L 16 |                                                                                   | 60 | 50 | 50 | 40 | 32   | 4  |                                                                                     |                                                                                     |


## SDQCR/L



## SDQCR/L

| МОДЕЛЬ          |  | ØD | Ød | L  | L1 | f    | α° | Винт                                                                                  | Ключ                                                                                  |
|-----------------|-------------------------------------------------------------------------------------|----|----|----|----|------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                 |                                                                                     |    |    |    |    |      |    |  |  |
| TH32-SDQCR/L 11 | DC□□ 11T3□□                                                                         | 40 | 32 | 45 | 35 | 22.5 | 4  | M3.5*8                                                                                | T15                                                                                   |
| TH40-SDQCR/L 11 |                                                                                     | 50 | 40 | 45 | 35 | 27   | 4  |                                                                                       |                                                                                       |
| TH50-SDQCR/L 11 |                                                                                     | 60 | 50 | 50 | 40 | 32   | 4  |                                                                                       |                                                                                       |


## SCLCR/L



## SCLCR/L

| МОДЕЛЬ          |  | ØD | Ød | L  | L1 | f    | α° | Винт                                                                                | Ключ                                                                                |
|-----------------|-----------------------------------------------------------------------------------|----|----|----|----|------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                 |                                                                                   |    |    |    |    |      |    |  |  |
| TH32-SCLCR/L 12 | CC□□ 1204□□                                                                       | 40 | 32 | 45 | 35 | 22.5 | 4  | M5*12                                                                               | T20                                                                                 |
| TH40-SCLCR/L 12 |                                                                                   | 50 | 40 | 45 | 35 | 27   | 4  |                                                                                     |                                                                                     |
| TH50-SCLCR/L 12 |                                                                                   | 60 | 50 | 50 | 40 | 32   | 4  |                                                                                     |                                                                                     |

## STUCR/L



## STUCR/L


| МОДЕЛЬ          |  | ØD | Ød | L  | L1 | f    | α° | Винт                                                                                  | Ключ                                                                                  |
|-----------------|-------------------------------------------------------------------------------------|----|----|----|----|------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                 |                                                                                     |    |    |    |    |      |    |  |  |
| TH32-STUCR/L 16 | TC□□ 16T3□□                                                                         | 40 | 32 | 45 | 35 | 22.5 | 4  | M3.5*8                                                                                | T15                                                                                   |
| TH40-STUCR/L 16 |                                                                                     | 50 | 40 | 45 | 35 | 27   | 4  |                                                                                       |                                                                                       |
| TH50-STUCR/L 16 |                                                                                     | 60 | 50 | 50 | 40 | 32   | 4  |                                                                                       |                                                                                       |

Серия твердосплавных оправок  
для концевых фрез




| Размеры<br>Модель          | L       | D    | D1           | M       |
|----------------------------|---------|------|--------------|---------|
| MFT10-10-(080-100)-M5      | 80-100  | φ 10 | φ 5.5        | M5      |
| MFT12-12-(100-150)-M6      | 100-150 | φ 12 | φ 6.5        | M6      |
| MFT16-15-(100-200)-M8      | 100-200 | φ 15 | φ 8.5        | M8      |
| MFT17-16-(100-200)-M8      | 100-200 | φ 16 | φ 8.5        | M8      |
| MFT20-19-(150-250)-M10     | 150-250 | φ 19 | φ 10.5       | M10     |
| MFT21-20-(150-250)-M10     | 150-250 | φ 20 | φ 10.5       | M10     |
| MFT25-24-(150-300)-M10(12) | 150-300 | φ 24 | φ 10.5(12.5) | M10(12) |
| MFT30-25-(150-300)-M12     | 150-300 | φ 25 | φ 12.5       | M12     |
| MFT35-32-(150-400)-M16     | 150-400 | φ 32 | φ 17         | M16     |

## Фрезерные головы TAB и TAD серии



| МОДЕЛЬ            | Z |          | D  | M   | L  | d    | Винт   | Ключ |
|-------------------|---|----------|----|-----|----|------|--------|------|
| TAP300R-2T-16-M8  | 2 | AP□□1135 | 16 | M8  | 30 | 8.5  | M2.5*6 | T-8  |
| TAP300R-2T-20-M10 | 2 |          | 20 | M10 | 35 | 10.5 |        |      |
| TAP300R-3T-25-M10 | 3 |          | 25 | M10 | 35 | 10.5 |        |      |
| TAP400R-2T-25-M10 | 2 | AP□□1604 | 25 | M10 | 35 | 10.5 | M4*10  | T-15 |
| TAP400R-2T-30-M12 | 2 |          | 30 | M12 | 40 | 12.5 |        |      |
| TAP400R-3T-35-M16 | 3 |          | 35 | M16 | 40 | 17   |        |      |



| МОДЕЛЬ          | Z |          | D  | M   | ap | Винт           | Ключ     |
|-----------------|---|----------|----|-----|----|----------------|----------|
| TRD4R-3T 25-M12 | 3 | RP□□08T2 | 25 | M12 | 4  | M2.5*6<br>M3*6 | T-8 T-10 |
| TRD5R-2T 25-M12 | 2 | RP□□10T3 | 25 | M12 | 5  | M3.5*8         | T-15     |
| TRD5R-3T 32-M16 | 3 |          | 32 | M12 | 5  |                |          |
| TRD6R-3T 32-M16 | 3 | RP□□1204 | 32 | M16 | 6  | M4*10          | T-15     |
| TRD5R-3T 35-M16 | 3 | RP□□10T3 | 35 | M16 | 5  | M3.5*8         | T-15     |
| TRD6R-3T 35-M16 | 3 | RP□□1204 | 35 | M16 | 6  | M4*10          | T-15     |
| TRD5R-4T 40-M16 | 4 | RP□□10T3 | 40 | M16 | 5  | M3.5*8         | T-15     |
| TRD6R-4T 40-M16 | 4 | RP□□1204 | 40 | M16 | 6  | M4*10          | T-15     |

Резцовые картриджи и  
антивибрационные оправки




# Резцы для расточных систем




*Резцы для расточных систем*







SCF  $\diamond$  R/LSCF  $\diamond$  R/L

| МОДЕЛЬ          |  | $\varnothing D$ | h   | f  | L  | L1 | h1 | Рычаг                                                                             | Винт GD                                                                             | Винт TJLS                                                                           | Винт DJ                                                                             | Ключ                                                                                |
|-----------------|-----------------------------------------------------------------------------------|-----------------|-----|----|----|----|----|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SCFPR/L 06CA-05 | CP $\square$ 050204                                                               | 20              | 8.5 | 8  | 25 | 12 | 6  |  |  |  |  |  |
| SCFCR/L 08CA-06 | CC $\square$ 060204                                                               | 25              | 10  | 10 | 32 | 17 | 8  |  |  | 04012                                                                               | 03006                                                                               | T6                                                                                  |
| SCFCR/L 10CA-09 | CC $\square$ 09T308                                                               | 40              | 15  | 14 | 50 | 20 | 10 |  |  |                                                                                     | 04008                                                                               | T8                                                                                  |
|                 |                                                                                   |                 |     |    |    |    |    |                                                                                   |                                                                                     |                                                                                     |                                                                                     | T15                                                                                 |

SCG  $\diamond$  R/LSCG  $\diamond$  R/L

| МОДЕЛЬ          |  | $\varnothing D$ | h   | f  | L  | L1 | h1 | Рычаг                                                                               | Винт GD                                                                               | Винт TJLS                                                                             | Винт DJ                                                                               | Ключ                                                                                  |
|-----------------|-------------------------------------------------------------------------------------|-----------------|-----|----|----|----|----|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SCGPR/L 06CA-05 | CP $\square$ 050204                                                                 | 20              | 8.5 | 8  | 25 | 12 | 6  |  |  |  |  |  |
| SCGCR/L 08CA-06 | CC $\square$ 060204                                                                 | 25              | 10  | 10 | 32 | 17 | 8  |  |  | 04012                                                                                 | 03006                                                                                 | T6                                                                                    |
| SCGCR/L 10CA-09 | CC $\square$ 09T308                                                                 | 40              | 15  | 14 | 50 | 20 | 10 |  |  |                                                                                       | 04008                                                                                 | T8                                                                                    |
|                 |                                                                                     |                 |     |    |    |    |    |                                                                                     |                                                                                       |                                                                                       |                                                                                       | T15                                                                                   |


## SCL ◊ R/L



## SCL ◊ R/L

| МОДЕЛЬ          |  | ØD | h   | f  | L  | L1 | h1 | Рычаг                                                                               | Винт GD                                                                             | Винт TJLS                                                                           | Винт DJ                                                                             | Ключ                                                                                |
|-----------------|-----------------------------------------------------------------------------------|----|-----|----|----|----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SCLPR/L 06CA-05 | CP□ 050204                                                                        | 20 | 8.5 | 8  | 25 | 12 | 6  |  |  |  |  |  |
| SCLCR/L 08CA-06 | CC□ 060204                                                                        | 25 | 10  | 10 | 32 | 17 | 8  | M2.2*5                                                                              | 03510                                                                               | 03009                                                                               | 03006                                                                               | T6                                                                                  |
| SCLCR/L 10CA-09 | CC□ 09T308                                                                        | 40 | 15  | 14 | 50 | 20 | 10 | M2.5*6                                                                              | 04016                                                                               | 04012                                                                               | 04008                                                                               | T8                                                                                  |
| SCLCR/L 12CA-12 | CC□ 120408                                                                        | 50 | 20  | 20 | 55 | 20 | 12 | M3.5*8                                                                              | 06020                                                                               | 05014                                                                               | 04012                                                                               | T15                                                                                 |
|                 |                                                                                   |    |     |    |    |    |    | M5*12                                                                               | 06025                                                                               | 05014                                                                               | 04012                                                                               | T20                                                                                 |


## S ◊ S ◊ R/L



## S ◊ S ◊ R/L

| МОДЕЛЬ          |  | ØD | h   | f  | L    | L1 | h1 | Рычаг                                                                                 | Винт GD                                                                               | Винт TJLS                                                                             | Винт DJ                                                                               | Ключ                                                                                  |
|-----------------|-------------------------------------------------------------------------------------|----|-----|----|------|----|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SCSPR/L 06CA-05 | CP□ 050204                                                                          | 20 | 8.5 | 8  | 21.4 | 12 | 6  |  |  |  |  |  |
| SCSCR/L 08CA-06 | CC□ 060204                                                                          | 25 | 10  | 10 | 28   | 17 | 8  | M2.2*5                                                                                | 03510                                                                                 | 03009                                                                                 | 03006                                                                                 | T6                                                                                    |
| SCSCR/L 10CA-09 | CC□ 09T308                                                                          | 40 | 15  | 14 | 44   | 20 | 10 | M2.5*6                                                                                | 04016                                                                                 | 04012                                                                                 | 04008                                                                                 | T8                                                                                    |
| STSCR/L 10CA-11 | TC□ 110204                                                                          | 40 | 15  | 14 | 44   | 20 | 10 | M3.5*8                                                                                | 06020                                                                                 | 04012                                                                                 | 04008                                                                                 | T15                                                                                   |
| STSCR/L 12CA-16 | TC□ 16T308                                                                          | 50 | 20  | 20 | 47   | 20 | 12 | M2.5*6                                                                                | 06020                                                                                 | 04012                                                                                 | 04008                                                                                 | T8                                                                                    |
| STSCR/L 16CA-16 |                                                                                     | 55 | 21  | 25 | 53   | 25 | 16 | M3.5*8                                                                                | 06025                                                                                 | 05014                                                                                 | 04012                                                                                 | T15                                                                                   |
|                 |                                                                                     |    |     |    |      |    |    | 08030                                                                                 | 06019                                                                                 |                                                                                       |                                                                                       |                                                                                       |


## S◇KCR/L



## S◇KCR/L

| МОДЕЛЬ          |  | ØD | h  | f  | L  | L1 | h1 | Рычаг  | Винт GD | Винт TJLS | Винт DJ | Ключ |
|-----------------|-----------------------------------------------------------------------------------|----|----|----|----|----|----|--------|---------|-----------|---------|------|
| SCKCR/L 08CA-06 | CC□□ 060204                                                                       | 25 | 10 | 10 | 32 | 17 | 8  | M2.5*6 | 04016   | 04012     | 03006   | T8   |
| SSKCR/L 10CA-09 | SC□□ 09T308                                                                       | 40 | 15 | 14 | 50 | 20 | 10 | M3.5*8 | 06020   | 04012     | 04008   | T15  |
| SSKCR/L 12CA-12 | SC□□ 120408                                                                       | 50 | 20 | 20 | 55 | 20 | 12 | M5*12  | 06025   | 05014     | 04012   | T20  |
| SSKCR/L 16CA-12 |                                                                                   | 55 | 21 | 25 | 63 | 25 | 16 |        | 08030   | 06019     |         |      |


## SCW◇R/L



## SCW◇R/L

| МОДЕЛЬ          |  | ØD | h   | f  | L    | L1 | h1 | Рычаг  | Винт GD | Винт TJLS | Винт DJ | Ключ |
|-----------------|-------------------------------------------------------------------------------------|----|-----|----|------|----|----|--------|---------|-----------|---------|------|
| SCWPR/L 06CA-05 | CP□□ 050204                                                                         | 20 | 8.5 | 8  | 22.7 | 12 | 6  | M2.2*5 | 03510   | 03009     | 03006   | T6   |
| SCWCR/L 08CA-06 | CC□□ 060204                                                                         | 25 | 10  | 10 | 29   | 17 | 8  | M2.5*6 | 04016   | 04012     |         | T8   |


## STFCR/L



## STFCR/L

| МОДЕЛЬ          |  | ØD | h  | f  | L  | L1 | h1 | Рычаг  | Винт GD | Винт TJLS | Винт DJ | Ключ |
|-----------------|-----------------------------------------------------------------------------------|----|----|----|----|----|----|--------|---------|-----------|---------|------|
| STFCR/L 08CA-09 | TC□ 090204                                                                        | 25 | 10 | 10 | 32 | 17 | 8  | M2.5×6 | 04016   | 04012     | 03006   | T8   |
| STFCR/L 10CA-11 | TC□ 110204                                                                        | 40 | 15 | 14 | 50 | 20 | 10 |        | 06020   |           | 04008   |      |
| STFCR/L 12CA-16 | TC□ 16T308                                                                        | 50 | 20 | 20 | 55 | 20 | 12 | M3.5×8 | 06025   | 05014     | 04012   | T15  |
| STFCR/L 16CA-16 |                                                                                   | 55 | 21 | 25 | 63 | 25 | 16 |        | 08030   | 06019     |         |      |

## STGCR/L




## STGCR/L

| МОДЕЛЬ          |  | ØD | h  | f  | L  | L1 | h1 | Рычаг  | Винт GD | Винт TJLS | Винт DJ | Ключ |
|-----------------|-------------------------------------------------------------------------------------|----|----|----|----|----|----|--------|---------|-----------|---------|------|
| STGCR/L 08CA-09 | TC□ 090204                                                                          | 25 | 10 | 10 | 32 | 17 | 8  | M2.5×6 | 04016   | 04012     | 03006   | T8   |
| STGCR/L 10CA-11 | TC□ 110204                                                                          | 40 | 15 | 14 | 50 | 20 | 10 |        | 06020   |           | 04008   |      |
| STGCR/L 12CA-16 | TC□ 16T308                                                                          | 50 | 20 | 20 | 55 | 20 | 12 | M3.5×8 | 06025   | 05014     | 04012   | T15  |
| STGCR/L 16CA-16 |                                                                                     | 55 | 21 | 25 | 63 | 25 | 16 |        | 08030   | 06019     |         |      |




## STTCR/L



## STTCR/L

| МОДЕЛЬ          |  | ØD | h   | f   | L  | L1 | h1 | Рычаг  | Винт GD | Винт TJLS | Винт DJ | Ключ |
|-----------------|-----------------------------------------------------------------------------------|----|-----|-----|----|----|----|--------|---------|-----------|---------|------|
| STTCR/L 10CA-11 | TC□□ 110204                                                                       | 40 | 15  | 9   | 50 | 20 | 10 | M2.5*6 | 06020   | 04012     | 04008   | T8   |
| STTCR/L 12CA-16 | TC□□ 16T308                                                                       | 50 | 20  | 13  | 55 | 20 | 12 | M3.5*8 | 06025   | 05014     | 04012   | T15  |
| STTCR/L 16CA-16 |                                                                                   | 55 | 21  | 15  | 63 | 25 | 16 |        | 08030   | 06019     |         |      |
| SCTPR/L 06CA-05 | CP□□ 050204                                                                       | 20 | 8.5 | 5.5 | 25 | 12 | 6  | M2.2*5 | 03510   | 03009     | 03006   | T6   |
| SCTCR/L 08CA-06 | CC□□ 060204                                                                       | 25 | 10  | 6   | 32 | 17 | 8  | M2.5*6 | 04016   | 04012     |         | T8   |


## STWCR/L



## STWCR/L



| МОДЕЛЬ          |  | ØD | h  | f  | L  | L1 | h1 | Рычаг  | Винт GD | Винт TJLS | Винт DJ | Ключ |
|-----------------|-------------------------------------------------------------------------------------|----|----|----|----|----|----|--------|---------|-----------|---------|------|
| STWCR/L 10CA-11 | TC□□ 110204                                                                         | 40 | 15 | 14 | 44 | 20 | 10 | M2.5*6 | 06020   | 04012     | 04008   | T8   |
| STWCR/L 12CA-16 | TC□□ 16T308                                                                         | 50 | 20 | 20 | 47 | 20 | 12 | M3.5*8 | 06025   | 05014     | 04012   | T15  |
| STWCR/L 16CA-16 |                                                                                     | 55 | 21 | 25 | 53 | 25 | 16 |        | 08030   | 06019     |         |      |

## TZC Расточной резец





## TZC Расточной резец

| МОДЕЛЬ         |  | ØD                      L                      d |     |    | Винт                                                                                | Ключ                                                                                |
|----------------|-----------------------------------------------------------------------------------|--------------------------------------------------|-----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                |                                                                                   | Диаметры расточки                                |     |    |  |  |
| TZC08-23-90-L  | TC◇◇ 090204                                                                       | 25-38                                            | 23  | 8  | M2.5*6                                                                              | T-8                                                                                 |
| TZC08-36-90-L  |                                                                                   | 38-50                                            | 36  |    |                                                                                     |                                                                                     |
| TZC10-36-90-L  | TC◇◇ 090204                                                                       | 50-70                                            | 48  | 10 |                                                                                     |                                                                                     |
| TZC10-48-90-L  |                                                                                   |                                                  |     |    |                                                                                     |                                                                                     |
| TZC13-48-90-L  | TC◇◇ 110204                                                                       | 70-90                                            | 65  | 13 |                                                                                     |                                                                                     |
| TZC13-65-90-L  |                                                                                   |                                                  |     |    |                                                                                     |                                                                                     |
| TZC16-60-90-L  | Tc◇◇ 110204                                                                       | 62-90                                            | 60  | 16 |                                                                                     |                                                                                     |
| TZC16-85-90-L  |                                                                                   | 90-115                                           | 85  |    |                                                                                     |                                                                                     |
| TZC19-70-90-L  | TC◇◇ 16T308                                                                       | 72-105                                           | 70  | 19 | M3.5*8                                                                              | T-15                                                                                |
| TZC19-95-90-L  |                                                                                   | 105-135                                          | 95  |    |                                                                                     |                                                                                     |
| TZC19-120-90-L |                                                                                   | 135-150                                          | 120 |    |                                                                                     |                                                                                     |
| TZC25-100-90-L | TC◇◇ 16T308                                                                       | 105-140                                          | 100 | 25 |                                                                                     |                                                                                     |
| TZC25-135-90-L |                                                                                   | 140-190                                          | 135 |    |                                                                                     |                                                                                     |




Резцы для расточных систем

## TQC Расточной резец




### TQC Расточной резец




| МОДЕЛЬ          |  | ØD                      L                      d |     |    | Винт                                                                                | Ключ                                                                                |
|-----------------|-----------------------------------------------------------------------------------|--------------------------------------------------|-----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                 |                                                                                   | Диаметры расточки                                |     |    |  |  |
| TQC 08-29-45-L  | TC◇◇ 090204                                                                       | 25-38                                            | 29  | 8  | M2.5*6                                                                              | T-8                                                                                 |
| TQC 08-45-45-L  |                                                                                   | 38-50                                            | 45  |    |                                                                                     |                                                                                     |
| TQC 10-45-45-L  | TC◇◇ 090204                                                                       | 50-70                                            | 60  | 10 |                                                                                     |                                                                                     |
| TQC 10-60-45-L  |                                                                                   | 70-90                                            | 81  |    |                                                                                     |                                                                                     |
| TQC 13-60-45-L  | TC◇◇ 110204                                                                       | 62-90                                            | 75  | 13 |                                                                                     |                                                                                     |
| TQC 13-81-45-L  |                                                                                   | 90-115                                           | 106 |    |                                                                                     |                                                                                     |
| TQC 16-75-45-L  | TC◇◇ 110204                                                                       | 72-105                                           | 88  | 19 | M3.5*8                                                                              | T-15                                                                                |
| TQC 16-106-45-L |                                                                                   | 105-135                                          | 119 |    |                                                                                     |                                                                                     |
| TQC 19-88-45-L  | TC◇◇ 16T308                                                                       | 105-140                                          | 125 | 25 |                                                                                     |                                                                                     |
| TQC 19-119-45-L |                                                                                   | 140-190                                          | 169 |    |                                                                                     |                                                                                     |
| TQC 25-125-45-L | TC◇◇ 16T308                                                                       |                                                  |     |    |                                                                                     |                                                                                     |
| TQC 25-169-45-L |                                                                                   |                                                  |     |    |                                                                                     |                                                                                     |




## CBS Расточной резец




## CBS Расточной резец




| СХЕМА РАБОТЫ                                                                        | МОДЕЛЬ  |  |    |     |     |    |     |                                                                                          |                                                                                          |
|-------------------------------------------------------------------------------------|---------|-----------------------------------------------------------------------------------|----|-----|-----|----|-----|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
|                                                                                     |         |                                                                                   | h  | h1  | L   | d  | K   |  Винт |  Ключ |
|    | CBS-308 | CCMT0602                                                                          | 8  | 8   | 55  | 8  | 30° | M2.5*6                                                                                   | T8                                                                                       |
|                                                                                     | CBS-310 |                                                                                   | 10 | 10  | 65  | 10 |     |                                                                                          |                                                                                          |
|                                                                                     | CBS-313 | CCMT09T3                                                                          | 13 | 13  | 80  | 13 |     | M3.5*8                                                                                   | T15                                                                                      |
|                                                                                     | CBS-316 |                                                                                   | 16 | 16  | 120 | 16 |     |                                                                                          |                                                                                          |
|                                                                                     | CBS-319 | CCMT1204                                                                          | 19 | 19  | 140 | 19 |     | M5*12                                                                                    | T20                                                                                      |
| CBS-325                                                                             | 25      |                                                                                   | 25 | 150 | 25  |    |     |                                                                                          |                                                                                          |
|   | CBS-408 | CCMT0602                                                                          | 8  | 8   | 55  | 8  | 45° | M2.5*6                                                                                   | T8                                                                                       |
|                                                                                     | CBS-410 | 10                                                                                | 10 | 65  | 10  |    |     |                                                                                          |                                                                                          |
|                                                                                     | CBS-413 | CCMT09T3                                                                          | 13 | 13  | 80  | 13 |     | M3.5*8                                                                                   | T15                                                                                      |
|                                                                                     | CBS-416 |                                                                                   | 16 | 16  | 120 | 16 |     |                                                                                          |                                                                                          |
|                                                                                     | CBS-419 | CCMT1204                                                                          | 19 | 19  | 140 | 19 |     | M5*12                                                                                    | T20                                                                                      |
| CBS-425                                                                             | 25      |                                                                                   | 25 | 150 | 25  |    |     |                                                                                          |                                                                                          |
|  | CBS-908 | CCMT0602                                                                          | 8  | 8   | 55  | 8  | 90° | M2.5*6                                                                                   | T8                                                                                       |
|                                                                                     | CBS-910 |                                                                                   | 10 | 10  | 65  | 10 |     |                                                                                          |                                                                                          |
|                                                                                     | CBS-913 | CCMT09T3                                                                          | 13 | 13  | 80  | 13 |     | M3.5*8                                                                                   | T15                                                                                      |
|                                                                                     | CBS-916 |                                                                                   | 16 | 16  | 120 | 16 |     |                                                                                          |                                                                                          |
|                                                                                     | CBS-919 | CCMT1204                                                                          | 19 | 19  | 140 | 19 |     | M5*12                                                                                    | T20                                                                                      |
| CBS-925                                                                             | 25      |                                                                                   | 25 | 150 | 25  |    |     |                                                                                          |                                                                                          |




## CBS-P Расточной резец




## CBS-P Расточной резец

| СХЕМА РАБОТЫ                                                                        | МОДЕЛЬ    |  | h  | h1 | L   | d  | K   | Винт<br> | Ключ<br> |
|-------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------|----|----|-----|----|-----|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|    | CBS-308-P | CCMT0602                                                                          | 8  | 8  | 55  | 8  | 30° | M2.5*6                                                                                      | T8                                                                                          |
|                                                                                     | CBS-310-P |                                                                                   | 10 | 10 | 65  | 10 |     |                                                                                             |                                                                                             |
|                                                                                     | CBS-313-P | CCMT09T3                                                                          | 13 | 13 | 80  | 13 |     | M3.5*8                                                                                      | T15                                                                                         |
|                                                                                     | CBS-316-P |                                                                                   | 16 | 16 | 120 | 16 |     |                                                                                             |                                                                                             |
|                                                                                     | CBS-319-P | CCMT1204                                                                          | 19 | 19 | 140 | 19 |     | M5*12                                                                                       | T20                                                                                         |
|   | CBS-325-P |                                                                                   | 25 | 25 | 150 | 25 |     |                                                                                             |                                                                                             |
|                                                                                     | CBS-408-P | CCMT0602                                                                          | 8  | 8  | 55  | 8  | 45° | M2.5*6                                                                                      | T8                                                                                          |
|                                                                                     | CBS-410-P |                                                                                   | 10 | 10 | 65  | 10 |     |                                                                                             |                                                                                             |
|                                                                                     | CBS-413-P | CCMT09T3                                                                          | 13 | 13 | 80  | 13 |     | M3.5*8                                                                                      | T15                                                                                         |
|                                                                                     | CBS-416-P |                                                                                   | 16 | 16 | 120 | 16 |     |                                                                                             |                                                                                             |
|  | CBS-419-P | CCMT1204                                                                          | 19 | 19 | 140 | 19 |     | M5*12                                                                                       | T20                                                                                         |
|                                                                                     | CBS-425-P |                                                                                   | 25 | 25 | 150 | 25 |     |                                                                                             |                                                                                             |
|                                                                                     | CBS-908-P | CCMT0602                                                                          | 8  | 8  | 55  | 8  | 90° | M2.5*6                                                                                      | T8                                                                                          |
|                                                                                     | CBS-910-P |                                                                                   | 10 | 10 | 65  | 10 |     |                                                                                             |                                                                                             |
|                                                                                     | CBS-913-P | CCMT09T3                                                                          | 13 | 13 | 80  | 13 |     | M3.5*8                                                                                      | T15                                                                                         |
|                                                                                     | CBS-916-P |                                                                                   | 16 | 16 | 120 | 16 |     |                                                                                             |                                                                                             |
|                                                                                     | CBS-919-P | CCMT1204                                                                          | 19 | 19 | 140 | 19 |     | M5*12                                                                                       | T20                                                                                         |
|                                                                                     | CBS-925-P |                                                                                   | 25 | 25 | 150 | 25 |     |                                                                                             |                                                                                             |









## CBS Расточной резец






## CBS Расточной резец

| СХЕМА РАБОТЫ                                                                        | МОДЕЛЬ    |  |    |    |     |    |     | Винт<br> | Ключ<br> |
|-------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------|----|----|-----|----|-----|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|                                                                                     |           |                                                                                   | h  | h1 | L   | d  | K   |                                                                                             |                                                                                             |
|    | CBS-308-D | CCMT0602                                                                          | 8  | 6  | 55  | 8  | 30° | M2.5*6                                                                                      | T8                                                                                          |
|                                                                                     | CBS-310-D |                                                                                   | 10 | 7  | 65  | 10 |     |                                                                                             |                                                                                             |
|                                                                                     | CBS-313-D | CCMT09T3                                                                          | 13 | 10 | 80  | 13 |     | M3.5*8                                                                                      | T15                                                                                         |
|                                                                                     | CBS-316-D |                                                                                   | 16 | 11 | 120 | 16 |     |                                                                                             |                                                                                             |
|                                                                                     | CBS-319-D | CCMT1204                                                                          | 19 | 13 | 140 | 19 |     | M5*12                                                                                       | T20                                                                                         |
|                                                                                     | CBS-325-D |                                                                                   | 25 | 18 | 150 | 25 |     |                                                                                             |                                                                                             |
|   | CBS-408-D | CCMT0602                                                                          | 8  | 6  | 55  | 8  | 45° | M2.5*6                                                                                      | T8                                                                                          |
|                                                                                     | CBS-410-D |                                                                                   | 10 | 7  | 65  | 10 |     |                                                                                             |                                                                                             |
|                                                                                     | CBS-413-D | CCMT09T3                                                                          | 13 | 10 | 80  | 13 |     | M3.5*8                                                                                      | T15                                                                                         |
|                                                                                     | CBS-416-D |                                                                                   | 16 | 11 | 120 | 16 |     |                                                                                             |                                                                                             |
|                                                                                     | CBS-419-D | CCMT1204                                                                          | 19 | 13 | 140 | 19 |     | M5*12                                                                                       | T20                                                                                         |
|                                                                                     | CBS-425-D |                                                                                   | 25 | 18 | 150 | 25 |     |                                                                                             |                                                                                             |
|  | CBS-908-D | CCMT0602                                                                          | 8  | 6  | 55  | 8  | 90° | M2.5*6                                                                                      | T8                                                                                          |
|                                                                                     | CBS-910-D |                                                                                   | 10 | 7  | 65  | 10 |     |                                                                                             |                                                                                             |
|                                                                                     | CBS-913-D | CCMT09T3                                                                          | 13 | 10 | 80  | 13 |     | M3.5*8                                                                                      | T15                                                                                         |
|                                                                                     | CBS-916-D |                                                                                   | 16 | 11 | 120 | 16 |     |                                                                                             |                                                                                             |
|                                                                                     | CBS-919-D | CCMT1204                                                                          | 19 | 13 | 140 | 19 |     | M5*12                                                                                       | T20                                                                                         |
|                                                                                     | CBS-925-D |                                                                                   | 25 | 18 | 150 | 25 |     |                                                                                             |                                                                                             |

## TBS Расточной резец



## TBS Расточной резец

| СХЕМА РАБОТЫ                                                                        | МОДЕЛЬ     |  |    |    |     |    |     | Винт                                                                                |  | Ключ                                                                                |  |
|-------------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------|----|----|-----|----|-----|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|--|
|                                                                                     |            |                                                                                   | h  | h1 | L   | d  | K   |  |  |  |  |
|    | TB(P)S-308 | TC(P)GH090204                                                                     | 8  | 8  | 55  | 8  | 30° | M2.5*6                                                                              |  | T8                                                                                  |  |
|                                                                                     | TB(P)S-310 |                                                                                   | 10 | 10 | 65  | 10 |     |                                                                                     |  |                                                                                     |  |
|                                                                                     | TB(P)S-313 | TC(P)GH110304                                                                     | 13 | 13 | 80  | 13 |     |                                                                                     |  |                                                                                     |  |
|                                                                                     | TB(P)S-316 |                                                                                   | 16 | 16 | 120 | 16 |     |                                                                                     |  |                                                                                     |  |
|                                                                                     | TB(P)S-319 | TC(P)GH160304                                                                     | 19 | 19 | 140 | 19 |     | M3.5*8                                                                              |  | T15                                                                                 |  |
|                                                                                     | TB(P)S-325 |                                                                                   | 25 | 25 | 150 | 25 |     |                                                                                     |  |                                                                                     |  |
|   | TB(P)S-408 | TC(P)GH090204                                                                     | 8  | 8  | 55  | 8  | 45° | M2.5*6                                                                              |  | T8                                                                                  |  |
|                                                                                     | TB(P)S-410 |                                                                                   | 10 | 10 | 65  | 10 |     |                                                                                     |  |                                                                                     |  |
|                                                                                     | TB(P)S-413 | TC(P)GH110304                                                                     | 13 | 13 | 80  | 13 |     |                                                                                     |  |                                                                                     |  |
|                                                                                     | TB(P)S-416 |                                                                                   | 16 | 16 | 120 | 16 |     |                                                                                     |  |                                                                                     |  |
|                                                                                     | TB(P)S-419 | TC(P)GH160304                                                                     | 19 | 19 | 140 | 19 |     | M3.5*8                                                                              |  | T15                                                                                 |  |
|                                                                                     | TB(P)S-425 |                                                                                   | 25 | 25 | 150 | 25 |     |                                                                                     |  |                                                                                     |  |
|  | TB(P)S-908 | TC(P)GH090204                                                                     | 8  | 8  | 55  | 8  | 90° | M2.5*6                                                                              |  | T8                                                                                  |  |
|                                                                                     | TB(P)S-910 |                                                                                   | 10 | 10 | 65  | 10 |     |                                                                                     |  |                                                                                     |  |
|                                                                                     | TB(P)S-913 | TC(P)GH110304                                                                     | 13 | 13 | 80  | 13 |     |                                                                                     |  |                                                                                     |  |
|                                                                                     | TB(P)S-916 |                                                                                   | 16 | 16 | 120 | 16 |     |                                                                                     |  |                                                                                     |  |
|                                                                                     | TB(P)S-919 | TC(P)GH160304                                                                     | 19 | 19 | 140 | 19 |     | M3.5*8                                                                              |  | T15                                                                                 |  |
|                                                                                     | TB(P)S-925 |                                                                                   | 25 | 25 | 150 | 25 |     |                                                                                     |  |                                                                                     |  |






Державки (M и W крепление)



|                                                                                                                    |                                                                                                                    |                                                                                                                      |                                                                                                                       |
|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <p>95°(C1)</p>  <p>MCLNR/L</p>    | <p>75°(C1)</p>  <p>MCKNR/L</p>    | <p>40°(C2)</p>  <p>MCMNN-100</p>   | <p>50°(C2)</p>  <p>MCMNN</p>       |
| <p>75°(C3)</p>  <p>MCBNNR/L</p>   | <p>45°(C3)</p>  <p>MCSNR/L</p>    | <p>91°(C4)</p>  <p>MCGNR/L</p>     | <p>75°(C4)</p>  <p>MSBNNR/L</p>    |
| <p>45°(C5)</p>  <p>MSSNR/L</p>   | <p>45°(C5)</p>  <p>MSDNN</p>     | <p>75°(C6)</p>  <p>MSKNR/L</p>    | <p>93°(C6)</p>  <p>MTJNNR/L</p>   |
| <p>93°(C7)</p>  <p>WTJNNR/L</p> | <p>91°(C7)</p>  <p>MTFNNR/L</p> | <p>91°(C8)</p>  <p>MTGNNR/L</p>  | <p>105°(C8)</p>  <p>MTQNNR/L</p> |
| <p>93°(C9)</p>  <p>WTENN</p>    | <p>93°(C9)</p>  <p>MTENN</p>    | <p>91°(C10)</p>  <p>MWLNNR/L</p> | <p>91°(C10)</p>  <p>MWWNN</p>    |

Державки (M и W крепление)


## MCLNR/L



## MCLNR/L

| МОДЕЛЬ         | Тип пластины |    |    |     |    |    |    | Подкладка                                                                           | Втулка                                                                              | Сапог                                                                               | Шпилька                                                                             | Ключ                                                                                |
|----------------|--------------|----|----|-----|----|----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                |              | h  | b  | L   | L1 | h1 | f  |  |  |  |  |  |
| MCLNR/L1616H12 | CN□□ 1204□□  | 16 | 16 | 100 | 32 | 16 | 20 | 1204                                                                                | 0617                                                                                | 1814                                                                                | 0625                                                                                | L2.5<br>L3.0                                                                        |
| MCLNR/L2020K12 |              | 20 | 20 | 125 | 32 | 20 | 25 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| MCLNR/L2525M12 |              | 25 | 25 | 150 | 32 | 25 | 32 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| MCLNR/L3232P12 |              | 32 | 32 | 170 | 37 | 32 | 40 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |

## MCKNR/L




## MCKNR/L

| МОДЕЛЬ         | Тип пластины |    |    |     |    |    |    | Подкладка                                                                             | Втулка                                                                                | Сапог                                                                                 | Шпилька                                                                               | Ключ                                                                                  |
|----------------|--------------|----|----|-----|----|----|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                |              | h  | b  | L   | L1 | h1 | f  |  |  |  |  |  |
| MCKNR/L2020K12 | CN□□ 1204□□  | 20 | 20 | 125 | 32 | 20 | 25 | 1204                                                                                  | 0617                                                                                  | 1814                                                                                  | 0625                                                                                  | L2.5<br>L3.0                                                                          |
| MCKNR/L2525M12 |              | 25 | 25 | 150 | 32 | 25 | 32 |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| MCKNR/L3232P12 |              | 32 | 32 | 170 | 37 | 32 | 40 |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |




## MCMNN-100



## MCMNN-100

| МОДЕЛЬ           | Тип пластины | h  | b  | L   | L1 | h1 | f    | Подкладка | Втулка | Сапог | Шпилька | Ключ         |
|------------------|--------------|----|----|-----|----|----|------|-----------|--------|-------|---------|--------------|
|                  |              |    |    |     |    |    |      |           |        |       |         |              |
| MCMNN1616H12-100 | CN□□ 1204□□  | 16 | 16 | 100 | 35 | 16 | 8    | 1204      | 0617   | 1814  | 0625    | L2.5<br>L3.0 |
| MCMNN2020K12-100 |              | 20 | 20 | 125 | 35 | 20 | 10   |           |        |       |         |              |
| MCMNN2525M12-100 |              | 25 | 25 | 150 | 35 | 25 | 12.5 |           |        |       |         |              |
| MCMNN3232P12-100 |              | 32 | 32 | 170 | 35 | 32 | 16   |           |        |       |         |              |


## MCMNN



## MCMNN

| МОДЕЛЬ       | Тип пластины | h  | b  | L   | L1 | h1 | f    | Подкладка | Втулка | Сапог | Шпилька | Ключ         |
|--------------|--------------|----|----|-----|----|----|------|-----------|--------|-------|---------|--------------|
|              |              |    |    |     |    |    |      |           |        |       |         |              |
| MCMNN1616H12 | CN□□ 1204□□  | 16 | 16 | 100 | 37 | 16 | 8    | 1204      | 0617   | 1814  | 0625    | L2.5<br>L3.0 |
| MCMNN2020K12 |              | 20 | 20 | 125 | 37 | 20 | 10   |           |        |       |         |              |
| MCMNN2525M12 |              | 25 | 25 | 150 | 37 | 25 | 12.5 |           |        |       |         |              |
| MCMNN3232P12 |              | 32 | 32 | 170 | 37 | 32 | 16   |           |        |       |         |              |


## MCBNR/L



## MCBNR/L

| МОДЕЛЬ         | Тип пластины | h  | b  | L   | L1 | h1 | f  | Подкладка | Втулка | Саног | Шпилька | Ключ |
|----------------|--------------|----|----|-----|----|----|----|-----------|--------|-------|---------|------|
|                |              |    |    |     |    |    |    |           |        |       |         |      |
| MCBNR/L2020K12 | CN□□ 1204□□  | 20 | 20 | 125 | 32 | 20 | 25 | 1204      | 0617   | 1814  | 0625    | L2.5 |
| MCBNR/L2525M12 |              | 25 | 25 | 150 | 32 | 25 | 32 |           |        |       |         | L3.0 |
| MCBNR/L3232P12 |              | 32 | 32 | 170 | 32 | 32 | 32 |           |        |       |         |      |


## MCSNR/L



## MCSNR/L

| МОДЕЛЬ         | Тип пластины | h  | b  | L   | L1 | h1 | f  | Подкладка | Втулка | Саног | Шпилька | Ключ |
|----------------|--------------|----|----|-----|----|----|----|-----------|--------|-------|---------|------|
|                |              |    |    |     |    |    |    |           |        |       |         |      |
| MCSNR/L2020K12 | CN□□ 1204□□  | 20 | 20 | 125 | 35 | 20 | 25 | 1204      | 0617   | 1814  | 0625    | L2.5 |
| MCSNR/L2525M12 |              | 25 | 25 | 150 | 35 | 25 | 32 |           |        |       |         | L3.0 |
| MCSNR/L3232P12 |              | 32 | 32 | 170 | 40 | 32 | 40 |           |        |       |         |      |


## MCGNR/L



## MCGNR/L

| МОДЕЛЬ         | Тип пластины | h  | b  | L   | L1 | h1 | f  | Подкладка | Втулка | Саног | Шпилька | Ключ         |
|----------------|--------------|----|----|-----|----|----|----|-----------|--------|-------|---------|--------------|
|                |              |    |    |     |    |    |    |           |        |       |         |              |
| MCGNR/L1616H12 | CN□□ 1204□□  | 16 | 16 | 100 | 32 | 16 | 20 | 1204      | 0617   | 1814  | 0625    | L2.5<br>L3.0 |
| MCGNR/L2020K12 |              | 20 | 20 | 125 | 32 | 20 | 25 |           |        |       |         |              |
| MCGNR/L2525M12 |              | 25 | 25 | 150 | 32 | 25 | 32 |           |        |       |         |              |
| MCGNR/L3232P12 |              | 32 | 32 | 170 | 37 | 32 | 40 |           |        |       |         |              |


## MSBNR/L



## MSBNR/L

| МОДЕЛЬ         | Тип пластины | h  | b  | L   | L1 | h1 | f  | Подкладка | Втулка | Саног | Шпилька | Ключ         |
|----------------|--------------|----|----|-----|----|----|----|-----------|--------|-------|---------|--------------|
|                |              |    |    |     |    |    |    |           |        |       |         |              |
| MSBNR/L2020K12 | SN□□ □□      | 20 | 20 | 125 | 32 | 20 | 20 | 1204      | 0617   | 1814  | 0625    | L2.5<br>L3.0 |
| MSBNR/L2525M12 |              | 25 | 25 | 150 | 32 | 25 | 25 |           |        |       |         |              |
| MSBNR/L3232P12 |              | 32 | 32 | 170 | 32 | 32 | 32 |           |        |       |         |              |


## MSSNR/L



## MSSNR/L

| МОДЕЛЬ         | Тип пластины |    |    |     |    |    |    | Подкладка                                                                           | Втулка                                                                              | Саног                                                                               | Шпилька                                                                             | Ключ                                                                                |
|----------------|--------------|----|----|-----|----|----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                |              | h  | b  | L   | L1 | h1 | f  |  |  |  |  |  |
| MSSNR/L2020K12 | SN□□ 1204□□  | 20 | 20 | 125 | 35 | 20 | 25 | 1204                                                                                | 0617                                                                                | 1814                                                                                | 0625                                                                                | L2.5<br>L3.0                                                                        |
| MSSNR/L2525M12 |              | 25 | 25 | 150 | 35 | 25 | 32 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| MSSNR/L3232P12 |              | 32 | 32 | 170 | 37 | 32 | 40 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |


## MSDNN



## MSDNN

| МОДЕЛЬ       | Тип пластины |    |    |     |    |    |      | Подкладка                                                                             | Втулка                                                                                | Саног                                                                                 | Шпилька                                                                               | Ключ                                                                                  |
|--------------|--------------|----|----|-----|----|----|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|              |              | h  | b  | L   | L1 | h1 | f    |  |  |  |  |  |
| MSDNN1616H12 | SN□□ 1204□□  | 16 | 16 | 100 | 34 | 16 | 8    | 1204                                                                                  | 0617                                                                                  | 1814                                                                                  | 0625                                                                                  | L2.5<br>L3.0                                                                          |
| MSDNN2020K12 |              | 20 | 20 | 125 | 34 | 20 | 10   |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| MSDNN2525M12 |              | 25 | 25 | 150 | 34 | 25 | 12.5 |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| MSDNN3232P12 |              | 32 | 32 | 170 | 34 | 32 | 16   |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |


## MSKNR/L



## MSKNR/L

| МОДЕЛЬ         | Тип пластины |    |    |     |    |    |    | Подкладка | Втулка | Саног | Шпилька | Ключ |
|----------------|--------------|----|----|-----|----|----|----|-----------|--------|-------|---------|------|
|                |              | h  | b  | L   | L1 | h1 | f  |           |        |       |         |      |
| MSKNR/L2020K12 | SN□□ 1204□□  | 20 | 20 | 125 | 30 | 20 | 25 | 1204      | 0617   | 1814  | 0625    | L2.5 |
| MSKNR/L2525M12 |              | 25 | 25 | 150 | 30 | 25 | 32 |           |        |       |         | L3.0 |
| MSKNR/L3232P12 |              | 32 | 32 | 170 | 30 | 32 | 40 |           |        |       |         |      |

## MTJNR/L




## MTJNR/L

| МОДЕЛЬ         | Тип пластины |    |    |     |    |    |    | Подкладка | Втулка | Саног | Шпилька | Ключ |
|----------------|--------------|----|----|-----|----|----|----|-----------|--------|-------|---------|------|
|                |              | h  | b  | L   | L1 | h1 | f  |           |        |       |         |      |
| MTJNR/L1616H16 | TN□□ 1604□□  | 16 | 16 | 100 | 30 | 16 | 20 | 1603      | 0513   | 1814  | 0625    | L2.0 |
| MTJNR/L2020K16 |              | 20 | 20 | 125 | 33 | 20 | 25 |           |        |       |         | L3.0 |
| MTJNR/L2525M16 |              | 25 | 25 | 150 | 33 | 25 | 32 |           |        |       |         |      |
| MTJNR/L3232P16 |              | 32 | 32 | 170 | 37 | 32 | 40 |           |        |       |         |      |




## WTJNR/L



## WTJNR/L

| МОДЕЛЬ         | Тип пластины |    |    |     |    |    |    | Подкладка | Втулка | Прижим | Пружина | Винт NLJ | Ключ         |
|----------------|--------------|----|----|-----|----|----|----|-----------|--------|--------|---------|----------|--------------|
|                |              | h  | b  | L   | L1 | h1 | f  |           |        |        |         |          |              |
| WTJNR/L1616H16 | TN□□ 1604□□  | 16 | 16 | 100 | 33 | 16 | 20 | 1603      | 0513   | 1816   | 0814    | 0526     | L2.5<br>L4.0 |
| WTJNR/L2020K16 |              | 20 | 20 | 125 | 33 | 20 | 25 |           |        |        |         |          |              |
| WTJNR/L2525M16 |              | 25 | 25 | 150 | 33 | 25 | 32 |           |        |        |         |          |              |
| WTJNR/L3232P16 |              | 32 | 32 | 170 | 35 | 32 | 40 |           |        |        |         |          |              |


## MTFNR/L



## MTFNR/L

| МОДЕЛЬ         | Тип пластины |    |    |     |    |    |    | Подкладка | Втулка | Сапог | Шпилька | Ключ         |
|----------------|--------------|----|----|-----|----|----|----|-----------|--------|-------|---------|--------------|
|                |              | h  | b  | L   | L1 | h1 | f  |           |        |       |         |              |
| MTFNR/L1616H16 | TN□□ 1604□□  | 16 | 16 | 100 | 30 | 16 | 20 | 1603      | 0513   | 1814  | 0625    | L2.0<br>L3.0 |
| MTFNR/L2020K16 |              | 20 | 20 | 125 | 30 | 20 | 25 |           |        |       |         |              |
| MTFNR/L2525M16 |              | 25 | 25 | 150 | 30 | 25 | 32 |           |        |       |         |              |
| MTFNR/L3232P16 |              | 32 | 32 | 170 | 32 | 32 | 40 |           |        |       |         |              |


## MTGNR/L



## MTGNR/L

| МОДЕЛЬ         | Тип пластины | h  | b  | L   | L1 | h1 | f  | Подкладка | Втулка | Сапог | Шпилька | Ключ         |
|----------------|--------------|----|----|-----|----|----|----|-----------|--------|-------|---------|--------------|
|                |              |    |    |     |    |    |    |           |        |       |         |              |
| MTGNR/L1616H16 | TN□□ 1604□□  | 16 | 16 | 100 | 30 | 16 | 20 | 1603      | 0513   | 1814  | 0625    | L2.0<br>L3.0 |
| MTGNR/L2020K16 |              | 20 | 20 | 125 | 30 | 20 | 25 |           |        |       |         |              |
| MTGNR/L2525M16 |              | 25 | 25 | 150 | 30 | 25 | 32 |           |        |       |         |              |
| MTGNR/L3232P16 |              | 32 | 32 | 170 | 35 | 32 | 40 |           |        |       |         |              |


## MTQNR/L



## MTQNR/L

| МОДЕЛЬ         | Тип пластины | h  | b  | L   | L1 | h1 | f  | Подкладка | Втулка | Сапог | Шпилька | Ключ         |
|----------------|--------------|----|----|-----|----|----|----|-----------|--------|-------|---------|--------------|
|                |              |    |    |     |    |    |    |           |        |       |         |              |
| MTQNR/L1616H16 | TN□□ 1604□□  | 16 | 16 | 100 | 30 | 16 | 20 | 1603      | 0513   | 1814  | 0625    | L2.0<br>L3.0 |
| MTQNR/L2020K16 |              | 20 | 20 | 125 | 30 | 20 | 25 |           |        |       |         |              |
| MTQNR/L2525M16 |              | 25 | 25 | 150 | 30 | 25 | 32 |           |        |       |         |              |
| MTQNR/L3232P16 |              | 32 | 32 | 170 | 32 | 32 | 40 |           |        |       |         |              |


## WTENN



## WTENN

| МОДЕЛЬ       | Тип пластины |    |    |     |    |    |      | Подкладка | Втулка | Прижим | Пружина | Винт NLJ | Ключ         |
|--------------|--------------|----|----|-----|----|----|------|-----------|--------|--------|---------|----------|--------------|
|              |              | h  | b  | L   | L1 | h1 | f    |           |        |        |         |          |              |
| WTENN1616H16 | TN□□ 1604□□  | 16 | 16 | 100 | 32 | 16 | 8    | 1603      | 0513   | 1816   | 0814    |          | L2.5<br>L4.0 |
| WTENN2020K16 |              | 20 | 20 | 125 | 32 | 20 | 10   |           |        |        |         |          |              |
| WTENN2525M16 |              | 25 | 25 | 150 | 32 | 25 | 12.5 |           |        |        |         |          |              |
| WTENN3232P16 |              | 32 | 32 | 170 | 35 | 32 | 20   |           |        |        |         |          |              |


## MTENN



## MTENN

| МОДЕЛЬ       | Тип пластины |    |    |     |    |    |      | Подкладка | Втулка | Сапог | Шпилька | Ключ         |
|--------------|--------------|----|----|-----|----|----|------|-----------|--------|-------|---------|--------------|
|              |              | h  | b  | L   | L1 | h1 | f    |           |        |       |         |              |
| MTENN2020K16 | TN□□ 1604□□  | 20 | 20 | 125 | 35 | 20 | 10   | 1603      | 0513   | 1814  | 0625    | L2.0<br>L3.0 |
| MTENN2525M16 |              | 25 | 25 | 150 | 35 | 25 | 12.5 |           |        |       |         |              |
| MTENN3232P16 |              | 32 | 32 | 170 | 35 | 32 | 16   |           |        |       |         |              |


## MWLNR/L



## MWLNR/L

| МОДЕЛЬ         | Тип пластины | h  | b  | L   | L1 | h1 | f  | Подкладка | Втулка | Сапог | Шпилька | Ключ         |
|----------------|--------------|----|----|-----|----|----|----|-----------|--------|-------|---------|--------------|
|                |              |    |    |     |    |    |    |           |        |       |         |              |
| MWLNR/L1616H06 | TN□□ 1604□□  | 16 | 16 | 100 | 34 | 16 | 20 | 1603      | 0513   | 1814  | 0625    | L2.0<br>L3.0 |
| MWLNR/L2020K06 |              | 20 | 20 | 125 | 41 | 20 | 25 |           |        |       |         |              |
| MWLNR/L2525M06 | TN□□ 1604□□  | 25 | 25 | 150 | 41 | 25 | 32 | 1603      | 0513   | 1814  | 0625    | L2.0<br>L3.0 |
| MWLNR/L1616H08 |              | 32 | 32 | 170 | 41 | 32 | 40 |           |        |       |         |              |
| MWLNR/L2020K08 |              | 20 | 20 | 125 | 41 | 20 | 25 |           |        |       |         |              |
| MWLNR/L2525M08 |              | 25 | 25 | 150 | 41 | 25 | 32 |           |        |       |         |              |
| MWLNR/L3232P08 |              | 32 | 32 | 170 | 41 | 32 | 40 |           |        |       |         |              |

## MWWNN



## MWWNN



| МОДЕЛЬ       | Тип пластины | h  | b  | L   | L1 | h1 | f  | Подкладка | Втулка | Сапог | Шпилька | Ключ         |
|--------------|--------------|----|----|-----|----|----|----|-----------|--------|-------|---------|--------------|
|              |              |    |    |     |    |    |    |           |        |       |         |              |
| MWWNN2020K08 | WN□□ 0804□□  | 20 | 20 | 125 | 30 | 20 | 25 | 1603      | 0513   | 1814  | 0625    | L2.0<br>L3.0 |
| MWWNN2525M08 |              | 25 | 25 | 150 | 30 | 25 | 32 |           |        |       |         |              |



Державки (D крепление)




## DDJNR/L



## DDJNR/L

| МОДЕЛЬ           |  | <div><div>h</div><div>b</div><div>L</div><div>L1</div><div>h1</div><div>f</div></div> |    |     |    |    |    | Подкладка                                                                          | Винт DXD                                                                            | Прижим DYB                                                                          | Винт                                                                                | Пружина                                                                             | Ключ                                                                                |
|------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----|-----|----|----|----|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                  |                                                                                   |                                                                                       |    |     |    |    |    |  |  |  |  |  |  |
| DDJNR/L1616H11   | DN□□ 1104□□                                                                       | 16                                                                                    | 16 | 100 | 34 | 16 | 20 | 1103                                                                               | 0512                                                                                | 2313                                                                                | 0520                                                                                | 0814                                                                                | L4.0                                                                                |
| DDJNR/L2020K1504 | DN□□ 1504□□                                                                       | 20                                                                                    | 20 | 125 | 41 | 20 | 25 | 1506                                                                               | 0614                                                                                | 2514                                                                                |                                                                                     |                                                                                     |                                                                                     |
| DDJNR/L2525M1504 |                                                                                   | 25                                                                                    | 25 | 150 | 41 | 25 | 32 |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| DDJNR/L3232P1504 |                                                                                   | 32                                                                                    | 32 | 170 | 41 | 32 | 40 |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| DDJNR/L2020K1506 | DN□□ 1506□□                                                                       | 20                                                                                    | 20 | 125 | 41 | 20 | 25 | 1504                                                                               | 0614                                                                                | 2514                                                                                |                                                                                     |                                                                                     |                                                                                     |
| DDJNR/L2525M1506 |                                                                                   | 25                                                                                    | 25 | 150 | 41 | 25 | 32 |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| DDJNR/L3232P1506 |                                                                                   | 32                                                                                    | 32 | 170 | 41 | 32 | 40 |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |

## DDQNR/L




## DDQNR/L

| МОДЕЛЬ           |  |                  |             |     |    |     |    | Подкладка                                                                            | Винт DXD                                                                              | Прижим DYB                                                                            | Винт                                                                                  | Пружина                                                                               | Ключ                                                                                  |
|------------------|-------------------------------------------------------------------------------------|------------------|-------------|-----|----|-----|----|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                  |                                                                                     |                  |             |     |    |     |    |  |  |  |  |  |  |
|                  |                                                                                     | DDQNR/L2020K1504 | DN□□ 1504□□ | 20  | 20 | 125 | 38 | 20                                                                                   | 25                                                                                    | 1506                                                                                  | 0614                                                                                  | 2514                                                                                  | 0520                                                                                  |
| DDQNR/L2525M1504 | 25                                                                                  | 25               |             | 150 | 35 | 25  | 32 |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| DDQNR/L3232P1504 | 32                                                                                  | 32               |             | 170 | 38 | 32  | 40 |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| DDQNR/L2020K1506 | DN□□ 1506□□                                                                         | 20               | 20          | 125 | 38 | 20  | 25 | 1504                                                                                 | 0614                                                                                  | 2514                                                                                  |                                                                                       |                                                                                       |                                                                                       |
| DDQNR/L2525M1506 |                                                                                     | 25               | 25          | 150 | 35 | 25  | 32 |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| DDQNR/L3232P1506 |                                                                                     | 32               | 32          | 170 | 38 | 32  | 40 |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |

Державки (D крепление)


## DDPNN



## DDPNN

| МОДЕЛЬ          |  |    |    |     |    |    |      | Подкладка                                                                           | Винт DXD                                                                            | Прижим DYB                                                                          | Винт                                                                                | Пружина                                                                             | Ключ                                                                                |
|-----------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                 |                                                                                   | h  | b  | L   | L1 | h1 | f    |  |  |  |  |  |  |
| DDPNN 1616H11   | DN□□ 1104□□                                                                       | 16 | 16 | 100 | 35 | 16 | 8    | 1103                                                                                | 0512                                                                                | 2313                                                                                | 0520                                                                                | 0814                                                                                | L4.0                                                                                |
| DDPNN 2020K11   |                                                                                   | 20 | 20 | 125 | 35 | 20 | 10   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| DDPNN 2525M11   |                                                                                   | 25 | 25 | 150 | 35 | 25 | 12.5 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| DDPNN 2020K1504 | DN□□ 1504□□                                                                       | 20 | 20 | 125 | 45 | 20 | 10   | 1506                                                                                | 0614                                                                                | 2514                                                                                | 0520                                                                                | 0814                                                                                | L4.0                                                                                |
| DDPNN 2525M1504 |                                                                                   | 25 | 25 | 150 | 45 | 25 | 12.5 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| DDPNN 3232P1504 |                                                                                   | 32 | 32 | 170 | 45 | 32 | 16   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| DDPNN 2020K1506 | DN□□ 1506□□                                                                       | 20 | 20 | 125 | 45 | 20 | 10   | 1504                                                                                | 0614                                                                                | 2514                                                                                | 0520                                                                                | 0814                                                                                | L4.0                                                                                |
| DDPNN 2525M1506 |                                                                                   | 25 | 25 | 150 | 45 | 25 | 12.5 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| DDPNN 3232P1506 |                                                                                   | 32 | 32 | 170 | 45 | 32 | 16   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |

## DVJNR/L




## DVJNR/L

| МОДЕЛЬ         |  |    |    |     |    |    |    | Подкладка                                                                             | Винт DXD                                                                              | Прижим DYB                                                                            | Винт                                                                                  | Пружина                                                                               | Ключ                                                                                  |
|----------------|-------------------------------------------------------------------------------------|----|----|-----|----|----|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                |                                                                                     | h  | b  | L   | L1 | h1 | f  |  |  |  |  |  |  |
| DVJNR/L1616H16 | VN□□ 1604□□                                                                         | 16 | 16 | 100 | 45 | 16 | 20 | 1603                                                                                  | 0512                                                                                  | 2914                                                                                  | 0520                                                                                  | 0814                                                                                  | L4.0                                                                                  |
| DVJNR/L2020K16 |                                                                                     | 20 | 20 | 125 | 45 | 20 | 25 |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| DVJNR/L2525M16 |                                                                                     | 25 | 25 | 150 | 45 | 25 | 32 |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| DVJNR/L3232P16 |                                                                                     | 32 | 32 | 170 | 48 | 32 | 40 |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |

Державки (D крепление)


## DVQNR/L



## DVQNR/L

| МОДЕЛЬ         |  | h  | b  | L   | L1 | h1 | f  | Подкладка                                                                          | Винт DXD                                                                            | Прижим DYB                                                                          | Винт                                                                                | Пружина                                                                             | Ключ                                                                                |
|----------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|----|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                |                                                                                   |    |    |     |    |    |    |  |  |  |  |  |  |
| DVQNR/L2020K16 | VN□□ 1604□□                                                                       | 20 | 20 | 125 | 44 | 20 | 20 | 1603                                                                               | 0512                                                                                | 2914                                                                                | 0520                                                                                | 0814                                                                                | L4.0                                                                                |
| DVQNR/L2525M16 |                                                                                   | 25 | 25 | 150 | 44 | 25 | 25 |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| DVQNR/L3232P16 |                                                                                   | 32 | 32 | 170 | 46 | 32 | 32 |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |


## DVUNR/L



## DVUNR/L

| МОДЕЛЬ         |  | h  | b  | L   | L1 | h1 | f  | Подкладка                                                                            | Винт DXD                                                                              | Прижим DYB                                                                            | Винт                                                                                  | Пружина                                                                               | Ключ                                                                                  |
|----------------|-------------------------------------------------------------------------------------|----|----|-----|----|----|----|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                |                                                                                     |    |    |     |    |    |    |  |  |  |  |  |  |
| DVUNR/L2020K16 | VN□□ 1604□□                                                                         | 20 | 20 | 125 | 38 | 20 | 30 | 1603                                                                                 | 0512                                                                                  | 2914                                                                                  | 0520                                                                                  | 0814                                                                                  | L4.0                                                                                  |
| DVUNR/L2525M16 |                                                                                     | 25 | 25 | 150 | 40 | 25 | 32 |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| DVUNR/L3232P16 |                                                                                     | 32 | 32 | 170 | 40 | 32 | 40 |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |

## DVVNN



## DVVNN

| МОДЕЛЬ        |  | h  | b  | L   | L1 | h1 | f    | Подкладка                                                                           | Винт DXD                                                                            | Прижим DYB                                                                          | Винт                                                                                | Пружина                                                                             | Ключ                                                                                |
|---------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|               |                                                                                   |    |    |     |    |    |      |  |  |  |  |  |  |
| DVVNN 2020K16 | VN□□ 1604□□                                                                       | 20 | 20 | 125 | 48 | 20 | 10   |  |  |  |  |  |  |
| DVVNN 2525M16 |                                                                                   | 25 | 25 | 150 | 48 | 25 | 12.5 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| DVVNN 3232P16 |                                                                                   | 32 | 32 | 170 | 48 | 32 | 12.5 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |

Державки (D крепление)

*Державки S зажим  
(крепление винтом)*




*Державки S зажим (крепление винтом)*






## SCLCR/L



## SCLCR/L

| МОДЕЛЬ           |  | h  | b  | L   | L1 | h1 | f  | Винт                                                                                | Ключ                                                                                |
|------------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                  |                                                                                   |    |    |     |    |    |    |  |  |
| SCLCR/L 1010 H06 | CC□□ 0602□□                                                                       | 10 | 10 | 100 | 15 | 10 | 12 | 2.5*6                                                                               | T-8                                                                                 |
| SCLCR/L 1212 H06 |                                                                                   | 12 | 12 | 100 | 15 | 12 | 16 |                                                                                     |                                                                                     |
| SCLCR/L 1212 H09 |                                                                                   | 12 | 12 | 100 | 20 | 12 | 16 |                                                                                     |                                                                                     |
| SCLCR/L 1616 H09 |                                                                                   | 16 | 16 | 100 | 20 | 16 | 20 |                                                                                     |                                                                                     |
| SCLCR/L 2020 K09 | CC□□ 09T3□□                                                                       | 20 | 20 | 125 | 22 | 20 | 25 | 3.5*8                                                                               | T-15                                                                                |
| SCLCR/L 2525 M09 |                                                                                   | 25 | 25 | 150 | 22 | 25 | 32 |                                                                                     |                                                                                     |
| SCLCR/L 2020 K12 |                                                                                   | 20 | 20 | 125 | 22 | 20 | 25 |                                                                                     |                                                                                     |
| SCLCR/L 2525 M12 | CC□□ 1204□□                                                                       | 25 | 25 | 150 | 28 | 25 | 32 | 5*12                                                                                | T-20                                                                                |
| SCLCR/L 3232 P12 |                                                                                   | 32 | 32 | 170 | 28 | 32 | 40 |                                                                                     |                                                                                     |

## SCKCR/L




## SCKCR/L

| МОДЕЛЬ           |  | h  | b  | L   | L1 | h1 | f  | Винт                                                                                  | Ключ                                                                                  |
|------------------|-------------------------------------------------------------------------------------|----|----|-----|----|----|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                  |                                                                                     |    |    |     |    |    |    |  |  |
| SCKCR/L 1212 H09 | CC□□ 09T3□□                                                                         | 12 | 12 | 100 | 20 | 12 | 16 | 3.5*8                                                                                 | T-15                                                                                  |
| SCKCR/L 1616 H09 |                                                                                     | 16 | 16 | 100 | 22 | 16 | 20 |                                                                                       |                                                                                       |
| SCKCR/L 2020 K09 |                                                                                     | 20 | 20 | 125 | 22 | 20 | 25 |                                                                                       |                                                                                       |
| SCKCR/L 2525 M09 |                                                                                     | 25 | 25 | 150 | 22 | 25 | 32 |                                                                                       |                                                                                       |
| SCKCR/L 2020 K12 | CC□□ 1204□□                                                                         | 20 | 20 | 125 | 22 | 20 | 25 | 5*12                                                                                  | T-20                                                                                  |
| SCKCR/L 2525 M12 |                                                                                     | 25 | 25 | 150 | 22 | 25 | 32 |                                                                                       |                                                                                       |
| SCKCR/L 3232 P12 |                                                                                     | 32 | 32 | 170 | 28 | 32 | 40 |                                                                                       |                                                                                       |

Державки S захим (крепление винтом)


## SCMCN-100



## SCMCN-100

| МОДЕЛЬ             |  | h  | b  | L   | L1 | h1 | f    | Винт                                                                                | Ключ                                                                                |
|--------------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                    |                                                                                   |    |    |     |    |    |      |  |  |
| SCMCN 1010 H06-100 | CC□□ 0602□□                                                                       | 10 | 10 | 100 | 12 | 10 | 5    | 2.5*6                                                                               | T-8                                                                                 |
| SCMCN 1212 H09-100 | CC□□ 09T3□□                                                                       | 12 | 12 | 100 | 16 | 12 | 6    | 3.5*8                                                                               | T-15                                                                                |
| SCMCN 1616 H09-100 |                                                                                   | 16 | 16 | 100 | 18 | 16 | 8    |                                                                                     |                                                                                     |
| SCMCN 2020 K12-100 | CC□□ 1204□□                                                                       | 20 | 20 | 125 | 22 | 20 | 10   | 5*12                                                                                | T-20                                                                                |
| SCMCN 2525 M12-100 |                                                                                   | 25 | 25 | 150 | 28 | 25 | 12.5 |                                                                                     |                                                                                     |


## SCBCR/L



## SCBCR/L

| МОДЕЛЬ           |  | h  | b  | L   | L1 | h1 | f  | Винт                                                                                  | Ключ                                                                                  |
|------------------|-------------------------------------------------------------------------------------|----|----|-----|----|----|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                  |                                                                                     |    |    |     |    |    |    |  |  |
| SCBCR/L 2020 K09 | CC□□ 09T3□□                                                                         | 20 | 20 | 125 | 22 | 20 | 20 | 3.5*8                                                                                 | T-15                                                                                  |
| SCBCR/L 2525 M09 |                                                                                     | 25 | 25 | 150 | 22 | 25 | 25 |                                                                                       |                                                                                       |
| SCBCR/L 2020 K12 | CC□□ 1204□□                                                                         | 20 | 20 | 125 | 22 | 20 | 20 | 5*12                                                                                  | T-20                                                                                  |
| SCBCR/L 2525 M12 |                                                                                     | 25 | 25 | 150 | 22 | 25 | 25 |                                                                                       |                                                                                       |


## SCMCN



## SCMCN

| МОДЕЛЬ         |             | h  | b  | L   | L1 | h1 | f    | Винт   | Ключ |
|----------------|-------------|----|----|-----|----|----|------|--------|------|
|                |             |    |    |     |    |    |      |        |      |
| SCMCN 1010 H06 | CC□□ 0602□□ | 10 | 10 | 100 | 15 | 10 | 5    | M2.5*6 | T-8  |
| SCMCN 1212 H09 | CC□□ 09T3□□ | 12 | 12 | 100 | 20 | 12 | 6    | M3.5*8 | T-15 |
| SCMCN 1616 H09 |             | 16 | 16 | 100 | 20 | 16 | 8    |        |      |
| SCMCN 2020 K12 | CC□□ 1204□□ | 20 | 20 | 125 | 22 | 20 | 10   | M5*12  | T-20 |
| SCMCN 2525 M12 |             | 25 | 25 | 150 | 28 | 25 | 12.5 |        |      |

## SDJCR/L




## SDJCR/L

| МОДЕЛЬ           |             | h  | b  | L   | L1 | h1 | f  | Винт   | Ключ |
|------------------|-------------|----|----|-----|----|----|----|--------|------|
|                  |             |    |    |     |    |    |    |        |      |
| SDJCR/L 1010 H07 | DC□□ 0702□□ | 10 | 10 | 100 | 16 | 10 | 12 | M2.5*6 | T-8  |
| SDJCR/L 1212 H07 |             | 12 | 12 | 100 | 16 | 12 | 16 |        |      |
| SDJCR/L 1616 H07 |             | 16 | 16 | 100 | 20 | 16 | 20 |        |      |
| SDJCR/L 1212 H11 | DC□□ 11T3□□ | 12 | 12 | 100 | 22 | 12 | 16 | M3.5*8 | T-15 |
| SDJCR/L 1616 H11 |             | 16 | 16 | 100 | 22 | 16 | 20 |        |      |
| SDJCR/L 2020 K11 |             | 20 | 20 | 125 | 25 | 20 | 25 |        |      |
| SDJCR/L 2525 M11 |             | 25 | 25 | 150 | 32 | 25 | 32 |        |      |
| SDJCR/L 3232 P11 |             | 32 | 32 | 170 | 32 | 32 | 40 |        |      |

Державки S захим (крепление винтом)


## SDFCR/L



## SDFCR/L

| МОДЕЛЬ           |  | h  | b  | L   | L1 | h1 | f  | Винт                                                                                | Ключ                                                                                |
|------------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                  |                                                                                   |    |    |     |    |    |    |  |  |
| SDFCR/L 1212 H07 | DC□□ 11T3□□                                                                       | 12 | 12 | 100 | 16 | 12 | 16 | M2.5*6                                                                              | T-8                                                                                 |
| SDFCR/L 1616 H11 |                                                                                   | 16 | 16 | 100 | 18 | 16 | 20 |                                                                                     |                                                                                     |
| SDFCR/L 2020 K11 |                                                                                   | 20 | 20 | 125 | 22 | 20 | 25 |                                                                                     |                                                                                     |
| SDFCR/L 2525 M11 |                                                                                   | 25 | 25 | 150 | 22 | 25 | 32 |                                                                                     |                                                                                     |
| SDFCR/L 3232 P11 |                                                                                   | 32 | 32 | 170 | 25 | 32 | 40 |                                                                                     |                                                                                     |

## SDQCR/L




## SDQCR/L

| МОДЕЛЬ           |  | h  | b  | L   | L1 | h1 | f  | Винт                                                                                  | Ключ                                                                                  |
|------------------|-------------------------------------------------------------------------------------|----|----|-----|----|----|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                  |                                                                                     |    |    |     |    |    |    |  |  |
| SDQCR/L 1010 H07 | DC□□ 11T3□□                                                                         | 10 | 10 | 100 | 16 | 10 | 12 | M2.5*6                                                                                | T-8                                                                                   |
| SDQCR/L 1212 H07 |                                                                                     | 12 | 12 | 100 | 16 | 12 | 16 |                                                                                       |                                                                                       |
| SDQCR/L 1212 H11 |                                                                                     | 12 | 12 | 100 | 18 | 12 | 16 |                                                                                       |                                                                                       |
| SDQCR/L 1616 H11 |                                                                                     | 16 | 16 | 100 | 22 | 16 | 20 |                                                                                       |                                                                                       |
| SDQCR/L 2020 K11 |                                                                                     | 20 | 20 | 125 | 22 | 20 | 25 |                                                                                       |                                                                                       |
| SDQCR/L 2525 M11 |                                                                                     | 25 | 25 | 150 | 22 | 25 | 32 |                                                                                       |                                                                                       |

Державки S захим (крепление винтом)


## SDNCN



## SDNCN

| МОДЕЛЬ         |  | h  | b  | L   | L1 | h1 | f    | Винт                                                                                | Ключ                                                                                |
|----------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                |                                                                                   |    |    |     |    |    |      |  |  |
| SDNCN 0808 K07 | DC□□ 0702□□                                                                       | 8  | 8  | 125 | 16 | 8  | 4    | M2.5*6                                                                              | T-8                                                                                 |
| SDNCN 1010 K07 |                                                                                   | 10 | 10 | 125 | 16 | 10 | 5    |                                                                                     |                                                                                     |
| SDNCN 1212 K07 |                                                                                   | 12 | 12 | 125 | 18 | 12 | 6    |                                                                                     |                                                                                     |
| SDNCN 1212 H11 | DC□□ 11T3□□                                                                       | 12 | 12 | 100 | 22 | 12 | 6    | M3.5*8                                                                              | T-15                                                                                |
| SDNCN 1616 H11 |                                                                                   | 16 | 16 | 100 | 27 | 16 | 8    |                                                                                     |                                                                                     |
| SDNCN 2020 K11 |                                                                                   | 20 | 20 | 125 | 27 | 20 | 10   |                                                                                     |                                                                                     |
| SDNCN 2525 M11 |                                                                                   | 25 | 25 | 150 | 27 | 25 | 12.5 |                                                                                     |                                                                                     |


## SSBCR/L



## SSBCR/L

| МОДЕЛЬ           |  | h  | b  | L   | L1 | h1 | f  | Винт                                                                                  | Ключ                                                                                  |
|------------------|-------------------------------------------------------------------------------------|----|----|-----|----|----|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                  |                                                                                     |    |    |     |    |    |    |  |  |
| SSBCR/L 1212 H09 | SC□□ 09T3□□                                                                         | 12 | 12 | 100 | 16 | 12 | 12 | M3.5*8                                                                                | T-15                                                                                  |
| SSBCR/L 1616 H09 |                                                                                     | 16 | 16 | 100 | 20 | 16 | 16 |                                                                                       |                                                                                       |
| SSBCR/L 2020 K09 |                                                                                     | 20 | 20 | 125 | 20 | 20 | 20 |                                                                                       |                                                                                       |
| SSBCR/L 2020 K09 | SC□□ 1204□□                                                                         | 20 | 20 | 125 | 20 | 20 | 20 | M5*12                                                                                 | T-20                                                                                  |
| SSBCR/L 2525 M12 |                                                                                     | 25 | 25 | 150 | 25 | 25 | 25 |                                                                                       |                                                                                       |



## SSKCR/L



## SSKCR/L

| МОДЕЛЬ           |             |    |    |     |    |    |    | Винт   | Ключ |
|------------------|-------------|----|----|-----|----|----|----|--------|------|
|                  |             | h  | b  | L   | L1 | h1 | f  |        |      |
| SSKCR/L 1212 H09 | SC□□ 09T3□□ | 12 | 12 | 100 | 16 | 12 | 16 | M3.5*8 | T-15 |
| SSKCR/L 1616 H09 |             | 16 | 16 | 100 | 18 | 16 | 20 |        |      |
| SSKCR/L 2020 K09 |             | 20 | 20 | 125 | 22 | 20 | 25 |        |      |
| SSKCR/L 2020 K12 | SC□□ 1204□□ | 20 | 20 | 125 | 22 | 20 | 25 | M5*12  | T-20 |
| SSKCR/L 2525 M12 |             | 25 | 25 | 150 | 30 | 25 | 32 |        |      |

## SSSCR/L




## SSSCR/L

| МОДЕЛЬ           |             |    |    |     |    |    |    | Винт   | Ключ |
|------------------|-------------|----|----|-----|----|----|----|--------|------|
|                  |             | h  | b  | L   | L1 | h1 | f  |        |      |
| SSSCR/L 1212 H09 | SC□□ 09T3□□ | 12 | 12 | 100 | 20 | 12 | 16 | M3.5*8 | T-15 |
| SSSCR/L 1616 H09 |             | 16 | 16 | 100 | 22 | 16 | 20 |        |      |
| SSSCR/L 2020 K09 |             | 20 | 20 | 125 | 25 | 20 | 25 |        |      |
| SSSCR/L 2020 K12 | SC□□ 1204□□ | 20 | 20 | 125 | 25 | 20 | 25 | M5*12  | T-20 |
| SSSCR/L 2525 M12 |             | 25 | 25 | 150 | 30 | 25 | 32 |        |      |




## SSDCN



## SSDCN

| МОДЕЛЬ         |  | h  | b  | L   | L1 | h1 | f    | Винт                                                                                | Ключ                                                                                |
|----------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                |                                                                                   |    |    |     |    |    |      |  |  |
| SSDCN 1212 H09 | SC□□ 09T3□□                                                                       | 12 | 12 | 100 | 16 | 12 | 6    | M3.5*8                                                                              | T-15                                                                                |
| SSDCN 1616 H09 |                                                                                   | 16 | 16 | 100 | 20 | 16 | 8    |                                                                                     |                                                                                     |
| SSDCN 2020 K09 |                                                                                   | 20 | 20 | 125 | 20 | 20 | 10   |                                                                                     |                                                                                     |
| SSDCN 2020 K12 | SC□□ 1204□□                                                                       | 20 | 20 | 125 | 22 | 20 | 10   | M5*12                                                                               | T-20                                                                                |
| SSDCN 2525 M12 |                                                                                   | 25 | 25 | 150 | 25 | 25 | 12.5 |                                                                                     |                                                                                     |


## STGCR/L



## STGCR/L

| МОДЕЛЬ           |  | h  | b  | L   | L1 | h1 | f  | Винт                                                                                  | Ключ                                                                                  |
|------------------|-------------------------------------------------------------------------------------|----|----|-----|----|----|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                  |                                                                                     |    |    |     |    |    |    |  |  |
| STGCR/L 1212 H11 | TC□□ 1102□□                                                                         | 12 | 12 | 100 | 18 | 12 | 16 | M2.5*6                                                                                | T-8                                                                                   |
| STGCR/L 1616 H11 |                                                                                     | 16 | 16 | 100 | 20 | 16 | 20 |                                                                                       |                                                                                       |
| STGCR/L 2020 K15 |                                                                                     | 20 | 20 | 125 | 23 | 20 | 25 |                                                                                       |                                                                                       |
| STGCR/L 2525 M16 | TC□□ 16T3□□                                                                         | 25 | 25 | 150 | 30 | 25 | 32 | M3.5*8                                                                                | T-15                                                                                  |
| STGCR/L 3232 P16 |                                                                                     | 32 | 32 | 170 | 30 | 32 | 40 |                                                                                       |                                                                                       |



## STFCR/L



## STFCR/L

| МОДЕЛЬ           |  | h  | b  | L   | L1 | h1 | f  | Винт                                                                                | Ключ                                                                                |
|------------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                  |                                                                                   |    |    |     |    |    |    |  |  |
| STFCR/L 1212 H11 | TC□□ 1102□□                                                                       | 12 | 12 | 100 | 18 | 12 | 16 | M2.5*6                                                                              | T-8                                                                                 |
| STFCR/L 1616 H11 |                                                                                   | 16 | 16 | 100 | 20 | 16 | 20 |                                                                                     |                                                                                     |
| STFCR/L 2020 K16 | TC□□ 16T3□□                                                                       | 20 | 20 | 125 | 23 | 20 | 25 | M3.5*8                                                                              | T-15                                                                                |
| STFCR/L 2525 M16 |                                                                                   | 25 | 25 | 150 | 30 | 25 | 32 |                                                                                     |                                                                                     |
| STFCR/L 3232 P16 |                                                                                   | 32 | 32 | 170 | 30 | 32 | 40 |                                                                                     |                                                                                     |


## STWCR/L



## STWCR/L

| МОДЕЛЬ           |  | h  | b  | L   | L1 | h1 | f  | Винт                                                                                  | Ключ                                                                                  |
|------------------|-------------------------------------------------------------------------------------|----|----|-----|----|----|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                  |                                                                                     |    |    |     |    |    |    |  |  |
| STWCR/L 1212 H11 | TC□□ 1102□□                                                                         | 12 | 12 | 100 | 18 | 12 | 16 | M2.5*6                                                                                | T-8                                                                                   |
| STWCR/L 1616 H11 |                                                                                     | 16 | 16 | 100 | 20 | 16 | 20 |                                                                                       |                                                                                       |
| STWCR/L 2020 K16 | TC□□ 16T3□□                                                                         | 20 | 20 | 125 | 23 | 20 | 25 | M3.5*8                                                                                | T-15                                                                                  |
| STWCR/L 2525 M16 |                                                                                     | 25 | 25 | 150 | 30 | 25 | 32 |                                                                                       |                                                                                       |
| STWCR/L 3232 P16 |                                                                                     | 32 | 32 | 170 | 30 | 32 | 40 |                                                                                       |                                                                                       |


## SVJC(B)R/L



## SVJC(B)R/L

| МОДЕЛЬ              |  | h  | b  | L   | L1 | h1 | f  | Винт                                                                                | Ключ                                                                                |
|---------------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                     |                                                                                   |    |    |     |    |    |    |  |  |
| SVJC(B)R/L 1212 H11 | VC(B)□□ 1103□□                                                                    | 12 | 12 | 100 | 25 | 12 | 16 | M2.5*6                                                                              | T-8                                                                                 |
| SVJC(B)R/L 1616 H11 |                                                                                   | 16 | 16 | 100 | 28 | 16 | 20 |                                                                                     |                                                                                     |
| SVJC(B)R/L 2020 K11 |                                                                                   | 20 | 20 | 125 | 35 | 20 | 25 |                                                                                     |                                                                                     |
| SVJC(B)R/L 2525 M11 |                                                                                   | 25 | 25 | 150 | 35 | 25 | 32 |                                                                                     |                                                                                     |
| SVJC(B)R/L 1616 H16 | VC(B)□□ 1604□□                                                                    | 16 | 16 | 100 | 32 | 16 | 20 | M3.5*8                                                                              | T-15                                                                                |
| SVJC(B)R/L 2020 K16 |                                                                                   | 20 | 20 | 125 | 35 | 20 | 25 |                                                                                     |                                                                                     |
| SVJC(B)R/L 2525 M16 |                                                                                   | 25 | 25 | 150 | 38 | 25 | 32 |                                                                                     |                                                                                     |
| SVJC(B)R/L 3232 P16 |                                                                                   | 32 | 32 | 170 | 45 | 32 | 40 |                                                                                     |                                                                                     |


## SVVC(B)N



## SVVC(B)N

| МОДЕЛЬ            |  | h  | b  | L   | L1 | h1 | f    | Винт                                                                                  | Ключ                                                                                  |
|-------------------|-------------------------------------------------------------------------------------|----|----|-----|----|----|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                   |                                                                                     |    |    |     |    |    |      |  |  |
| SVVC(B)N 1616 H11 | VC(B)□□ 1103□□                                                                      | 16 | 16 | 100 | 28 | 16 | 8    | M2.5*6                                                                                | T-8                                                                                   |
| SVVC(B)N 2020 K11 |                                                                                     | 20 | 20 | 125 | 35 | 20 | 10   |                                                                                       |                                                                                       |
| SVVC(B)N 2525 M11 |                                                                                     | 25 | 25 | 150 | 35 | 25 | 12.5 |                                                                                       |                                                                                       |
| SVVC(B)N 1616 H16 | VC(B)□□ 1604□□                                                                      | 16 | 16 | 100 | 32 | 16 | 8    | M3.5*8                                                                                | T-15                                                                                  |
| SVVC(B)N 2020 K16 |                                                                                     | 20 | 20 | 125 | 35 | 20 | 10   |                                                                                       |                                                                                       |
| SVVC(B)N 2525 M16 |                                                                                     | 25 | 25 | 150 | 38 | 25 | 12.5 |                                                                                       |                                                                                       |
| SVVC(B)N 3232 P16 |                                                                                     | 32 | 32 | 170 | 45 | 32 | 16   |                                                                                       |                                                                                       |


## SVQC(B)R/L



## SVQC(B)R/L

| МОДЕЛЬ              |  | h  | b  | L   | L1 | h1 | f  | Винт                                                                                | Ключ                                                                                |
|---------------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                     |                                                                                   |    |    |     |    |    |    |  |  |
| SVQC(B)R/L 1616 H11 | VC(B)□□ 1103□□                                                                    | 16 | 16 | 100 | 35 | 16 | 20 | M2.5*6                                                                              | T-8                                                                                 |
| SVQC(B)R/L 2020 K11 |                                                                                   | 20 | 20 | 125 | 35 | 20 | 25 |                                                                                     |                                                                                     |
| SVQC(B)R/L 1616 H16 |                                                                                   | 25 | 25 | 150 | 35 | 16 | 20 |                                                                                     |                                                                                     |
| SVQC(B)R/L 2020 K16 | VC(B)□□ 1604□□                                                                    | 20 | 20 | 125 | 35 | 20 | 25 | M3.5*8                                                                              | T-15                                                                                |
| SVQC(B)R/L 2525 M16 |                                                                                   | 25 | 25 | 150 | 35 | 25 | 32 |                                                                                     |                                                                                     |
| SVQC(B)R/L 3232 P16 |                                                                                   | 32 | 32 | 170 | 35 | 32 | 40 |                                                                                     |                                                                                     |


## SVUC(B)R/L



## SVUC(B)R/L

| МОДЕЛЬ              |  | h  | b  | L   | L1 | h1 | f  | Винт                                                                                  | Ключ                                                                                  |
|---------------------|-------------------------------------------------------------------------------------|----|----|-----|----|----|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                     |                                                                                     |    |    |     |    |    |    |  |  |
| SVUC(B)R/L 1616 H11 | VC(B)□□ 1103□□                                                                      | 16 | 16 | 100 | 16 | 20 | 20 | M2.5*6                                                                                | T-8                                                                                   |
| SVUC(B)R/L 2020 K11 |                                                                                     | 20 | 20 | 125 | 16 | 20 | 30 |                                                                                       |                                                                                       |
| SVUC(B)R/L 2020 K16 |                                                                                     | 20 | 20 | 125 | 16 | 20 | 30 |                                                                                       |                                                                                       |
| SVUC(B)R/L 2525 M16 | VC(B)□□ 1604□□                                                                      | 25 | 25 | 150 | 16 | 25 | 35 | M3.5*8                                                                                | T-15                                                                                  |

## SRAC(P)R/L




## SRAC(P)R/L

| МОДЕЛЬ              |  | h  | b  | L   | L1 | h1 | f  | Винт                                                                                | Ключ                                                                                |
|---------------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                     |                                                                                   |    |    |     |    |    |    |  |  |
| SRAC(P)R/L 1616 H06 | RC(P)□□ 0602□□                                                                    | 16 | 16 | 100 | 15 | 16 | 16 | M2.5*6                                                                              | T-8                                                                                 |
| SRAC(P)R/L 2020 K06 |                                                                                   | 20 | 20 | 125 | 15 | 20 | 20 |                                                                                     |                                                                                     |
| SRAC(P)R/L 2525 M06 |                                                                                   | 25 | 25 | 150 | 15 | 25 | 25 |                                                                                     |                                                                                     |
| SRAC(P)R/L 1616 H08 | RC(P)□□ 0803□□                                                                    | 16 | 16 | 100 | 16 | 16 | 16 | M3*10                                                                               | T-10                                                                                |
| SRAC(P)R/L 2020 K08 |                                                                                   | 20 | 20 | 125 | 16 | 20 | 20 |                                                                                     |                                                                                     |
| SRAC(P)R/L 2525 M08 |                                                                                   | 25 | 25 | 150 | 16 | 25 | 25 |                                                                                     |                                                                                     |
| SRAC(P)R/L 3232 P08 | RC(P)□□ 10T3□□                                                                    | 32 | 32 | 170 | 16 | 32 | 32 | M3.5*10                                                                             | T-15                                                                                |
| SRAC(P)R/L 1616 H10 |                                                                                   | 16 | 16 | 100 | 20 | 16 | 16 |                                                                                     |                                                                                     |
| SRAC(P)R/L 2020 K10 |                                                                                   | 20 | 20 | 125 | 20 | 20 | 20 |                                                                                     |                                                                                     |
| SRAC(P)R/L 2525 M10 |                                                                                   | 25 | 25 | 150 | 20 | 25 | 25 |                                                                                     |                                                                                     |
| SRAC(P)R/L 3232 P10 | RC(P)□□ 1204□□                                                                    | 32 | 32 | 170 | 20 | 32 | 32 | M3.5*10                                                                             | T-15                                                                                |
| SRAC(P)R/L 4040 R10 |                                                                                   | 40 | 40 | 200 | 20 | 40 | 40 |                                                                                     |                                                                                     |
| SRAC(P)R/L 2020 K12 |                                                                                   | 20 | 20 | 125 | 28 | 20 | 20 |                                                                                     |                                                                                     |
| SRAC(P)R/L 2525 M12 |                                                                                   | 25 | 25 | 150 | 28 | 25 | 25 |                                                                                     |                                                                                     |
| SRAC(P)R/L 3232 P12 | RC(P)□□ 1606□□                                                                    | 32 | 32 | 170 | 28 | 32 | 32 | M5*12                                                                               | T-20                                                                                |
| SRAC(P)R/L 4040 R12 |                                                                                   | 40 | 40 | 200 | 28 | 40 | 40 |                                                                                     |                                                                                     |
| SRAC(P)R/L 2525 M16 |                                                                                   | 25 | 25 | 150 | 32 | 25 | 25 |                                                                                     |                                                                                     |
| SRAC(P)R/L 3232 P16 | RC(P)□□ 2006□□                                                                    | 32 | 32 | 170 | 32 | 32 | 32 | M6*15                                                                               | T-20                                                                                |
| SRAC(P)R/L 4040 R16 |                                                                                   | 40 | 40 | 200 | 32 | 40 | 40 |                                                                                     |                                                                                     |
| SRAC(P)R/L 3232 P20 |                                                                                   | 32 | 32 | 170 | 40 | 32 | 32 |                                                                                     |                                                                                     |
| SRAC(P)R/L 4040 R20 |                                                                                   | 40 | 40 | 200 | 40 | 40 | 40 |                                                                                     |                                                                                     |

Державки S захим (крепление винтом)

## SRDC(P)N




## SRDC(P)N

| МОДЕЛЬ            |  |    |    |     |    |    |      | Винт                                                                                | Ключ                                                                                |
|-------------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                   |                                                                                   | h  | b  | L   | L1 | h1 | f    |  |  |
| SRDC(P)N 1616 H06 | RC(P) 0602                                                                        | 16 | 16 | 100 | 15 | 16 | 8    | M2.5*6                                                                              | T-8                                                                                 |
| SRDC(P)N 2020 K06 |                                                                                   | 20 | 20 | 125 | 15 | 20 | 10   |                                                                                     |                                                                                     |
| SRDC(P)N 2525 M06 |                                                                                   | 25 | 25 | 150 | 15 | 25 | 12.5 |                                                                                     |                                                                                     |
| SRDC(P)N 1616 H08 | RC(P) 0803                                                                        | 16 | 16 | 100 | 16 | 16 | 8    | M3*10                                                                               | T-10                                                                                |
| SRDC(P)N 2020 K08 |                                                                                   | 20 | 20 | 125 | 16 | 20 | 10   |                                                                                     |                                                                                     |
| SRDC(P)N 2525 M08 |                                                                                   | 25 | 25 | 150 | 16 | 25 | 12.5 |                                                                                     |                                                                                     |
| SRDC(P)N 3232 P08 | RC(P) 10T3                                                                        | 32 | 32 | 170 | 16 | 32 | 16   | M3.5*10                                                                             | T-15                                                                                |
| SRDC(P)N 1616 H10 |                                                                                   | 16 | 16 | 100 | 20 | 16 | 8    |                                                                                     |                                                                                     |
| SRDC(P)N 2020 K10 |                                                                                   | 20 | 20 | 125 | 20 | 20 | 10   |                                                                                     |                                                                                     |
| SRDC(P)N 2525 M10 |                                                                                   | 25 | 25 | 150 | 20 | 25 | 12.5 |                                                                                     |                                                                                     |
| SRDC(P)N 3232 P10 | RC(P) 1204                                                                        | 32 | 32 | 170 | 20 | 32 | 16   | M3.5*10                                                                             | T-15                                                                                |
| SRDC(P)N 4040 R10 |                                                                                   | 40 | 40 | 200 | 20 | 40 | 20   |                                                                                     |                                                                                     |
| SRDC(P)N 2020 K12 |                                                                                   | 20 | 20 | 125 | 28 | 20 | 10   |                                                                                     |                                                                                     |
| SRDC(P)N 2525 M12 |                                                                                   | 25 | 25 | 150 | 28 | 25 | 12.5 |                                                                                     |                                                                                     |
| SRDC(P)N 3232 P12 | RC(P) 1606                                                                        | 32 | 32 | 170 | 28 | 32 | 16   | M5*12                                                                               | T-20                                                                                |
| SRDC(P)N 4040 R12 |                                                                                   | 40 | 40 | 200 | 28 | 40 | 20   |                                                                                     |                                                                                     |
| SRDC(P)N 2525 M16 |                                                                                   | 25 | 25 | 150 | 32 | 25 | 12.5 |                                                                                     |                                                                                     |
| SRDC(P)N 3232 P16 | RC(P) 2006                                                                        | 32 | 32 | 170 | 32 | 32 | 16   | M6*15                                                                               | T-20                                                                                |
| SRDC(P)N 4040 R16 |                                                                                   | 40 | 40 | 200 | 32 | 40 | 20   |                                                                                     |                                                                                     |
| SRDC(P)N 3232 P20 |                                                                                   | 32 | 32 | 170 | 40 | 32 | 16   |                                                                                     |                                                                                     |
| SRDC(P)N 4040 R20 |                                                                                   | 40 | 40 | 200 | 40 | 40 | 20   |                                                                                     |                                                                                     |



## SRGC(P)R/L




## SRGC(P)R/L

| МОДЕЛЬ              |  | h  | b  | L   | L1 | h1 | f  | Винт                                                                                | Ключ                                                                                |
|---------------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                     |                                                                                   |    |    |     |    |    |    |  |  |
| SRGC(P)R/L 1616 H06 | RC(P) 0602                                                                        | 16 | 16 | 100 | 15 | 16 | 20 | M2.5*6                                                                              | T-8                                                                                 |
| SRGC(P)R/L 2020 K06 |                                                                                   | 20 | 20 | 125 | 20 | 20 | 25 |                                                                                     |                                                                                     |
| SRGC(P)R/L 2525 M06 |                                                                                   | 25 | 25 | 150 | 20 | 25 | 32 |                                                                                     |                                                                                     |
| SRGC(P)R/L 1616 H08 | RC(P) 0803                                                                        | 16 | 16 | 100 | 15 | 16 | 20 | M3*10                                                                               | T-10                                                                                |
| SRGC(P)R/L 2020 K08 |                                                                                   | 20 | 20 | 125 | 20 | 20 | 25 |                                                                                     |                                                                                     |
| SRGC(P)R/L 2525 M08 |                                                                                   | 25 | 25 | 150 | 20 | 25 | 32 |                                                                                     |                                                                                     |
| SRGC(P)R/L 3232 P08 |                                                                                   | 32 | 32 | 170 | 25 | 32 | 40 |                                                                                     |                                                                                     |
| SRGC(P)R/L 1616 H10 | RC(P) 10T3                                                                        | 16 | 16 | 100 | 15 | 16 | 20 | M3.5*10                                                                             | T-15                                                                                |
| SRGC(P)R/L 2020 K10 |                                                                                   | 20 | 20 | 125 | 20 | 20 | 25 |                                                                                     |                                                                                     |
| SRGC(P)R/L 2525 M10 |                                                                                   | 25 | 25 | 150 | 20 | 25 | 32 |                                                                                     |                                                                                     |
| SRGC(P)R/L 3232 P10 |                                                                                   | 32 | 32 | 170 | 25 | 32 | 40 |                                                                                     |                                                                                     |
| SRGC(P)R/L 4040 R10 | RC(P) 1204                                                                        | 40 | 40 | 200 | 32 | 40 | 50 | M3.5*10                                                                             | T-15                                                                                |
| SRGC(P)R/L 2020 K12 |                                                                                   | 20 | 20 | 125 | 20 | 20 | 25 |                                                                                     |                                                                                     |
| SRGC(P)R/L 2525 M12 |                                                                                   | 25 | 25 | 150 | 20 | 25 | 32 |                                                                                     |                                                                                     |
| SRGC(P)R/L 3232 P12 |                                                                                   | 32 | 32 | 170 | 25 | 32 | 40 |                                                                                     |                                                                                     |
| SRGC(P)R/L 4040 R12 | RC(P) 1606                                                                        | 40 | 40 | 200 | 32 | 40 | 50 | M5*12                                                                               | T-20                                                                                |
| SRGC(P)R/L 2525 M16 |                                                                                   | 25 | 25 | 150 | 20 | 25 | 32 |                                                                                     |                                                                                     |
| SRGC(P)R/L 3232 P16 |                                                                                   | 32 | 32 | 170 | 25 | 32 | 40 |                                                                                     |                                                                                     |
| SRGC(P)R/L 4040 R16 |                                                                                   | 40 | 40 | 200 | 32 | 40 | 50 |                                                                                     |                                                                                     |
| SRGC(P)R/L 3232 P20 | RC(P) 2006                                                                        | 32 | 32 | 170 | 25 | 32 | 40 | M6*15                                                                               | T-20                                                                                |
| SRGC(P)R/L 4040 R20 |                                                                                   | 40 | 40 | 200 | 32 | 40 | 50 |                                                                                     |                                                                                     |



Державки S захим (крепление винтом)


## CRAC(P)R/L



## CRAC(P)R/L

| МОДЕЛЬ              |  |    |    |     |    |    |    | ?                                                                                   | ?                                                                                   | Винт                                                                                | Ключ                                                                                |
|---------------------|-----------------------------------------------------------------------------------|----|----|-----|----|----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                     |                                                                                   | h  | b  | L   | L1 | h1 | f  |  |  |  |  |
| CRAC(P)R/L 3232 P12 | RC(P) 1204                                                                        | 16 | 16 | 170 | 35 | 16 | 20 | M3.5*10                                                                             | 1019                                                                                | 0522                                                                                | T-15 4.0                                                                            |
| CRAC(P)R/L 4040 R12 |                                                                                   | 20 | 20 | 200 | 35 | 20 | 25 |                                                                                     |                                                                                     |                                                                                     | T-20 4.0                                                                            |
| CRAC(P)R/L 3232 P16 | RC(P) 1606                                                                        | 25 | 25 | 170 | 35 | 16 | 20 | M5*12                                                                               | 1222                                                                                |                                                                                     | T-20 4.0                                                                            |
| CRAC(P)R/L 4040 R16 |                                                                                   | 20 | 20 | 200 | 35 | 20 | 25 |                                                                                     |                                                                                     |                                                                                     | T-20 4.0                                                                            |
| CRAC(P)R/L 3232 P20 | RC(P) 2006                                                                        | 25 | 25 | 170 | 35 | 25 | 32 | M6*15                                                                               | 1423                                                                                |                                                                                     | T-20 4.0                                                                            |
| CRAC(P)R/L 4040 R20 |                                                                                   | 32 | 32 | 200 | 35 | 32 | 40 |                                                                                     |                                                                                     |                                                                                     | T-20 4.0                                                                            |

## CRDC(P)N



## CRDC(P)N

| МОДЕЛЬ            |  |    |    |     |    |    |    | ?                                                                                     | ?                                                                                     | Винт                                                                                  | Ключ                                                                                  |
|-------------------|-------------------------------------------------------------------------------------|----|----|-----|----|----|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                   |                                                                                     | h  | b  | L   | L1 | h1 | f  |  |  |  |  |
| CRDC(P)N 3232 P12 | RC(P)□□ 1204□□                                                                      | 32 | 32 | 170 | 28 | 32 | 16 | M3.5*10                                                                               | 1019                                                                                  | 0522                                                                                  | T-15<br>4.0                                                                           |
| CRDC(P)N 4040 R12 |                                                                                     | 40 | 40 | 200 | 28 | 40 | 20 |                                                                                       |                                                                                       |                                                                                       | T-20<br>4.0                                                                           |
| CRDC(P)N 3232 P16 | RC(P)□□ 1606□□                                                                      | 32 | 32 | 170 | 32 | 32 | 16 | M5*12                                                                                 | 1222                                                                                  |                                                                                       | T-20<br>4.0                                                                           |
| CRDC(P)N 4040 R16 |                                                                                     | 40 | 40 | 200 | 32 | 40 | 20 |                                                                                       |                                                                                       |                                                                                       | T-20<br>4.0                                                                           |
| CRDC(P)N 3232 P20 | RC(P)□□ 2006□□                                                                      | 32 | 32 | 170 | 40 | 32 | 16 | M6*15                                                                                 | 1423                                                                                  |                                                                                       | T-20<br>4.0                                                                           |
| CRDC(P)N 4040 R20 |                                                                                     | 40 | 40 | 200 | 40 | 40 | 20 |                                                                                       |                                                                                       |                                                                                       | T-20<br>4.0                                                                           |


Державки S захим (крепление винтом)



## Державки Р прижим




Державки Р прижим



Державки Р прижим


## PCLNR/L



## PCLNR/L

| МОДЕЛЬ         |             | h  | b  | L   | L1 | h1 | f  | Прижим | Винт NLJ | Подкладка | Втулка | Ключ |
|----------------|-------------|----|----|-----|----|----|----|--------|----------|-----------|--------|------|
|                |             |    |    |     |    |    |    |        |          |           |        |      |
| PCLNR/L1616H12 | CN□□ 1204□□ | 16 | 16 | 100 | 28 | 16 | 20 | 0514   | 0820     | 1203      | 0606   | L3.0 |
| PCLNR/L2020K12 |             | 20 | 20 | 125 | 28 | 20 | 25 |        |          |           |        |      |
| PCLNR/L2525M12 |             | 25 | 25 | 150 | 28 | 25 | 32 |        |          |           |        |      |
| PCLNR/L3232P12 |             | 32 | 32 | 170 | 30 | 32 | 40 |        |          |           |        |      |
| PCLNR/L2525M16 | CN□□ 1606□□ | 25 | 25 | 150 | 33 | 25 | 32 | 0617   | 0821     | 1604      | 0808   | L4.0 |
| PCLNR/L3232P16 |             | 32 | 32 | 170 | 33 | 32 | 40 |        |          |           |        |      |
| PCLNR/L3232P19 | CN□□ 1906□□ | 32 | 32 | 170 | 36 | 32 | 40 | 0820   | 1027     | 1904      | 0909   | L5.0 |
| PCLNR/L4040S19 |             | 40 | 40 | 250 | 40 | 40 | 50 |        |          |           |        |      |
| PCLNR/L4040S25 | CN□□ 2509□□ | 40 | 40 | 250 | 47 | 40 | 50 | 0925   | 1237     | 2506      | 1312   | L5.0 |
| PCLNR/L5050T25 |             | 50 | 50 | 300 | 47 | 50 | 60 |        |          |           |        |      |

## PCBNR/L




## PCBNR/L

| МОДЕЛЬ         |             | h  | b  | L   | L1 | h1 | f  | Прижим | Винт NLJ | Подкладка | Втулка | Ключ |
|----------------|-------------|----|----|-----|----|----|----|--------|----------|-----------|--------|------|
|                |             |    |    |     |    |    |    |        |          |           |        |      |
| PCBNR/L2020K12 | CN□□ 1204□□ | 20 | 20 | 125 | 28 | 20 | 25 | 0514   | 0820     | 1203      | 0606   | L3.0 |
| PCBNR/L2525M12 |             | 25 | 25 | 150 | 28 | 25 | 32 |        |          |           |        |      |
| PCBNR/L3232P12 |             | 32 | 32 | 170 | 30 | 32 | 40 |        |          |           |        |      |
| PCBNR/L2525M16 |             | 25 | 25 | 150 | 33 | 25 | 32 |        |          |           |        |      |
| PCBNR/L3232P16 | CN□□ 1506□□ | 32 | 32 | 170 | 33 | 32 | 40 | 0617   | 0821     | 1604      | 0808   | L4.0 |
| PCBNR/L3232P19 |             | 32 | 32 | 170 | 40 | 32 | 40 |        |          |           |        |      |
| PCBNR/L4040S19 | CN□□ 1906□□ | 40 | 40 | 250 | 42 | 40 | 50 | 0820   | 1027     | 1904      | 0909   | L5.0 |
| PCBNR/L4040S25 |             | 40 | 40 | 250 | 50 | 40 | 50 |        |          |           |        |      |
| PCBNR/L5050T25 | CN□□ 2509□□ | 50 | 50 | 300 | 52 | 50 | 60 | 0925   | 1237     | 2506      | 1312   | L5.0 |
|                |             |    |    |     |    |    |    |        |          |           |        |      |




## PCKNR/L



## PCKNR/L

| МОДЕЛЬ         | Тип пластин | h  | b  | L   | L1 | h1 | f  | Прижим | Винт NLJ | Подкладка | Втулка | Ключ |
|----------------|-------------|----|----|-----|----|----|----|--------|----------|-----------|--------|------|
| PCKNR/L2020K12 | CN□□ 1204□□ | 20 | 20 | 125 | 28 | 20 | 25 | 0514   | 0820     | 1203      | 0606   | L3.0 |
| PCKNR/L2525M12 |             | 25 | 25 | 150 | 28 | 25 | 32 |        |          |           |        |      |
| PCKNR/L3232P12 |             | 32 | 32 | 170 | 30 | 32 | 40 |        |          |           |        |      |
| PCKNR/L2525M15 | CN□□ 1506□□ | 25 | 25 | 150 | 33 | 25 | 32 | 0617   | 0821     | 1504      | 0808   | L3.0 |
| PCKNR/L3232P15 |             | 32 | 32 | 170 | 33 | 32 | 40 |        |          |           |        |      |
| PCKNR/L3232P19 | CN□□ 1906□□ | 32 | 32 | 170 | 40 | 32 | 40 | 0820   | 1027     | 1904      | 0909   | L4.0 |
| PCKNR/L4040S19 |             | 40 | 40 | 250 | 42 | 40 | 50 |        |          |           |        |      |
| PCKNR/L4040S25 | CN□□ 2509□□ | 40 | 40 | 250 | 50 | 40 | 50 | 0925   | 1237     | 2506      | 1312   | L5.0 |
| PCKNR/L5050T25 |             | 50 | 50 | 300 | 52 | 50 | 60 |        |          |           |        |      |

## PDJNR/L




## PDJNR/L

| МОДЕЛЬ           | Тип пластин | h  | b  | L   | L1 | h1 | f  | Прижим | Винт NLJ | Подкладка | Втулка | Ключ |
|------------------|-------------|----|----|-----|----|----|----|--------|----------|-----------|--------|------|
| PDJNR/L1616H11   | DN□□ 1104□□ | 16 | 16 | 100 | 26 | 16 | 20 | 0312   | 0618     | 1103      | 0505   | L3.0 |
| PDJNR/L2020K11   |             | 20 | 20 | 125 | 26 | 20 | 25 |        |          |           |        |      |
| PDJNR/L2525M11   |             | 25 | 25 | 150 | 28 | 25 | 32 |        |          |           |        |      |
| PDJNR/L1616H1504 | DN□□ 1504□□ | 16 | 16 | 100 | 35 | 16 | 20 | 0514   | 0820     | 1503      | 0606   | L3.0 |
| PDJNR/L2020K1504 |             | 20 | 20 | 125 | 35 | 20 | 25 |        |          |           |        |      |
| PDJNR/L2525M1504 |             | 25 | 25 | 150 | 35 | 25 | 32 |        |          |           |        |      |
| PDJNR/L3232P1504 |             | 32 | 32 | 170 | 40 | 32 | 40 |        |          |           |        |      |
| PDJNR/L1616H1506 | DN□□ 1506□□ | 16 | 16 | 100 | 35 | 16 | 20 | 0514D  | 0821     | 1503      | 0606   | L3.0 |
| PDJNR/L2020K1506 |             | 20 | 20 | 125 | 35 | 20 | 25 |        |          |           |        |      |
| PDJNR/L2525M1506 |             | 25 | 25 | 150 | 35 | 25 | 32 |        |          |           |        |      |
| PDJNR/L3232P1506 |             | 32 | 32 | 170 | 40 | 32 | 40 |        |          |           |        |      |

Державки P прижим





## PDPNN



## PDPNN

| МОДЕЛЬ          | Тип<br>пластин |    |    |     |    |    |      | Прижим                                                                             | Винт<br>NLJ                                                                         | Подкладка                                                                           | Втулка                                                                              | Ключ                                                                                |
|-----------------|----------------|----|----|-----|----|----|------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                 |                | h  | b  | L   | L1 | h1 | f    |  |  |  |  |  |
| PDPNN 1616H11   | DN□□ 1104□□    | 16 | 16 | 100 | 30 | 16 | 8    | 0312                                                                               | 0618                                                                                | 1103                                                                                | 0505                                                                                | L3.0                                                                                |
| PDPNN 2020K11   |                | 20 | 20 | 125 | 30 | 20 | 10   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| PDPNN 2525M1504 | DN□□ 1504□□    | 25 | 25 | 150 | 37 | 25 | 12.5 | 0514                                                                               | 0820                                                                                | 1503                                                                                | 0606                                                                                |                                                                                     |
| PDPNN 3232P1504 |                | 32 | 32 | 170 | 37 | 32 | 16   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| PDPNN 2525M1506 | DN□□ 1506□□    | 25 | 25 | 150 | 37 | 25 | 12.5 | 0514D                                                                              | 0821                                                                                |                                                                                     |                                                                                     |                                                                                     |
| PDPNN 3232P1506 |                | 32 | 32 | 170 | 37 | 32 | 16   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |


## PSBNR/L



## PSBNR/L

| МОДЕЛЬ         | Тип<br>пластин | h  | b  | L   | L1 | h1 | f  | Прижим | Винт<br>NLJ | Подкладка | Втулка | Ключ |
|----------------|----------------|----|----|-----|----|----|----|--------|-------------|-----------|--------|------|
| PSBNR/L2020K12 | SN□□ 1204□□    | 20 | 20 | 125 | 28 | 20 | 20 | 0514   | 0820        | 1203      | 0606   | L3.0 |
| PSBNR/L2525M12 |                | 25 | 25 | 150 | 28 | 25 | 25 |        |             |           |        |      |
| PSBNR/L3232P12 |                | 32 | 32 | 170 | 30 | 32 | 32 |        |             |           |        |      |
| PSBNR/L2525M15 | SN□□ 1506□□    | 25 | 25 | 150 | 35 | 25 | 25 | 0617   | 0821        | 1504      | 0808   | L3.0 |
| PSBNR/L3232P15 |                | 32 | 32 | 170 | 35 | 32 | 32 |        |             |           |        |      |
| PSBNR/L3232P19 | SN□□ 1906□□    | 32 | 32 | 170 | 40 | 32 | 32 | 0820   | 1027        | 1904      | 0909   | L4.0 |
| PSBNR/L4040S19 |                | 40 | 40 | 250 | 42 | 40 | 40 |        |             |           |        |      |
| PSBNR/L4040S25 | SN□□ 2509□□    | 40 | 40 | 250 | 50 | 40 | 40 | 0925   | 1237        | 2506      | 1312   | L5.0 |
| PSBNR/L5050T25 |                | 50 | 50 | 300 | 55 | 50 | 50 |        |             |           |        |      |



## PSDNR/L



## PSDNR/L

| МОДЕЛЬ         | Тип пластин | h  | b  | L   | L1 | h1 | f    | Прижим | Винт NLJ | Подкладка | Втулка | Ключ |
|----------------|-------------|----|----|-----|----|----|------|--------|----------|-----------|--------|------|
| PSDNR/L2020K12 | SN□□ 1204□□ | 20 | 20 | 125 | 30 | 20 | 10   | 0514   | 0820     | 1203      | 0606   | L3.0 |
| PSDNR/L2525M12 |             | 25 | 25 | 150 | 30 | 25 | 12.5 |        |          |           |        |      |
| PSDNR/L3232P12 |             | 32 | 32 | 170 | 32 | 32 | 16   |        |          |           |        |      |
| PSDNR/L2525M15 | SN□□ 1506□□ | 25 | 25 | 150 | 36 | 25 | 12.5 | 0617   | 0821     | 1504      | 0808   | L4.0 |
| PSDNR/L3232P15 |             | 32 | 32 | 170 | 36 | 32 | 16   |        |          |           |        |      |
| PSDNR/L3232P19 | SN□□ 1906□□ | 32 | 32 | 170 | 42 | 32 | 16   | 0820   | 1027     | 1904      | 0909   | L5.0 |
| PSDNR/L4040S19 |             | 40 | 40 | 250 | 42 | 40 | 20   |        |          |           |        |      |
| PSDNR/L4040S25 | SN□□ 2509□□ | 40 | 40 | 250 | 52 | 40 | 20   | 0925   | 1237     | 2506      | 1312   | L5.0 |
| PSDNR/L5050T25 |             | 50 | 50 | 300 | 52 | 50 | 25   |        |          |           |        |      |

## PSKNR/L




## PSKNR/L

| МОДЕЛЬ         | Тип пластин | h  | b  | L   | L1 | h1 | f  | Прижим | Винт NLJ | Подкладка | Втулка | Ключ |
|----------------|-------------|----|----|-----|----|----|----|--------|----------|-----------|--------|------|
| PSKNR/L2020K12 | SN□□ 1204□□ | 20 | 20 | 125 | 28 | 20 | 25 | 0514   | 0820     | 1203      | 0606   | L3.0 |
| PSKNR/L2525M12 |             | 25 | 25 | 150 | 30 | 25 | 32 |        |          |           |        |      |
| PSKNR/L3232P12 |             | 32 | 32 | 170 | 30 | 32 | 40 |        |          |           |        |      |
| PSKNR/L2525M15 | SN□□ 1506□□ | 25 | 25 | 150 | 32 | 25 | 32 | 0617   | 0821     | 1504      | 0808   | L4.0 |
| PSKNR/L3232P15 |             | 32 | 32 | 170 | 32 | 32 | 40 |        |          |           |        |      |
| PSKNR/L3232P19 | SN□□ 1906□□ | 32 | 32 | 170 | 38 | 32 | 40 | 0820   | 1027     | 1904      | 0909   | L5.0 |
| PSKNR/L4040S19 |             | 40 | 40 | 250 | 38 | 40 | 50 |        |          |           |        |      |
| PSKNR/L4040S25 | SN□□ 2509□□ | 40 | 40 | 250 | 46 | 40 | 50 | 0925   | 1237     | 2506      | 1312   | L5.0 |
| PSKNR/L5050T25 |             | 50 | 50 | 300 | 46 | 50 | 60 |        |          |           |        |      |

Державки P прижим


## PSSNR/L



## PSSNR/L

| МОДЕЛЬ         | Тип<br>пластин | h  | b  | L   | L1 | h1 | f  | Прижим<br> | Винт<br>NLJ<br> | Подкладка<br> | Втулка<br> | Ключ<br> |
|----------------|----------------|----|----|-----|----|----|----|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| PSSNR/L2020K12 | SN□□ 1204□□    | 20 | 20 | 125 | 30 | 20 | 25 | 0514                                                                                         | 0820                                                                                               | 1203                                                                                             | 0606                                                                                          | L3.0                                                                                        |
| PSSNR/L2525M12 |                | 25 | 25 | 150 | 30 | 25 | 32 |                                                                                              |                                                                                                    |                                                                                                  |                                                                                               |                                                                                             |
| PSSNR/L3232P12 |                | 32 | 32 | 170 | 32 | 32 | 40 |                                                                                              |                                                                                                    |                                                                                                  |                                                                                               |                                                                                             |
| PSSNR/L2525M15 | SN□□ 1506□□    | 25 | 25 | 150 | 36 | 25 | 32 | 0617                                                                                         | 0821                                                                                               | 1504                                                                                             | 0808                                                                                          | L3.0                                                                                        |
| PSSNR/L3232P15 |                | 32 | 32 | 170 | 36 | 32 | 40 |                                                                                              |                                                                                                    |                                                                                                  |                                                                                               |                                                                                             |
| PSSNR/L3232P19 | SN□□ 1906□□    | 32 | 32 | 170 | 42 | 32 | 40 | 0820                                                                                         | 1027                                                                                               | 1904                                                                                             | 0909                                                                                          | L4.0                                                                                        |
| PSSNR/L4040S19 |                | 40 | 40 | 250 | 42 | 40 | 50 |                                                                                              |                                                                                                    |                                                                                                  |                                                                                               |                                                                                             |
| PSSNR/L4040S25 | SN□□ 2509□□    | 40 | 40 | 250 | 52 | 40 | 50 | 0925                                                                                         | 1237                                                                                               | 2506                                                                                             | 1312                                                                                          | L5.0                                                                                        |
| PSSNR/L5050T25 |                | 50 | 50 | 300 | 52 | 50 | 60 |                                                                                              |                                                                                                    |                                                                                                  |                                                                                               |                                                                                             |


## PTFNR/L



## PTFNR/L

| МОДЕЛЬ          | Тип<br>пластин | h  | b  | L   | L1 | h1 | f  | Прижим<br> | Винт<br>NLJ<br> | Подкладка<br> | Втулка<br> | Ключ<br> |
|-----------------|----------------|----|----|-----|----|----|----|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| PTFNR/L 1616H16 | TN□□ 1604□□    | 16 | 16 | 100 | 22 | 16 | 20 | 0310                                                                                           | 0618                                                                                                 | 1603                                                                                               | 0505                                                                                            | L3.0                                                                                          |
| PTFNR/L 2020K16 |                | 20 | 20 | 125 | 22 | 20 | 25 |                                                                                                |                                                                                                      |                                                                                                    |                                                                                                 |                                                                                               |
| PTFNR/L 2525M16 |                | 25 | 25 | 150 | 26 | 25 | 32 |                                                                                                |                                                                                                      |                                                                                                    |                                                                                                 |                                                                                               |
| PTFNR/L 3232P16 |                | 32 | 32 | 170 | 32 | 32 | 40 |                                                                                                |                                                                                                      |                                                                                                    |                                                                                                 |                                                                                               |


## PTGNR/L



## PTGNR/L

| МОДЕЛЬ          | Тип пластин | h  | b  | L   | L1 | h1 | f  | Прижим | Винт NLJ | Подкладка | Втулка | Ключ |
|-----------------|-------------|----|----|-----|----|----|----|--------|----------|-----------|--------|------|
| PTGNR/L 1616H16 | TN□□ 1604□□ | 16 | 16 | 100 | 22 | 16 | 20 | 0310   | 0618     | 1603      | 0505   | L3.0 |
| PTGNR/L 2020K16 |             | 20 | 20 | 125 | 22 | 20 | 25 |        |          |           |        |      |
| PTGNR/L 2525M16 |             | 25 | 25 | 150 | 28 | 25 | 32 |        |          |           |        |      |
| PTGNR/L 3232P16 |             | 32 | 32 | 170 | 32 | 32 | 40 |        |          |           |        |      |


## PTJNR/L



## PTJNR/L

| МОДЕЛЬ          | Тип пластин | h  | b  | L   | L1 | h1 | f  | Прижим | Винт NLJ | Подкладка | Втулка | Ключ |
|-----------------|-------------|----|----|-----|----|----|----|--------|----------|-----------|--------|------|
| PTJNR/L 1616H16 | TN□□ 1604□□ | 16 | 16 | 100 | 22 | 16 | 20 | 0310   | 0618     | 1603      | 0505   | L3.0 |
| PTJNR/L 2020K16 |             | 20 | 20 | 125 | 22 | 20 | 25 |        |          |           |        |      |
| PTJNR/L 2525M16 |             | 25 | 25 | 150 | 28 | 25 | 32 |        |          |           |        |      |
| PTJNR/L 3232P16 |             | 32 | 32 | 170 | 32 | 32 | 40 |        |          |           |        |      |


## PTENR/L



## PTENR/L

| МОДЕЛЬ          | Тип<br>пластин | h  | b  | L   | L1 | h1 | f  | Прижим | Винт<br>NLJ | Подкладка | Втулка | Ключ |
|-----------------|----------------|----|----|-----|----|----|----|--------|-------------|-----------|--------|------|
| PTENR/L 2020K16 | TN□□ 1604□□    | 20 | 20 | 125 | 30 | 20 | 20 | 0310   | 0618        | 1602      | 0505   | L3.0 |
| PTENR/L 2525M16 |                | 25 | 25 | 150 | 30 | 25 | 25 |        |             |           |        |      |

## PWLNR/L




## PWLNR/L

| МОДЕЛЬ          | Тип<br>пластин |    |    |     |    |    |    | Прижим                                                                               | Винт<br>NLJ                                                                           | Подкладка                                                                             | Втулка                                                                                | Ключ                                                                                  |
|-----------------|----------------|----|----|-----|----|----|----|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                 |                | h  | b  | L   | L1 | h1 | f  |  |  |  |  |  |
| PWLNR/L 1616H06 | WN□□ 0604□□    | 16 | 16 | 100 | 20 | 16 | 20 | 0310                                                                                 | 0618                                                                                  | 0602                                                                                  | 0505                                                                                  | L3.0                                                                                  |
| PWLNR/L 2020K06 |                | 20 | 20 | 125 | 25 | 20 | 25 |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| PWLNR/L 2525M06 |                | 25 | 25 | 150 | 25 | 25 | 32 |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| PWLNR/L 1616H08 | WN□□ 0804□□    | 16 | 16 | 100 | 26 | 16 | 25 | 0514                                                                                 | 0820                                                                                  | 0803                                                                                  | 0606                                                                                  |                                                                                       |
| PWLNR/L 2020K08 |                | 20 | 20 | 125 | 26 | 20 | 32 |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| PWLNR/L 2525M08 |                | 25 | 25 | 150 | 26 | 25 | 32 |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| PWLNR/L 3232P08 |                | 32 | 32 | 170 | 30 | 32 | 40 |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |

Державки Р прижим

# Расточные державки




Расточные державки






## MCLNR/L



## MCLNR/L

| МОДЕЛЬ          | Тип<br>пластин | ØD | Ød | L   | L1 | H  | f    | a° | Прижим<br> | Втулка<br> | Сапог<br> | Шпилька<br> | Ключ<br> |
|-----------------|----------------|----|----|-----|----|----|------|----|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| S20Q-MCLNR/L 12 | CN□□ 1204□□    | 25 | 20 | 180 | 45 | 18 | 13   | 15 | ⊗                                                                                             | 0614                                                                                          | 1811                                                                                         | 0620                                                                                           | L2.5<br>L3.0                                                                                |
| S20R-MCLNR/L 12 |                | 25 | 20 | 200 | 45 | 18 | 13   | 15 |                                                                                               |                                                                                               |                                                                                              |                                                                                                |                                                                                             |
| S25R-MCLNR/L 12 |                | 32 | 25 | 200 | 45 | 23 | 16.5 | 12 |                                                                                               |                                                                                               |                                                                                              |                                                                                                |                                                                                             |
| S25S-MCLNR/L 12 |                | 32 | 25 | 250 | 45 | 23 | 16.5 | 12 |                                                                                               |                                                                                               |                                                                                              |                                                                                                |                                                                                             |
| S32S-MCLNR/L 12 |                | 40 | 32 | 250 | 50 | 29 | 22.5 | 17 | 1204                                                                                          | 0617                                                                                          | 1814                                                                                         | 0625                                                                                           |                                                                                             |
| S32T-MCLNR/L 12 |                | 40 | 32 | 300 | 50 | 29 | 22.5 | 17 |                                                                                               |                                                                                               |                                                                                              |                                                                                                |                                                                                             |
| S40T-MCLNR/L 12 |                | 50 | 40 | 300 | 55 | 37 | 26   | 15 |                                                                                               |                                                                                               |                                                                                              |                                                                                                |                                                                                             |
| S40U-MCLNR/L 12 |                | 50 | 40 | 350 | 55 | 37 | 26   | 15 |                                                                                               |                                                                                               |                                                                                              |                                                                                                |                                                                                             |


## MCKNR/L



## MCKNR/L

| МОДЕЛЬ          | Тип<br>пластин | ØD | Ød | L   | L1 | H  | f  | a° | Прижим<br> | Втулка<br> | Сапог<br> | Шпилька<br> | Ключ<br> |
|-----------------|----------------|----|----|-----|----|----|----|----|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| S20Q-MCKNR/L 12 | CN□□ 1204□□    | 25 | 20 | 180 | 45 | 18 | 14 | 15 |           | 0614                                                                                            | 1811                                                                                           | 0620                                                                                             | L2.5<br>L3.0                                                                                  |
| S20R-MCKNR/L 12 |                | 25 | 20 | 200 | 45 | 18 | 14 | 15 |                                                                                                |                                                                                                 |                                                                                                |                                                                                                  |                                                                                               |
| S25R-MCKNR/L 12 |                | 32 | 25 | 200 | 45 | 23 | 16 | 12 |                                                                                                |                                                                                                 |                                                                                                |                                                                                                  |                                                                                               |
| S25S-MCKNR/L 12 |                | 32 | 25 | 250 | 45 | 23 | 16 | 12 |                                                                                                |                                                                                                 |                                                                                                |                                                                                                  |                                                                                               |
| S32S-MCKNR/L 12 |                | 40 | 32 | 250 | 50 | 29 | 22 | 17 | 1204                                                                                           | 0617                                                                                            | 1814                                                                                           | 0625                                                                                             |                                                                                               |
| S32T-MCKNR/L 12 |                | 40 | 32 | 300 | 50 | 29 | 22 | 17 |                                                                                                |                                                                                                 |                                                                                                |                                                                                                  |                                                                                               |


## MCWNR/L



## MCWNR/L

| МОДЕЛЬ          | Тип<br>пластин | $\phi D$ | $\phi d$ | L   | L1 | H  | f    | $a^\circ$ | Прижим | Втулка | Саног | Шпилька | Ключ |
|-----------------|----------------|----------|----------|-----|----|----|------|-----------|--------|--------|-------|---------|------|
| S20R-MCWNR/L 12 | CN□□ 1204□□    | 30       | 20       | 200 | 45 | 18 | 17   | 15        |        |        |       |         |      |
| S25S-MCWNR/L 12 |                | 35       | 25       | 250 | 45 | 23 | 19.5 | 12        | ⊗      |        |       |         |      |
| S32T-MCWNR/L 12 |                | 42       | 32       | 300 | 50 | 29 | 23   | 17        | 1204   |        |       |         |      |
|                 |                |          |          |     |    |    |      |           |        | 0614   | 1811  | 0620    | L2.5 |
|                 |                |          |          |     |    |    |      |           |        | 0617   | 1814  | 0625    | L3.0 |


## MTJNR/L



## MTJNR/L

| МОДЕЛЬ          | Тип<br>пластин | $\phi D$ | $\phi d$ | L   | L1 | H  | f    | $a^\circ$ | Прижим | Втулка | Саног | Шпилька | Ключ         |
|-----------------|----------------|----------|----------|-----|----|----|------|-----------|--------|--------|-------|---------|--------------|
| S20Q-MTJNR/L 16 | TN□□ 1604□□    | 25       | 20       | 180 | 40 | 18 | 13   | 15        |        |        |       |         |              |
| S20R-MTJNR/L 16 |                | 25       | 20       | 200 | 40 | 18 | 13   | 15        |        |        |       |         |              |
| S25R-MTJNR/L 16 |                | 32       | 25       | 200 | 45 | 26 | 16   | 12        |        |        |       |         |              |
| S25S-MTJNR/L 16 |                | 32       | 25       | 250 | 45 | 26 | 16   | 12        | 1603   | 0513   | 1814  | 0625    | L2.0<br>L3.0 |
| S32S-MTJNR/L 16 |                | 41       | 32       | 250 | 54 | 29 | 22.5 | 17        |        |        |       |         |              |
| S32T-MTJNR/L 16 |                | 41       | 32       | 300 | 54 | 29 | 22.5 | 17        |        |        |       |         |              |


## MTFNR/L



## MTFNR/L

| МОДЕЛЬ          | Тип пластин | $\phi D$ | $\phi d$ | L   | L <sub>1</sub> | H  | f    | a° | Прижим | Втулка | Сапог | Шпилька | Ключ         |
|-----------------|-------------|----------|----------|-----|----------------|----|------|----|--------|--------|-------|---------|--------------|
| S20Q-MTFNR/L 16 | TN□□ 1604□□ | 25       | 20       | 180 | 40             | 18 | 13   | 15 | ⊗      | 0511   | 1811  | 0620    | L2.0<br>L3.0 |
| S20R-MTFNR/L 16 |             | 25       | 20       | 200 | 40             | 18 | 13   | 15 |        |        |       |         |              |
| S25R-MTFNR/L 16 |             | 32       | 25       | 200 | 45             | 23 | 16.5 | 12 |        |        |       |         |              |
| S25S-MTFNR/L 16 |             | 32       | 25       | 250 | 45             | 23 | 16.5 | 12 | 1603   | 0513   | 1814  | 0625    | L2.0<br>L3.0 |
| S32S-MTFNR/L 16 |             | 41       | 32       | 250 | 54             | 29 | 22.5 | 17 |        |        |       |         |              |
| S32T-MTFNR/L 16 |             | 41       | 32       | 300 | 54             | 29 | 22.5 | 17 |        |        |       |         |              |


## MTWNR/L



## MTWNR/L

| МОДЕЛЬ          | Тип пластин | $\phi D$ | $\phi d$ | L   | L <sub>1</sub> | H  | f  | a° | Прижим | Втулка | Сапог | Шпилька | Ключ         |
|-----------------|-------------|----------|----------|-----|----------------|----|----|----|--------|--------|-------|---------|--------------|
| S20R-MTWNR/L 16 | TN□□ 1604□□ | 25       | 20       | 200 | 40             | 18 | 14 | 15 | ⊗      | 0511   | 1811  | 0622    | L2.0<br>L3.0 |
| S25S-MTWNR/L 16 |             | 32       | 25       | 250 | 45             | 23 | 16 | 12 |        |        |       |         |              |
| S32T-MTWNR/L 16 |             | 41       | 32       | 300 | 54             | 29 | 20 | 17 |        |        |       |         |              |
|                 |             |          |          |     |                |    |    |    | 1603   | 0513   | 1814  | 0625    |              |


## MTUNR/L



## MTUNR/L

| МОДЕЛЬ          | Тип<br>пластин |    |    |     |    |    |      |    | Прижим                                                                            | Втулка                                                                            | Саног                                                                             | Шпилька                                                                           | Ключ                                                                              |
|-----------------|----------------|----|----|-----|----|----|------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|                 |                | ØD | Ød | L   | L1 | H  | f    | a° |  |  |  |  |  |
| S16Q-MTUNR/L 16 | TN□□ 1604□□    | 21 | 16 | 180 | 35 | 15 | 11   | 15 | ⊗                                                                                 | 0511                                                                              | 1811                                                                              | 0620                                                                              | L2.0<br>L3.0                                                                      |
| S20Q-MTUNR/L 16 |                | 25 | 20 | 180 | 40 | 18 | 13   | 15 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |
| S20R-MTUNR/L 16 |                | 25 | 20 | 200 | 40 | 18 | 13   | 15 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |
| S25R-MTUNR/L 16 |                | 32 | 25 | 200 | 45 | 23 | 16.5 | 12 | 1603                                                                              | 0513                                                                              | 1814                                                                              | 0625                                                                              |                                                                                   |
| S25S-MTUNR/L 16 |                | 32 | 25 | 250 | 45 | 23 | 16.5 | 12 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |
| S32S-MTUNR/L 16 |                | 41 | 32 | 250 | 54 | 29 | 22.5 | 17 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |
| S32T-MTUNR/L 16 |                | 41 | 32 | 300 | 54 | 29 | 22.5 | 17 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |


## MTQNR/L



## MTQNR/L

| МОДЕЛЬ          | Тип<br>пластин |    |    |     |    |    |      |    | Прижим                                                                              | Втулка                                                                              | Саног                                                                               | Шпилька                                                                             | Ключ                                                                                |      |
|-----------------|----------------|----|----|-----|----|----|------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------|
|                 |                | ∅D | ∅d | L   | L1 | H  | f    | a° |  |  |  |  |  |      |
| S20R-MTQNR/L 16 | TN□□ 1604□□    | 25 | 20 | 200 | 40 | 18 | 12.5 | 15 | ⊗                                                                                   | 0511                                                                                | 1811                                                                                | 0622                                                                                | L2.0<br>L3.0                                                                        |      |
| S25S-MTQNR/L 16 |                | 32 | 25 | 250 | 45 | 23 | 16   | 12 |                                                                                     |                                                                                     | 1814                                                                                | 0625                                                                                |                                                                                     |      |
| S32T-MTQNR/L 16 |                | 41 | 32 | 300 | 54 | 29 | 22.5 | 17 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | 1603 |

## MSKNR/L




## MSKNR/L

| МОДЕЛЬ          | Тип пластин | ØD | Ød | L   | L1 | H  | f  | α° | Прижим | Втулка | Саног | Шпилька | Ключ         |
|-----------------|-------------|----|----|-----|----|----|----|----|--------|--------|-------|---------|--------------|
| S20R-MSKNR/L 12 | SN□□ 1204□□ | 25 | 20 | 200 | 45 | 19 | 13 | 15 | ⊗      | 0614   | 1811  | 0621    | L2.5<br>L3.0 |
| S25S-MSKNR/L 12 |             | 32 | 25 | 250 | 45 | 24 | 17 | 12 |        |        | 1814  | 0625    |              |
| S32T-MSKNR/L 12 |             | 40 | 32 | 300 | 50 | 30 | 22 | 17 |        |        | 1814  | 0625    |              |



## MWLNR/L




## MWLNR/L

| МОДЕЛЬ          | Тип пластин | ØD | Ød | L   | L1 | H  | f    | α° | Прижим | Втулка | Саног | Шпилька | Ключ         |
|-----------------|-------------|----|----|-----|----|----|------|----|--------|--------|-------|---------|--------------|
| S16Q-MWLNR/L 06 | WN□□ 0604□□ | 22 | 16 | 180 | 38 | 15 | 11   | 15 | ⊗      | 0511   | 1811  | 0620    | L2.0<br>L3.0 |
| S20R-MWLNR/L 06 |             | 25 | 20 | 200 | 40 | 18 | 13   | 15 |        |        | 1814  | 0625    |              |
| S25S-MWLNR/L 06 |             | 32 | 25 | 250 | 45 | 23 | 16.5 | 12 |        |        | 1811  | 0520    |              |
| S20Q-MWLNR/L 08 | WN□□ 0804□□ | 25 | 20 | 180 | 40 | 18 | 13   | 15 | ⊗      | 0614   | 1811  | 0520    | L2.5<br>L3.0 |
| S20R-MWLNR/L 08 |             | 25 | 20 | 200 | 40 | 18 | 13   | 15 |        |        | 1811  | 0520    |              |
| S25R-MWLNR/L 08 |             | 32 | 25 | 200 | 45 | 23 | 16.5 | 12 |        |        | 1811  | 0520    |              |
| S25S-MWLNR/L 08 |             | 32 | 25 | 250 | 45 | 23 | 16.5 | 12 |        |        | 1811  | 0520    |              |
| S32S-MWLNR/L 08 |             | 41 | 32 | 250 | 50 | 29 | 22   | 17 |        |        | 1814  | 0625    |              |
| S32T-MWLNR/L 08 |             | 41 | 32 | 300 | 50 | 29 | 22   | 17 |        |        | 1814  | 0625    |              |
| S40T-MWLNR/L 08 |             | 50 | 40 | 300 | 55 | 37 | 26   | 15 |        |        | 1814  | 0625    |              |
| S40U-MWLNR/L 08 |             | 50 | 40 | 350 | 55 | 37 | 26   | 15 | 0804   | 0617   | 1814  | 0625    |              |




## DCLNR/L



## DCLNR/L

| МОДЕЛЬ          | Тип<br>пластин | ØD | Ød | L   | L1 | H  | f    | a° | Подкладка                                                                         | Винт                                                                              | Прижим                                                                            | Винт<br>DGD                                                                       | Пружина                                                                           | Ключ                                                                              |  |  |  |  |
|-----------------|----------------|----|----|-----|----|----|------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|--|--|--|
| S20R-DCLNR/L 12 | CN□□ 1204□□    | 25 | 20 | 200 | 45 | 18 | 13   | 15 |  |  |  |  |  |  |  |  |  |  |
| S25S-DCLNR/L 12 |                | 32 | 25 | 250 | 45 | 23 | 16.5 | 12 | ⊗                                                                                 | ⊗                                                                                 | 2214                                                                              | 0520                                                                              | 0814                                                                              | L4.0                                                                              |  |  |  |  |
| S32T-DCLNR/L 12 |                | 42 | 32 | 300 | 50 | 29 | 22.5 | 17 | 1204                                                                              | 0614                                                                              |                                                                                   |                                                                                   |                                                                                   |                                                                                   |  |  |  |  |
| S40U-DCLNR/L 12 |                | 50 | 40 | 350 | 55 | 37 | 26   | 15 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |  |  |  |  |


## DTUNR/L



## DTUNR/L

| МОДЕЛЬ          | Тип<br>пластин | ØD | Ød | L   | L1 | H  | f    | a° | Подкладка                                                                           | Винт                                                                                | Прижим                                                                              | Винт<br>DGD                                                                         | Пружина                                                                             | Ключ                                                                                |
|-----------------|----------------|----|----|-----|----|----|------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| S20R-DTUNR/L 12 | Т N□□ 1604□□   | 25 | 20 | 200 | 45 | 18 | 13   | 15 |  |  |  |  |  |  |
| S25S-DTUNR/L 12 |                | 32 | 25 | 250 | 45 | 23 | 16.5 | 12 | ⊗                                                                                   | ⊗                                                                                   | 2313                                                                                | 0520                                                                                | 0814                                                                                | L4.0                                                                                |
| S32T-DTUNR/L 12 |                | 40 | 32 | 300 | 50 | 29 | 22.5 | 17 | 1603                                                                                | 0512                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |


## DWLNR/L



## DWLNR/L

| МОДЕЛЬ          | Тип<br>пластин | φD | φd | L   | L1 | H  | f    | a° | Подкладка | Винт | Прижим | Винт<br>DGD | Пружина | Ключ |
|-----------------|----------------|----|----|-----|----|----|------|----|-----------|------|--------|-------------|---------|------|
| S20R-DWLNR/L 08 | WN□□ 0804□□    | 25 | 20 | 200 | 45 | 18 | 13   | 15 | ⊗         | ⊗    | 2214   | 0520        | 0814    | L4.0 |
| S25S-DWLNR/L 08 |                | 32 | 25 | 250 | 45 | 23 | 16.5 | 12 | 0804      | 0614 |        |             |         |      |
| S32T-DWLNR/L 08 |                | 42 | 32 | 300 | 50 | 29 | 22.5 | 17 |           |      |        |             |         |      |
| S40U-DWLNR/L 08 |                | 50 | 40 | 350 | 55 | 37 | 26   | 15 |           |      |        |             |         |      |


## DVQNR/L



## DVQNR/L

| МОДЕЛЬ          | Тип<br>пластин | φD | φd | L   | L1 | H  | f  | a° | Подкладка | Винт | Прижим | Винт<br>DGD | Пружина | Ключ |
|-----------------|----------------|----|----|-----|----|----|----|----|-----------|------|--------|-------------|---------|------|
| S25S-DVQNR/L 16 | V N□□ 1604□□   | 32 | 25 | 250 | 45 | 23 | 17 | 12 | ⊗         | ⊗    | 2914   | 0520        | 0814    | L4.0 |
| S32T-DVQNR/L 16 |                | 42 | 32 | 300 | 50 | 29 | 23 | 17 | 1603      | 0512 |        |             |         |      |
| S40U-DVQNR/L 16 |                | 50 | 40 | 350 | 55 | 37 | 27 | 15 |           |      |        |             |         |      |


## DVUNR/L



## DVUNR/L

| МОДЕЛЬ          | Тип<br>пластин | $\phi D$ | $\phi d$ | L   | L1 | H  | f  | $a^\circ$ | Подкладка | Винт | Прижим | Винт<br>DGD | Пружина | Ключ |
|-----------------|----------------|----------|----------|-----|----|----|----|-----------|-----------|------|--------|-------------|---------|------|
| S25S-DVUNR/L 16 | VN□□ 1604□□    | 32       | 25       | 250 | 45 | 23 | 20 | 12        | ⊗         | ⊗    |        |             |         |      |
| S32T-DVUNR/L 16 |                | 42       | 32       | 300 | 50 | 29 | 22 | 17        | 1603      | 0512 | 2914   | 0520        | 0814    | L4.0 |
| S40U-DVUNR/L 16 |                | 50       | 40       | 350 | 55 | 37 | 26 | 15        |           |      |        |             |         |      |


## DVXNR/L



## DVXNR/L

| МОДЕЛЬ          | Тип<br>пластин | $\phi D$ | $\phi d$ | L   | L1 | H  | f  | $a^\circ$ | Подкладка | Винт | Прижим | Винт<br>DGD | Пружина | Ключ |
|-----------------|----------------|----------|----------|-----|----|----|----|-----------|-----------|------|--------|-------------|---------|------|
| S20R-DVXNR/L 16 | VN□□ 1604□□    | 27       | 20       | 200 | 40 | 18 | 14 | 15        | ⊗         | ⊗    |        |             |         |      |
| S25S-DVXNR/L 16 |                | 32       | 25       | 250 | 45 | 23 | 17 | 12        |           |      |        |             |         |      |
| S32T-DVXNR/L 16 |                | 42       | 32       | 300 | 50 | 29 | 23 | 17        | 1603      | 0512 | 2914   | 0520        | 0814    | L4.0 |
| S40U-DVXNR/L 16 |                | 50       | 40       | 350 | 55 | 37 | 27 | 15        |           |      |        |             |         |      |


## DVWNR/L



## DVWNR/L

| МОДЕЛЬ          | Тип пластин | ØD | Ød | L   | L1 | H  | f    | a° | Подкладка                                                                           | Винт                                                                                | Прижим                                                                              | Винт DGD                                                                            | Пружина                                                                             | Ключ                                                                                |
|-----------------|-------------|----|----|-----|----|----|------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| S25S-DVWNR/L 16 | VN□□ 1604□□ | 38 | 25 | 250 | 40 | 23 | 23   | 12 |  |  |  |  |  |  |
| S32T-DVWNR/L 16 |             | 46 | 32 | 300 | 45 | 29 | 27.5 | 17 | 1603                                                                                | 0512                                                                                | 2914                                                                                | 0520                                                                                | 0814                                                                                | L4.0                                                                                |


## DDUNR/L



## DDUNR/L

| МОДЕЛЬ            | Тип<br>пластин |    |    |     |    |    |      |    | Подкладка                                                                             | Винт                                                                                  | Прижим                                                                                | Винт<br>DGD                                                                           | Пружина                                                                               | Ключ                                                                                  |
|-------------------|----------------|----|----|-----|----|----|------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                   |                | ∅D | ∅d | L   | L1 | H  | f    | a° |  |  |  |  |  |  |
| S25S-DDUNR/L 1504 | DN□□ 1504□□    | 32 | 25 | 250 | 45 | 23 | 17   | 12 | ⊗                                                                                     | ⊗                                                                                     |  |  |  |  |
| S32T-DDUNR/L 1504 |                | 42 | 32 | 300 | 50 | 29 | 22.5 | 17 | 1506                                                                                  |  |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| S40U-DDUNR/L 1504 |                | 50 | 40 | 350 | 60 | 37 | 26   | 15 |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| S32T-DDUNR/L 1506 | DN□□ 1506□□    | 42 | 32 | 300 | 50 | 29 | 22.5 | 17 | 1504                                                                                  |  |  |  |  |  |
| S40U-DDUNR/L 1506 |                | 50 | 40 | 350 | 60 | 37 | 26   | 15 |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |


## DDQNR/L



## DDQNR/L

| МОДЕЛЬ            | Тип пластин | $\phi D$ | $\phi d$ | L   | L1 | H  | f    | $a^\circ$ | Подкладка | Винт | Прижим | Винт DGD | Пружина | Ключ |
|-------------------|-------------|----------|----------|-----|----|----|------|-----------|-----------|------|--------|----------|---------|------|
| S25S-DDQNR/L 1504 | DN□□ 1504□□ | 32       | 25       | 250 | 45 | 23 | 17   | 12        | ⊗         | ⊗    |        |          |         |      |
| S32T-DDQNR/L 1504 |             | 42       | 32       | 300 | 50 | 29 | 22.5 | 17        | 1506      | 0614 | 2514   | 0520     | 0814    | L4.0 |
| S40U-DDQNR/L 1504 |             | 50       | 40       | 350 | 60 | 37 | 26   | 15        |           |      |        |          |         |      |
| S32T-DDQNR/L 1506 | DN□□ 1506□□ | 42       | 32       | 300 | 50 | 29 | 22.5 | 17        | 1504      |      |        |          |         |      |
| S40U-DDQNR/L 1506 |             | 50       | 40       | 350 | 60 | 37 | 26   | 15        |           |      |        |          |         |      |

## DDZNR/L



## DDZNR/L


| МОДЕЛЬ            | Тип пластин | $\phi D$ | $\phi d$ | L   | L1 | H  | f    | $a^\circ$ | Подкладка | Винт | Прижим | Винт DGD | Пружина | Ключ |
|-------------------|-------------|----------|----------|-----|----|----|------|-----------|-----------|------|--------|----------|---------|------|
| S32T-DDZNR/L 1504 | DN□□ 1504□□ | 40       | 32       | 300 | 50 | 29 | 22   | 17        | 1506      | 0614 | 2514   | 0625     | 0814    | L4.0 |
| S40U-DDZNR/L 1504 |             | 50       | 40       | 350 | 55 | 37 | 27   | 15        |           |      |        |          |         |      |
| S32T-DDZNR/L 1506 | DN□□ 1506□□ | 40       | 32       | 300 | 50 | 29 | 22.5 | 17        | 1504      |      |        |          |         |      |
| S40U-DDZNR/L 1506 |             | 50       | 40       | 350 | 55 | 37 | 27   | 15        |           |      |        |          |         |      |



*Расточные державки  
(крепление винтом)*



*Расточные державки  
(крепление винтом)*





Расточные державки  
(крепление винтом)


## SCLCR/L



## SCLCR/L

| МОДЕЛЬ          |  | $\phi D$ | $\phi d$ | f    | L   | L <sub>1</sub> | H  | $\alpha^\circ$ | ВИНТ<br> | Ключ<br> |
|-----------------|-----------------------------------------------------------------------------------|----------|----------|------|-----|----------------|----|----------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| S07K-SCLCR/L 06 | CC 0602                                                                           | 9        | 7        | 4.5  | 125 | 20             | 6  | 15             | M2.5*6                                                                                      | T-8                                                                                         |
| S08K-SCLCR/L 06 |                                                                                   | 10       | 8        | 5    | 125 | 20             | 7  | 13             |                                                                                             |                                                                                             |
| S10K-SCLCR/L 06 |                                                                                   | 13       | 10       | 6    | 125 | 22             | 9  | 12             |                                                                                             |                                                                                             |
| S12M-SCLCR/L 06 |                                                                                   | 16       | 12       | 7    | 150 | 25             | 11 | 10             |                                                                                             |                                                                                             |
| S12M-SCLCR/L 09 | CC 09T3                                                                           | 16       | 12       | 7.5  | 150 | 27             | 11 | 12             | M3.5*8                                                                                      | T-15                                                                                        |
| S14N-SCLCR/L 09 |                                                                                   | 18       | 14       | 8.5  | 160 | 30             | 13 | 12             |                                                                                             |                                                                                             |
| S16N-SCLCR/L 09 |                                                                                   | 20       | 16       | 9.5  | 160 | 30             | 15 | 10             |                                                                                             |                                                                                             |
| S16Q-SCLCR/L 09 |                                                                                   | 20       | 16       | 9.5  | 160 | 30             | 15 | 10             |                                                                                             |                                                                                             |
| S20Q-SCLCR/L 09 |                                                                                   | 25       | 20       | 11.5 | 180 | 35             | 18 | 8              |                                                                                             |                                                                                             |
| S20R-SCLCR/L 09 |                                                                                   | 25       | 20       | 11.5 | 200 | 35             | 18 | 8              |                                                                                             |                                                                                             |
| S25R-SCLCR/L 09 | CC 1204                                                                           | 31       | 25       | 14   | 200 | 40             | 23 | 6              | M5*12                                                                                       | T-20                                                                                        |
| S25S-SCLCR/L 09 |                                                                                   | 31       | 25       | 14   | 250 | 40             | 23 | 6              |                                                                                             |                                                                                             |
| S20Q-SCLCR/L 12 |                                                                                   | 25       | 20       | 12   | 180 | 35             | 18 | 8              |                                                                                             |                                                                                             |
| S20R-SCLCR/L 12 |                                                                                   | 25       | 20       | 12   | 200 | 35             | 18 | 8              |                                                                                             |                                                                                             |
| S25R-SCLCR/L 12 |                                                                                   | 31       | 25       | 14.5 | 200 | 40             | 23 | 6              |                                                                                             |                                                                                             |
| S25S-SCLCR/L 12 |                                                                                   | 31       | 25       | 14.5 | 250 | 40             | 23 | 6              |                                                                                             |                                                                                             |
| S32S-SCLCR/L 12 |                                                                                   | 39       | 32       | 18   | 250 | 45             | 29 | 4              |                                                                                             |                                                                                             |
| S32T-SCLCR/L 12 |                                                                                   | 39       | 32       | 18   | 300 | 45             | 29 | 4              |                                                                                             |                                                                                             |


## SCKCR/L



## SCKCR/L

| МОДЕЛЬ          |  | $\varnothing D$ | $\varnothing d$ | f    | L   | L1 | H  | $\alpha^\circ$ | Винт<br> | Ключ<br> |
|-----------------|-----------------------------------------------------------------------------------|-----------------|-----------------|------|-----|----|----|----------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| S08K-SCLCR/L 06 | CC□□ 0602□□                                                                       | 10              | 8               | 5.5  | 125 | 20 | 7  | 13             | M2.5*6                                                                                      | T-8                                                                                         |
| S10K-SCLCR/L 06 |                                                                                   | 13              | 10              | 6    | 125 | 22 | 9  | 12             |                                                                                             |                                                                                             |
| S12M-SCLCR/L 06 |                                                                                   | 16              | 12              | 7    | 150 | 23 | 11 | 10             |                                                                                             |                                                                                             |
| S12M-SCLCR/L 09 | CC□□ 09T3□□                                                                       | 16              | 12              | 7.5  | 150 | 23 | 11 | 12             | M3.5*8                                                                                      | T-15                                                                                        |
| S16N-SCLCR/L 09 |                                                                                   | 20              | 16              | 9.5  | 160 | 30 | 15 | 10             |                                                                                             |                                                                                             |
| S16Q-SCLCR/L 09 |                                                                                   | 20              | 16              | 9.5  | 180 | 30 | 15 | 10             |                                                                                             |                                                                                             |
| S20Q-SCLCR/L 09 |                                                                                   | 25              | 20              | 11.5 | 180 | 35 | 18 | 8              |                                                                                             |                                                                                             |
| S20R-SCLCR/L 09 |                                                                                   | 25              | 20              | 11.5 | 200 | 35 | 18 | 8              |                                                                                             |                                                                                             |
| S25R-SCLCR/L 09 |                                                                                   | 31              | 25              | 14   | 200 | 40 | 23 | 6              |                                                                                             |                                                                                             |
| S25S-SCLCR/L 09 |                                                                                   | 31              | 25              | 14   | 250 | 40 | 23 | 6              |                                                                                             |                                                                                             |


## SCZCR/L



## SCZCR/L

| МОДЕЛЬ          |  | $\phi D$ | $\phi d$ | f    | L   | L1 | H  | $\alpha^\circ$ | Винт<br> | Ключ<br> |
|-----------------|-----------------------------------------------------------------------------------|----------|----------|------|-----|----|----|----------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| S08K-SCZCR/L 06 | CC□ 0602□                                                                         | 12.5     | 8        | 6.5  | 125 | 26 | 7  | 13             | M2.5*6                                                                                      | T-8                                                                                         |
| S10K-SCZCR/L 06 |                                                                                   | 14       | 10       | 7.5  | 125 | 28 | 9  | 12             |                                                                                             |                                                                                             |
| S12M-SCZCR/L 06 |                                                                                   | 16       | 12       | 8.5  | 150 | 32 | 11 | 10             |                                                                                             |                                                                                             |
| S16Q-SCZCR/L 09 | CC□ 09T3□                                                                         | 20       | 16       | 10.5 | 180 | 38 | 15 | 10             | M3.5*8                                                                                      | T-15                                                                                        |
| S20R-SCZCR/L 09 |                                                                                   | 25       | 20       | 13.5 | 200 | 40 | 18 | 8              |                                                                                             |                                                                                             |
| S25S-SCZCR/L 09 |                                                                                   | 32       | 25       | 16   | 250 | 45 | 23 | 6              |                                                                                             |                                                                                             |

## SDQCR/L




## SDQCR/L

| МОДЕЛЬ          |  | $\phi D$ | $\phi d$ | f    | L   | L1 | H  | $\alpha^\circ$ | Винт<br> | Ключ<br> |
|-----------------|-------------------------------------------------------------------------------------|----------|----------|------|-----|----|----|----------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| S08K-SDQCR/L 07 | DC□ 0702□                                                                           | 13       | 8        | 6    | 125 | 20 | 7  | 12             | M2.5*6                                                                                        | T-8                                                                                           |
| S10K-SDQCR/L 07 |                                                                                     | 16       | 10       | 7    | 125 | 23 | 9  | 10             |                                                                                               |                                                                                               |
| S12M-SDQCR/L 07 |                                                                                     | 20       | 12       | 9    | 150 | 30 | 11 | 8              |                                                                                               |                                                                                               |
| S16N-SDQCR/L 07 |                                                                                     | 25       | 16       | 10.5 | 160 | 30 | 15 | 6              |                                                                                               |                                                                                               |
| S16Q-SDQCR/L 07 | DC□ 11T3□                                                                           | 25       | 16       | 10.5 | 180 | 30 | 15 | 6              | M3.5*8                                                                                        | T-15                                                                                          |
| S16N-SDQCR/L 11 |                                                                                     | 25       | 16       | 11   | 160 | 30 | 15 | 6              |                                                                                               |                                                                                               |
| S16Q-SDQCR/L 11 |                                                                                     | 25       | 16       | 11   | 180 | 30 | 15 | 6              |                                                                                               |                                                                                               |
| S20Q-SDQCR/L 11 |                                                                                     | 28       | 20       | 13   | 180 | 39 | 18 | 6              |                                                                                               |                                                                                               |
| S20R-SDQCR/L 11 |                                                                                     | 28       | 20       | 13   | 200 | 39 | 18 | 6              |                                                                                               |                                                                                               |
| S25R-SDQCR/L 11 |                                                                                     | 33       | 25       | 16   | 200 | 40 | 23 | 4              |                                                                                               |                                                                                               |
| S25S-SDQCR/L 11 |                                                                                     | 33       | 25       | 16   | 250 | 40 | 23 | 4              |                                                                                               |                                                                                               |
| S32S-SDQCR/L 11 |                                                                                     | 41       | 32       | 20   | 250 | 43 | 29 | 4              |                                                                                               |                                                                                               |
| S32T-SDQCR/L 11 |                                                                                     | 41       | 32       | 20   | 300 | 43 | 29 | 4              |                                                                                               |                                                                                               |

Расточные державки  
(крепление винтом)


## SDUCR/L



## SDUCR/L

| МОДЕЛЬ          |  | ØD | Ød | f    | L   | L1 | H  | α° | Винт<br> | Ключ<br> |
|-----------------|-----------------------------------------------------------------------------------|----|----|------|-----|----|----|----|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| S08K-SDUCR/L 07 | DC□□ 0702□□                                                                       | 13 | 10 | 7    | 125 | 25 | 9  | 12 | M2.5*6                                                                                      | T-8                                                                                         |
| S10K-SDUCR/L 07 |                                                                                   | 15 | 10 | 8    | 125 | 25 | 9  | 10 |                                                                                             |                                                                                             |
| S12M-SDUCR/L 07 |                                                                                   | 17 | 12 | 9    | 150 | 28 | 11 | 8  |                                                                                             |                                                                                             |
| S14N-SDUCR/L 07 |                                                                                   | 20 | 12 | 10   | 160 | 20 | 13 | 8  |                                                                                             |                                                                                             |
| S16N-SDUCR/L 07 |                                                                                   | 22 | 16 | 11   | 160 | 30 | 15 | 6  |                                                                                             |                                                                                             |
| S16Q-SDUCR/L 07 |                                                                                   | 22 | 16 | 11   | 180 | 30 | 15 | 6  |                                                                                             |                                                                                             |
| S16N-SDUCR/L 11 | DC□□ 11T3□□                                                                       | 23 | 20 | 11.5 | 160 | 35 | 15 | 8  | M3.5*8                                                                                      | T-15                                                                                        |
| S16Q-SDUCR/L 11 |                                                                                   | 23 | 20 | 11.5 | 180 | 35 | 15 | 8  |                                                                                             |                                                                                             |
| S20Q-SDUCR/L 11 |                                                                                   | 25 | 20 | 13   | 180 | 40 | 18 | 6  |                                                                                             |                                                                                             |
| S20R-SDUCR/L 11 |                                                                                   | 25 | 20 | 13   | 200 | 40 | 18 | 6  |                                                                                             |                                                                                             |
| S25S-SDUCR/L 11 |                                                                                   | 32 | 25 | 16   | 250 | 40 | 23 | 4  |                                                                                             |                                                                                             |
| S25R-SDUCR/L 11 |                                                                                   | 32 | 25 | 16   | 200 | 40 | 23 | 4  |                                                                                             |                                                                                             |
| S32S-SDUCR/L 11 |                                                                                   | 39 | 32 | 20   | 250 | 45 | 29 | 4  |                                                                                             |                                                                                             |
| S32T-SDUCR/L 11 |                                                                                   | 39 | 32 | 20   | 300 | 45 | 29 | 4  |                                                                                             |                                                                                             |

## SDZCR/L




## SDZCR/L

| МОДЕЛЬ          |  | ØD | Ød | f    | L   | L1 | H  | α° | Винт<br> | Ключ<br> |
|-----------------|-------------------------------------------------------------------------------------|----|----|------|-----|----|----|----|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| S10K-SDZCR/L 07 | DC□□ 0702□□                                                                         | 16 | 10 | 8    | 125 | 28 | 9  | 12 | M2.5*6                                                                                        | T-8                                                                                           |
| S12M-SDZCR/L 07 |                                                                                     | 18 | 12 | 9    | 150 | 30 | 11 | 10 |                                                                                               |                                                                                               |
| S16Q-SDZCR/L 07 |                                                                                     | 24 | 16 | 11   | 180 | 30 | 15 | 8  |                                                                                               |                                                                                               |
| S20R-SDZCR/L 11 |                                                                                     | 28 | 20 | 13   | 200 | 40 | 18 | 8  |                                                                                               |                                                                                               |
| S25S-SDZCR/L 11 | DC□□ 11T3□□                                                                         | 34 | 25 | 16   | 250 | 45 | 23 | 6  | M3.5*8                                                                                        | T-15                                                                                          |
| S32T-SDZCR/L 11 |                                                                                     | 38 | 32 | 20.5 | 300 | 50 | 29 | 4  |                                                                                               |                                                                                               |

Расточные державки  
(крепление винтом)


## SDWCR/L



## SDWCR/L

| МОДЕЛЬ          |  | $\phi D$ | $\phi d$ | $f$  | $L$ | $L1$ | $H$ | $\alpha^\circ$ | Винт<br> | Ключ<br> |
|-----------------|-----------------------------------------------------------------------------------|----------|----------|------|-----|------|-----|----------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| S10K-SDWCR/L 07 | DC□□ 0702□□                                                                       | 16       | 10       | 9.5  | 125 | 26   | 9   | 12             | M2.5*6                                                                                      | T-8                                                                                         |
| S12M-SDWCR/L 07 |                                                                                   | 19       | 12       | 10.5 | 150 | 28   | 11  | 10             |                                                                                             |                                                                                             |
| S16N-SDWCR/L 07 |                                                                                   | 23       | 16       | 12.5 | 160 | 30   | 15  | 8              |                                                                                             |                                                                                             |
| S20R-SDWCR/L 11 | DC□□ 11T3□□                                                                       | 25.5     | 20       | 14.5 | 200 | 40   | 19  | 6              | M3.5*8                                                                                      | T-15                                                                                        |
| S25S-SDWCR/L 11 |                                                                                   | 32       | 25       | 17   | 250 | 45   | 24  | 4              |                                                                                             |                                                                                             |
| S32T-SDWCR/L 11 |                                                                                   | 40       | 32       | 20   | 300 | 50   | 30  | 4              |                                                                                             |                                                                                             |

## STFCR/L




## STFCR/L

| МОДЕЛЬ          |  | $\phi D$ | $\phi d$ | $f$  | $L$ | $L1$ | $H$ | $\alpha^\circ$ | Винт<br> | Ключ<br> |
|-----------------|-------------------------------------------------------------------------------------|----------|----------|------|-----|------|-----|----------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| S08K-STFCR/L 09 | TC□□ 0902□□                                                                         | 11       | 8        | 5    | 125 | 23   | 7   | 15             | M2.2*5                                                                                        | T-6                                                                                           |
| S10K-STFCR/L 09 |                                                                                     | 13.5     | 10       | 6    | 125 | 24   | 9   | 13             |                                                                                               |                                                                                               |
| S12M-STFCR/L 09 |                                                                                     | 16       | 12       | 7    | 150 | 27   | 11  | 10             |                                                                                               |                                                                                               |
| S10K-STFCR/L 11 | TC□□ 1102□□                                                                         | 13.5     | 10       | 6    | 125 | 24   | 9   | 12             | M2.5*6                                                                                        | T-8                                                                                           |
| S12M-STFCR/L 11 |                                                                                     | 16       | 12       | 7    | 150 | 27   | 11  | 10             |                                                                                               |                                                                                               |
| S14N-STFCR/L 11 |                                                                                     | 18       | 14       | 7    | 160 | 30   | 13  | 10             |                                                                                               |                                                                                               |
| S16N-STFCR/L 11 |                                                                                     | 20       | 16       | 9    | 160 | 30   | 15  | 8              |                                                                                               |                                                                                               |
| S16Q-STFCR/L 11 |                                                                                     | 20       | 16       | 9    | 180 | 30   | 15  | 8              |                                                                                               |                                                                                               |
| S20Q-STFCR/L 11 |                                                                                     | 25       | 20       | 11   | 180 | 35   | 18  | 6              |                                                                                               |                                                                                               |
| S20R-STFCR/L 11 | TC□□ 16T3□□                                                                         | 25       | 20       | 11   | 200 | 35   | 18  | 6              | M3.5*8                                                                                        | T-15                                                                                          |
| S16Q-STFCR/L 16 |                                                                                     | 20       | 16       | 9    | 180 | 40   | 15  | 8              |                                                                                               |                                                                                               |
| S20Q-STFCR/L 16 |                                                                                     | 25       | 20       | 11.5 | 180 | 40   | 18  | 8              |                                                                                               |                                                                                               |
| S20R-STFCR/L 16 |                                                                                     | 25       | 20       | 11.5 | 200 | 40   | 18  | 8              |                                                                                               |                                                                                               |
| S25R-STFCR/L 16 |                                                                                     | 31       | 25       | 14   | 200 | 40   | 23  | 6              |                                                                                               |                                                                                               |
| S25S-STFCR/L 16 |                                                                                     | 31       | 25       | 14   | 250 | 40   | 23  | 6              |                                                                                               |                                                                                               |
| S32S-STFCR/L 16 |                                                                                     | 39       | 32       | 17.5 | 250 | 45   | 29  | 4              |                                                                                               |                                                                                               |
| S32T-STFCR/L 16 |                                                                                     | 39       | 32       | 17.5 | 300 | 45   | 29  | 4              |                                                                                               |                                                                                               |

Расточные державки  
(крепление винтом)




## SSSCR/L



## SSSCR/L

| МОДЕЛЬ          |  | $\phi D$ | $\phi d$ | f    | L   | L1 | H  | $\alpha^\circ$ | Винт<br> | Ключ<br> |
|-----------------|-----------------------------------------------------------------------------------|----------|----------|------|-----|----|----|----------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| S12M-SSSCR/L 09 | SC 09T3 00                                                                        | 16       | 12       | 8.5  | 150 | 30 | 11 | 12             | M3.5*8                                                                                      | T-15                                                                                        |
| S16N-SSSCR/L 09 |                                                                                   | 22       | 16       | 11.5 | 160 | 35 | 15 | 10             |                                                                                             |                                                                                             |
| S20R-SSSCR/L 09 |                                                                                   | 26       | 20       | 13.5 | 200 | 40 | 18 | 8              |                                                                                             |                                                                                             |
| S25S-SSSCR/L 09 |                                                                                   | 31       | 25       | 16   | 250 | 40 | 23 | 6              |                                                                                             |                                                                                             |
| S20R-SSSCR/L 12 | SC 1204 00                                                                        | 26       | 20       | 14   | 200 | 40 | 15 | 8              | M5*12                                                                                       | T-20                                                                                        |
| S25S-SSSCR/L 12 |                                                                                   | 31       | 25       | 16.5 | 250 | 40 | 23 | 6              |                                                                                             |                                                                                             |


## SSKCR/L



## SSKCR/L

| МОДЕЛЬ          |  | $\phi D$ | $\phi d$ | f    | L   | L1 | H  | $\alpha^\circ$ | Винт<br> | Ключ<br> |
|-----------------|-------------------------------------------------------------------------------------|----------|----------|------|-----|----|----|----------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| S12M-SSKCR/L 09 | SC 09T3 00                                                                          | 16       | 12       | 8.5  | 150 | 30 | 11 | 12             | M3.5*8                                                                                        | T-15                                                                                          |
| S16Q-SSKCR/L 09 |                                                                                     | 20       | 16       | 10.5 | 180 | 30 | 15 | 10             |                                                                                               |                                                                                               |
| S20R-SSKCR/L 09 |                                                                                     | 24       | 20       | 12.5 | 200 | 40 | 18 | 8              |                                                                                               |                                                                                               |
| S25S-SSKCR/L 09 |                                                                                     | 31       | 25       | 15   | 250 | 40 | 23 | 6              |                                                                                               |                                                                                               |
| S20R-SSKCR/L 12 | SC 1204 00                                                                          | 24       | 20       | 12.5 | 200 | 40 | 18 | 8              | M5*12                                                                                         | T-20                                                                                          |
| S25S-SSKCR/L 12 |                                                                                     | 31       | 25       | 15   | 250 | 40 | 23 | 6              |                                                                                               |                                                                                               |


## STUCR/L



## STUCR/L

| МОДЕЛЬ          |  | φD   | φd | f    | L   | L1 | H  | α° | Винт<br> | Ключ<br> |
|-----------------|-----------------------------------------------------------------------------------|------|----|------|-----|----|----|----|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| S08K-STUCR/L 09 | TC□□ 0902□□                                                                       | 10.5 | 8  | 5    | 125 | 23 | 7  | 15 | M2.2*5                                                                                      | T-6                                                                                         |
| S10K-STUCR/L 09 |                                                                                   | 13.5 | 10 | 6    | 125 | 24 | 9  | 13 |                                                                                             |                                                                                             |
| S12M-STUCR/L 09 |                                                                                   | 16   | 12 | 7    | 125 | 24 | 11 | 13 |                                                                                             |                                                                                             |
| S10K-STUCR/L 11 | TC□□ 1102□□                                                                       | 13.5 | 10 | 6    | 125 | 24 | 9  | 12 | M2.5*6                                                                                      | T-8                                                                                         |
| S12M-STUCR/L 11 |                                                                                   | 16   | 12 | 7    | 150 | 27 | 11 | 10 |                                                                                             |                                                                                             |
| S16N-STUCR/L 11 |                                                                                   | 20   | 16 | 9    | 160 | 30 | 15 | 8  |                                                                                             |                                                                                             |
| S16Q-STUCR/L 11 |                                                                                   | 20   | 16 | 9    | 180 | 30 | 15 | 8  |                                                                                             |                                                                                             |
| S20Q-STUCR/L 11 |                                                                                   | 25   | 20 | 11   | 180 | 35 | 19 | 6  |                                                                                             |                                                                                             |
| S20R-STUCR/L 11 | TC□□ 16T3□□                                                                       | 25   | 20 | 11   | 200 | 35 | 19 | 6  | M3.5*8                                                                                      | T-15                                                                                        |
| S16N-STUCR/L 16 |                                                                                   | 20   | 16 | 9.5  | 160 | 35 | 15 | 8  |                                                                                             |                                                                                             |
| S16Q-STUCR/L 16 |                                                                                   | 20   | 16 | 9.5  | 180 | 35 | 15 | 8  |                                                                                             |                                                                                             |
| S20Q-STUCR/L 16 |                                                                                   | 25   | 20 | 11.5 | 180 | 40 | 18 | 8  |                                                                                             |                                                                                             |
| S20R-STUCR/L 16 |                                                                                   | 25   | 20 | 11.5 | 200 | 40 | 18 | 8  |                                                                                             |                                                                                             |
| S25R-STUCR/L 16 |                                                                                   | 31   | 25 | 14   | 200 | 40 | 23 | 6  |                                                                                             |                                                                                             |
| S25S-STUCR/L 16 |                                                                                   | 31   | 25 | 14   | 250 | 40 | 23 | 6  |                                                                                             |                                                                                             |
| S32S-STUCR/L 16 |                                                                                   | 39   | 32 | 17.5 | 250 | 45 | 29 | 4  |                                                                                             |                                                                                             |
| S32T-STUCR/L 16 |                                                                                   | 39   | 32 | 17.5 | 300 | 45 | 29 | 4  |                                                                                             |                                                                                             |


## STWCR/L



## STWCR/L

| МОДЕЛЬ          |  | $\phi D$ | $\phi d$ | f   | L   | L1 | H  | $\alpha^\circ$ | Винт<br> | Ключ<br> |
|-----------------|-----------------------------------------------------------------------------------|----------|----------|-----|-----|----|----|----------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| S08K-STWCR/L 09 | TC□□ 0902□□                                                                       | 11       | 8        | 5.5 | 125 | 25 | 7  | 12             | M2.2*5                                                                                      | T-6                                                                                         |
| S10K-STWCR/L 09 |                                                                                   | 13       | 10       | 6.5 | 125 | 25 | 9  | 10             |                                                                                             |                                                                                             |
| S10K-STWCR/L 11 | TC□□ 1102□□                                                                       | 14       | 10       | 8   | 125 | 25 | 9  | 10             | M2.5*6                                                                                      | T-8                                                                                         |
| S12M-STWCR/L 11 |                                                                                   | 16       | 12       | 9   | 150 | 30 | 11 | 8              |                                                                                             |                                                                                             |
| S16Q-STWCR/L 11 | TC□□ 16T3□□                                                                       | 20       | 16       | 11  | 180 | 30 | 15 | 6              | M3.5*8                                                                                      | T-15                                                                                        |
| S20R-STWCR/L 16 |                                                                                   | 25       | 20       | 13  | 200 | 35 | 18 | 4              |                                                                                             |                                                                                             |
| S25S-STWCR/L 16 |                                                                                   | 32       | 25       | 17  | 250 | 45 | 23 | 6              |                                                                                             |                                                                                             |


## SVQC(B)R/L



## SVQC(B)R/L

| МОДЕЛЬ             |  | ØD | Ød | f    | L   | L1 | H  | a° |   | Винт   | Ключ |
|--------------------|-----------------------------------------------------------------------------------|----|----|------|-----|----|----|----|---|--------|------|
|                    |                                                                                   |    |    |      |     |    |    | B  | C |        |      |
| S16Q-SVQC(B)R/L 11 | VC(B) 1103                                                                        | 22 | 16 | 11.5 | 180 | 35 | 15 | 12 | 8 | M2.5*6 | T-8  |
| S20R-SVQC(B)R/L 11 |                                                                                   | 27 | 20 | 14   | 200 | 39 | 18 | 12 | 6 |        |      |
| S20R-SVQC(B)R/L 16 | VC(B) 1604                                                                        | 27 | 20 | 14   | 200 | 50 | 18 | 12 | 8 | M3.5*8 | T-15 |
| S25S-SVQC(B)R/L 16 |                                                                                   | 32 | 25 | 16.5 | 250 | 50 | 23 | 8  | 6 |        |      |
| S32T-SVQC(B)R/L 16 |                                                                                   | 41 | 32 | 22.5 | 300 | 55 | 29 | 8  | 8 |        |      |


## SVUC(B)R/L



## SVUC(B)R/L

| МОДЕЛЬ             |  | ØD | Ød | f    | L   | L1 | H  | a° |   | Винт   | Ключ |
|--------------------|-------------------------------------------------------------------------------------|----|----|------|-----|----|----|----|---|--------|------|
|                    |                                                                                     |    |    |      |     |    |    | B  | C |        |      |
| S16Q-SVUC(B)R/L 11 | VC(B) 1103                                                                          | 22 | 16 | 11.5 | 180 | 30 | 15 | 12 | 8 | M2.5*6 | T-8  |
| S20R-SVUC(B)R/L 11 |                                                                                     | 27 | 20 | 14   | 200 | 32 | 18 | 12 | 6 |        |      |
| S20R-SVUC(B)R/L 16 | VC(B) 1604                                                                          | 27 | 20 | 14   | 200 | 50 | 18 | 12 | 8 | M3.5*8 | T-15 |
| S25S-SVUC(B)R/L 16 |                                                                                     | 32 | 25 | 16.5 | 250 | 50 | 23 | 8  | 6 |        |      |
| S32T-SVUC(B)R/L 16 |                                                                                     | 41 | 32 | 22.5 | 300 | 55 | 29 | 8  | 8 |        |      |


## SVXC(B)R/L



## SVXC(B)R/L

| МОДЕЛЬ             |  | $\phi D$ | $\phi d$ | f    | L   | L1 | H  | $\alpha^\circ$ |   | Винт   | Ключ |
|--------------------|-----------------------------------------------------------------------------------|----------|----------|------|-----|----|----|----------------|---|--------|------|
|                    |                                                                                   |          |          |      |     |    |    | B              | C |        |      |
| S16Q-SVXC(B)R/L 11 | VC(B) 1103                                                                        | 22       | 16       | 11.5 | 180 | 30 | 15 | 12             | 8 | M2.5*6 | T-8  |
| S20R-SVXC(B)R/L 11 |                                                                                   | 27       | 20       | 14   | 200 | 32 | 18 | 12             | 6 |        |      |
| S20R-SVXC(B)R/L 16 | VC(B) 1604                                                                        | 27       | 20       | 14   | 200 | 50 | 18 | 12             | 8 | M3.5*8 | T-15 |
| S25S-SVXC(B)R/L 16 |                                                                                   | 32       | 25       | 16.5 | 250 | 50 | 23 | 8              | 6 |        |      |
| S32T-SVXC(B)R/L 16 |                                                                                   | 41       | 32       | 22.5 | 300 | 55 | 29 | 8              | 8 |        |      |

## SVZC(B)R/L




## SVZC(B)R/L

| МОДЕЛЬ             |  | $\phi D$ | $\phi d$ | f    | L   | L1 | H  | $\alpha^\circ$ |   | Винт   | Ключ |
|--------------------|-------------------------------------------------------------------------------------|----------|----------|------|-----|----|----|----------------|---|--------|------|
|                    |                                                                                     |          |          |      |     |    |    | B              | C |        |      |
| S16Q-SVZC(B)R/L 11 | VC(B) 1103                                                                          | 22       | 16       | 11.5 | 180 | 30 | 15 | 12             | 8 | M2.5*6 | T-8  |
| S20R-SVZC(B)R/L 11 |                                                                                     | 27       | 20       | 14   | 200 | 32 | 18 | 12             | 6 |        |      |
| S20R-SVZC(B)R/L 16 | VC(B) 1604                                                                          | 27       | 20       | 14   | 200 | 50 | 18 | 12             | 8 | M3.5*8 | T-15 |
| S25S-SVZC(B)R/L 16 |                                                                                     | 32       | 25       | 16.5 | 250 | 50 | 23 | 8              | 6 |        |      |
| S32T-SVZC(B)R/L 16 |                                                                                     | 41       | 32       | 22.5 | 300 | 55 | 29 | 8              | 8 |        |      |

Расточные державки  
(крепление винтом)


## SVWC(B)R/L



## SVWC(B)R/L

| МОДЕЛЬ             |  | $\phi D$ | $\phi d$ | f  | L   | L1 | H  | $a^\circ$ |   | Винт<br> | Ключ<br> |
|--------------------|-----------------------------------------------------------------------------------|----------|----------|----|-----|----|----|-----------|---|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|                    |                                                                                   |          |          |    |     |    |    | B         | C |                                                                                             |                                                                                             |
| S25S-SVWC(B)R/L 16 | VC(B) 1604                                                                        | 38       | 25       | 23 | 250 | 35 | 23 | 6         | 4 | M3.5*8                                                                                      | T-15                                                                                        |
| S32T-SVWC(B)R/L 16 |                                                                                   | 45       | 32       | 26 | 300 | 40 | 29 | 6         | 4 |                                                                                             |                                                                                             |

## SWLCR/L




## SWLCR/L

| МОДЕЛЬ          |  | $\phi D$ | $\phi d$ | f    | L   | L1 | H  | $a^\circ$ | Винт<br> | Ключ<br> |
|-----------------|-------------------------------------------------------------------------------------|----------|----------|------|-----|----|----|-----------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
|                 |                                                                                     |          |          |      |     |    |    |           |                                                                                               |                                                                                               |
| S08K-SWLCR/L 04 | WC 0402                                                                             | 10       | 8        | 5    | 125 | 25 | 7  | 13        | M2.5*6                                                                                        | T-6                                                                                           |
| S10K-SWLCR/L 04 |                                                                                     | 13       | 10       | 6.5  | 125 | 30 | 9  | 10        |                                                                                               |                                                                                               |
| S12M-SWLCR/L 06 |                                                                                     | 16       | 12       | 7.5  | 150 | 37 | 11 | 13        |                                                                                               |                                                                                               |
| S16Q-SWLCR/L 08 | WC 0804                                                                             | 20       | 16       | 10   | 180 | 40 | 15 | 10        | M5*12                                                                                         | T-20                                                                                          |
| S20R-SWLCR/L 08 |                                                                                     | 25       | 20       | 12   | 200 | 45 | 19 | 8         |                                                                                               |                                                                                               |
| S25S-SWLCR/L 08 |                                                                                     | 31       | 25       | 14.5 | 250 | 45 | 24 | 6         |                                                                                               |                                                                                               |




*Расточные державки  
Р-прижим*






## PCLNR/L



## PCLNR/L

| МОДЕЛЬ          | ?           | $\phi D$ | $\phi d$ | H  | L   | L1 | f  | $a^\circ$ | Прижим | Винт NLJ | Подкладка | Втулка | Ключ |
|-----------------|-------------|----------|----------|----|-----|----|----|-----------|--------|----------|-----------|--------|------|
| S20R-PCLNR/L 09 | CN□□ 09T3□□ | 25       | 20       | 18 | 200 | 32 | 13 | 11        | 0310A  | 0615     | ⊗         | ⊗      | L3   |
| S25S-PCLNR/L 12 | CN□□ 1204□□ | 32       | 25       | 23 | 250 | 40 | 17 | 12        | 0514A  | 0816     |           |        |      |
| S32T-PCLNR/L 12 |             | 40       | 32       | 30 | 300 | 50 | 22 | 11        |        |          | 1203      | 0803   |      |
| S40T-PCLNR/L 12 |             | 50       | 40       | 37 | 300 | 55 | 27 | 10        | 0514   | 0820     |           |        |      |


## PDUNR/L



## PDUNR/L

| МОДЕЛЬ          | ?           | $\phi D$ | $\phi d$ | H  | L   | L1 | f  | $a^\circ$ | Прижим | Винт NLJ | Подкладка | Втулка | Ключ |
|-----------------|-------------|----------|----------|----|-----|----|----|-----------|--------|----------|-----------|--------|------|
| S20R-PDUNR/L 11 | DN□□ 1104□□ | 25       | 20       | 18 | 200 | 30 | 13 | 16        | 0310A  | 0615     |           |        | L3   |
| S25S-PDUNR/L 15 | DN□□ 1506□□ | 32       | 25       | 23 | 250 | 35 | 17 | 13        | 0514A  | 0816     | ⊗         | ⊗      |      |
| S32T-PDUNR/L 15 |             | 40       | 32       | 30 | 300 | 40 | 22 | 16        |        |          |           |        |      |
| S40T-PDUNR/L 15 |             | 50       | 40       | 37 | 300 | 50 | 27 | 11        | 0514D  | 0821     | 1503      | 0606   |      |


## PTUNR/L



## PTUNR/L

| МОДЕЛЬ          | ?           | ØD | Ød | H  | L   | L1 | f  | a° | Прижим | Винт NLJ | Подкладка | Втулка | Ключ |
|-----------------|-------------|----|----|----|-----|----|----|----|--------|----------|-----------|--------|------|
| S20R-PTUNR/L 16 | TN□□ 1604□□ | 25 | 20 | 18 | 200 | 33 | 13 | 12 | 0310A  | 0615     | ⊗         | ⊗      | L2.5 |
| S25S-PTUNR/L 16 |             | 32 | 25 | 23 | 250 | 42 | 17 | 12 |        |          |           |        |      |
| S32T-PTUNR/L 16 |             | 44 | 32 | 30 | 300 | 50 | 22 | 10 | 0310   | 0618     | 1603      | 0505   |      |
| S40T-PTUNR/L 16 |             | 54 | 40 | 37 | 300 | 55 | 27 | 10 |        |          |           |        |      |


## PWLNR/L



## PWLNR/L

| МОДЕЛЬ          | ?           | ØD | Ød | H  | L   | L1 | f  | a° | Прижим | Винт NLJ | Подкладка | Втулка | Ключ |
|-----------------|-------------|----|----|----|-----|----|----|----|--------|----------|-----------|--------|------|
| S20R-PWLNR/L 06 | WN□□ 0804□□ | 25 | 20 | 18 | 200 | 40 | 13 | 12 | 0310A  | 0615     | ⊗         | ⊗      | L3   |
| S25S-PWLNR/L 08 |             | 32 | 25 | 23 | 250 | 40 | 17 | 12 | 0514A  | 0816     |           |        |      |
| S32T-PWLNR/L 08 |             | 44 | 32 | 30 | 300 | 50 | 22 | 10 | 0514   | 0820     | 0803      | 0606   |      |
| S40T-PWLNR/L 08 |             | 54 | 40 | 37 | 300 | 55 | 27 | 10 |        |          |           |        |      |

# Канавочные и отрезные




*Канавочные и отрезные*





## MGEHR/L




## MGEHR/L Совместна с пластинами Korloy

| МОДЕЛЬ  |            | Наружная канавка и отрезка |    |     |       |      |  | Винт<br>NLJ<br> | Ключ<br> |
|---------|------------|----------------------------|----|-----|-------|------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|         |            | h                          | b  | L   | f     | T    |                                                                                     |                                                                                                    |                                                                                             |
| MGEHR/L | 1616 H-2   | 16                         | 16 | 100 | 16.25 | 14.5 | MGMN200                                                                             | 0520                                                                                               | L4.0 3.0                                                                                    |
|         | 2020 K-2   | 20                         | 20 | 125 | 20.25 |      |                                                                                     |                                                                                                    | L4.0                                                                                        |
|         | 2525 M-2   | 25                         | 25 | 150 | 25.25 |      |                                                                                     | 0620                                                                                               | L5.0 L4.0                                                                                   |
|         | 3232 P-2   | 32                         | 32 | 170 | 32.25 | 16   | MGMN250                                                                             | 0520                                                                                               | L4.0 3.0                                                                                    |
|         | 1616 H-2.5 | 16                         | 16 | 100 | 16.3  |      |                                                                                     |                                                                                                    | L4.0                                                                                        |
|         | 2020 K-2.5 | 20                         | 20 | 125 | 20.3  |      |                                                                                     | 0620                                                                                               | L5.0 L4.0                                                                                   |
|         | 2525 M-2.5 | 25                         | 25 | 150 | 25.3  | 18   | MGMN300                                                                             | 0520                                                                                               | L4.0 3.0                                                                                    |
|         | 3232 P-2.5 | 32                         | 32 | 170 | 32.3  |      |                                                                                     |                                                                                                    | L4.0                                                                                        |
|         | 1616 H-3   | 16                         | 16 | 100 | 16.4  |      |                                                                                     | 0620                                                                                               | L5.0 L4.0                                                                                   |
|         | 2020 K-3   | 20                         | 20 | 125 | 20.4  | 23   | MGMN400                                                                             | 0520                                                                                               | L4.0 3.0                                                                                    |
|         | 2525 M-3   | 25                         | 25 | 150 | 25.4  |      |                                                                                     |                                                                                                    | L4.0                                                                                        |
|         | 3232 P-3   | 32                         | 32 | 170 | 32.4  |      |                                                                                     | 0620                                                                                               | L5.0 L4.0                                                                                   |
|         | 1616 H-4   | 16                         | 16 | 100 | 16.4  | 23   | MGMN500                                                                             | 0520                                                                                               | L4.0 3.0                                                                                    |
|         | 2020 K-4   | 20                         | 20 | 125 | 20.4  |      |                                                                                     |                                                                                                    | L4.0                                                                                        |
|         | 2525 M-4   | 25                         | 25 | 150 | 25.4  |      |                                                                                     | 0620                                                                                               | L5.0 L4.0                                                                                   |
|         | 3232 P-4   | 32                         | 32 | 170 | 32.4  | 23   | MGMN500                                                                             | 0520                                                                                               | L4.0 3.0                                                                                    |
|         | 1616 H-5   | 16                         | 16 | 100 | 16.5  |      |                                                                                     |                                                                                                    | L4.0                                                                                        |
|         | 2020 K-5   | 20                         | 20 | 125 | 20.5  |      |                                                                                     | 0620                                                                                               | L5.0 L4.0                                                                                   |
|         | 2525 M-5   | 25                         | 25 | 150 | 25.5  |      |                                                                                     |                                                                                                    |                                                                                             |
|         | 3232 P-5   | 32                         | 32 | 170 | 32.5  |      |                                                                                     |                                                                                                    |                                                                                             |





## MGEHR/L-T



## MGEHR/L-T

| МОДЕЛЬ  |                | Наружная канавка и отрезка |    |     |       |    |  | Винт<br>NLJ<br> | Ключ<br> |
|---------|----------------|----------------------------|----|-----|-------|----|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|         |                | h                          | b  | L   | f     | T  |                                                                                     |                                                                                                    |                                                                                             |
| MGEHR/L | 2020 K-2-T10   | 20                         | 20 | 125 | 20.25 | 10 | MGMN200                                                                             | 0520                                                                                               | L4.0                                                                                        |
|         | 2525 M-2-T10   | 25                         | 25 | 150 | 25.25 |    | MGMN250                                                                             |                                                                                                    |                                                                                             |
|         | 2020 K-2.5-T10 | 20                         | 20 | 125 | 20.3  |    | MGMN300                                                                             |                                                                                                    |                                                                                             |
|         | 2525 M-2.5-T10 | 25                         | 25 | 150 | 25.3  |    | MGMN400                                                                             |                                                                                                    |                                                                                             |
|         | 2020 K-3-T10   | 20                         | 20 | 125 | 20.4  |    | MGMN500                                                                             |                                                                                                    |                                                                                             |
|         | 2525 M-3-T10   | 25                         | 25 | 150 | 25.4  |    |                                                                                     |                                                                                                    |                                                                                             |
|         | 2020 K-4-T10   | 20                         | 20 | 125 | 20.4  |    |                                                                                     |                                                                                                    |                                                                                             |
|         | 2525 M-4-T10   | 25                         | 25 | 150 | 25.4  |    |                                                                                     |                                                                                                    |                                                                                             |
|         | 2020 K-5-T10   | 20                         | 20 | 125 | 20.5  |    |                                                                                     |                                                                                                    |                                                                                             |
|         | 2525 M-5-T10   | 25                         | 25 | 150 | 25.5  |    |                                                                                     |                                                                                                    |                                                                                             |



## MRWUR/L



## MRWUR/L

| МОДЕЛЬ   |          | Наружная канавка |     |     |    |   |  | Винт<br>NLJ<br> | Ключ<br> |
|----------|----------|------------------|-----|-----|----|---|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
|          |          | H(h)             | w   | L   | s  | T |                                                                                       |                                                                                                      |                                                                                               |
| MRWUR/L  | 2020 K-3 | 20               | 20  | 125 | 23 | 3 | MGMN300                                                                               | 0620                                                                                                 | L5.0                                                                                          |
|          | 2525 M-3 | 25               | 25  | 150 | 28 | 3 |                                                                                       |                                                                                                      |                                                                                               |
|          | 3232 P-3 | 32               | 32  | 170 | 35 | 3 |                                                                                       |                                                                                                      |                                                                                               |
|          | 2020 K-4 | 20               | 20  | 125 | 23 | 3 | MGMN400                                                                               |                                                                                                      |                                                                                               |
|          | 2525 M-4 | 25               | 25  | 150 | 28 | 3 |                                                                                       |                                                                                                      |                                                                                               |
|          | 3232 P-4 | 32               | 32  | 170 | 35 | 3 |                                                                                       |                                                                                                      |                                                                                               |
|          | 2020 K-5 | 20               | 20  | 125 | 24 | 4 | MGMN500                                                                               |                                                                                                      |                                                                                               |
|          | 2525 M-5 | 25               | 25  | 150 | 29 | 4 |                                                                                       |                                                                                                      |                                                                                               |
| 3232 P-5 | 32       | 32               | 170 | 36  | 4  |   |                                                                                       |                                                                                                      |                                                                                               |

## MGNVR/L




## MGNVR/L Совместна с пластинами Korloy

| МОДЕЛЬ   |            | Внутренняя канавка |     |     |    |    |      |         |  | Винт<br>NLJ<br> | Ключ<br> |
|----------|------------|--------------------|-----|-----|----|----|------|---------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|          |            | ∅D                 | d   | L   | L1 | H  | T    | S       |                                                                                     |                                                                                                    |                                                                                             |
| MGNVR/L  | 2016 K-2   | 20                 | 16  | 125 | 35 | 15 | 5    | 12.4    | MGMN200                                                                             | 0516                                                                                               | L4.0<br>L3.0                                                                                |
|          | 2520 M-2   | 25                 | 20  | 150 | 45 | 18 | 5    | 14.0    |                                                                                     |                                                                                                    |                                                                                             |
|          | 2925 R-2   | 29                 | 25  | 200 | 45 | 23 | 5    | 17.2    |                                                                                     |                                                                                                    |                                                                                             |
|          | 2520 M-2.5 | 25                 | 20  | 150 | 45 | 18 | 6    | 15.1    | MGMN250                                                                             |                                                                                                    |                                                                                             |
|          | 2925 R-2.5 | 29                 | 25  | 200 | 45 | 23 | 6    | 18.2    |                                                                                     |                                                                                                    |                                                                                             |
|          | 2520 M-3   | 25                 | 20  | 150 | 45 | 18 | 6    | 15.6    | MGMN300                                                                             |                                                                                                    |                                                                                             |
|          | 3125 R-3   | 31                 | 25  | 200 | 45 | 23 | 6    | 18.9    |                                                                                     |                                                                                                    |                                                                                             |
|          | 3732 S-3   | 37                 | 32  | 250 | 65 | 29 | 6    | 21.5    |                                                                                     |                                                                                                    |                                                                                             |
|          | 2520 M-4   | 25                 | 20  | 150 | 45 | 18 | 6    | 15.6    | MGMN400                                                                             |                                                                                                    |                                                                                             |
|          | 3125 R-4   | 31                 | 25  | 200 | 45 | 23 | 6    | 18.9    |                                                                                     |                                                                                                    |                                                                                             |
|          | 3732 S-4   | 37                 | 32  | 250 | 65 | 29 | 6    | 21.5    | MGMN500                                                                             |                                                                                                    |                                                                                             |
|          | 3125 R-5   | 31                 | 25  | 200 | 45 | 23 | 8    | 19.4    |                                                                                     |                                                                                                    |                                                                                             |
|          | 3732 S-5   | 37                 | 32  | 250 | 65 | 29 | 8    | 21.5    |                                                                                     |                                                                                                    |                                                                                             |
|          | 3125 R-6   | 31                 | 25  | 200 | 45 | 23 | 8    | 19.4    | MGMN600                                                                             |                                                                                                    |                                                                                             |
|          | 3732 S-6   | 37                 | 32  | 250 | 65 | 29 | 8    | 21.5    |                                                                                     |                                                                                                    |                                                                                             |
| 3732 S-8 | 37         | 32                 | 250 | 65  | 29 | 10 | 23.4 | MGMN800 |                                                                                     |                                                                                                    |                                                                                             |
| 4540 U-8 | 45         | 40                 | 300 | 70  | 37 | 10 | 27.2 |         |                                                                                     |                                                                                                    |                                                                                             |




## MGWHR/L



## MGWHR/L

| МОДЕЛЬ  |            | Наружняя канавка |    |     |         |     |    |    |  |  |  |  |
|---------|------------|------------------|----|-----|---------|-----|----|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|         |            | h                | b  | L   | S       | T   | H1 | f  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| MGWHR/L | 1616 H4315 | 16               | 16 | 100 | 1.25    | 1.2 | 16 | 20 |  |  |  |  |
|         | 1616 H4315 | 16               | 16 | 100 | 1.45    | 1.5 | 16 | 20 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|         | 1616 H4315 | 16               | 16 | 100 | 1.5-2.3 | 3.0 | 16 | 20 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|         | 1616 H4323 | 16               | 16 | 100 | 2.3-3.3 | 3.0 | 16 | 20 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|         | 1616 H4333 | 16               | 16 | 100 | 3.3-4.7 | 3.0 | 16 | 20 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|         | 2020 K4315 | 20               | 20 | 125 | 1.25    | 1.2 | 20 | 25 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|         | 2020 K4315 | 20               | 20 | 125 | 1.45    | 1.5 | 20 | 25 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|         | 2020 K4315 | 20               | 20 | 125 | 1.5-2.3 | 3.0 | 20 | 25 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|         | 2020 K4323 | 20               | 20 | 125 | 2.3-3.3 | 3.0 | 20 | 25 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|         | 2020 K4333 | 20               | 20 | 125 | 3.3-4.7 | 3.0 | 20 | 25 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|         | 2525 M4315 | 25               | 25 | 150 | 1.25    | 1.2 | 25 | 32 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|         | 2525 M4315 | 25               | 25 | 150 | 1.45    | 1.5 | 25 | 32 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|         | 2525 M4315 | 25               | 25 | 150 | 1.5-2.3 | 3.0 | 25 | 32 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|         | 2525 M4323 | 25               | 25 | 150 | 2.3-3.3 | 3.0 | 25 | 32 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|         | 2525 M4333 | 25               | 25 | 150 | 3.3-4.7 | 3.0 | 25 | 32 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|         |            |                  |    |     |         |     |    |    | MG $\diamond\diamond 43 \diamond\diamond$                                           | 3.5*8                                                                               | 0522                                                                                | L4.0<br>T15                                                                         |

## MRNUR/L




## MRNUR/L

Совместна с пластинами Korloy

| МОДЕЛЬ  |          | Внутренняя канавка |    |     |    |    |     |      |  | Винт      Ключ                                                                      |                                                                                     |
|---------|----------|--------------------|----|-----|----|----|-----|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|         |          | D                  | d  | L   | L1 | H  | T   | S    |                                                                                     |  |  |
| MRNUR/L | 3520 M-3 | 36                 | 20 | 150 | 45 | 18 | 3.5 | 13   | MGMN300                                                                             | 0520                                                                                | L4.0                                                                                |
|         | 4025 R-3 | 40                 | 25 | 200 | 45 | 23 | 3.5 | 15.5 |                                                                                     |                                                                                     |                                                                                     |
|         | 5032 S-3 | 50                 | 32 | 250 | 65 | 30 | 3.5 | 19   |                                                                                     |                                                                                     |                                                                                     |
|         | 3520 M-4 | 35                 | 20 | 150 | 45 | 18 | 3.5 | 13   | MGMN400                                                                             |                                                                                     |                                                                                     |
|         | 4025 R-4 | 40                 | 25 | 200 | 45 | 23 | 3.5 | 15.5 |                                                                                     |                                                                                     |                                                                                     |
|         | 5032 S-4 | 50                 | 32 | 250 | 65 | 30 | 3.5 | 19   |                                                                                     |                                                                                     |                                                                                     |
|         | 3520 M-5 | 35                 | 20 | 150 | 45 | 18 | 3.5 | 13   | MGMN500                                                                             |                                                                                     |                                                                                     |
|         | 4025 R-5 | 40                 | 25 | 200 | 45 | 23 | 3.5 | 15.5 |                                                                                     |                                                                                     |                                                                                     |
|         | 5032 S-5 | 50                 | 32 | 250 | 65 | 30 | 3.5 | 19   |                                                                                     |                                                                                     |                                                                                     |

## GHR/L




## GHR/L



Совместна с пластинами Iscar

| МОДЕЛЬ   |          | Наружная канавка и отрезка |     |      |       |    | <br>ISCAR |                                    | Винт                                                                                  |                                                                                       | Ключ |  |
|----------|----------|----------------------------|-----|------|-------|----|------------------------------------------------------------------------------------------------|------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------|--|
|          |          | h                          | b   | L    | f     | T  |                                                                                                |                                    |  |  |      |  |
| GHR/L    | 1616 H-2 | 16                         | 16  | 100  | 16.25 | 11 | GIP<br>GIF<br>GIPV<br>GIPA<br>GIA<br>GITM                                                      | GIM<br>GIMY<br>GPV3<br>TIP<br>GIMF | 0520                                                                                  | L4.0                                                                                  |      |  |
|          | 1616 H-3 | 16                         | 16  | 100  | 16.35 |    |                                                                                                |                                    |                                                                                       |                                                                                       |      |  |
|          | 2020 K-3 | 20                         | 20  | 125  | 20.35 |    |                                                                                                |                                    |                                                                                       |                                                                                       |      |  |
|          | 2525 M-3 | 25                         | 25  | 150  | 25.35 |    |                                                                                                |                                    |                                                                                       |                                                                                       |      |  |
|          | 1616 H-4 | 16                         | 16  | 100  | 16.35 |    |                                                                                                |                                    |                                                                                       |                                                                                       |      |  |
|          | 2020 K-4 | 20                         | 20  | 125  | 20.35 |    |                                                                                                |                                    |                                                                                       |                                                                                       |      |  |
|          | 2525 M-4 | 25                         | 25  | 150  | 25.35 |    |                                                                                                |                                    |                                                                                       |                                                                                       |      |  |
|          | 2020 K-5 | 20                         | 20  | 125  | 20.4  | 15 |                                                                                                |                                    |                                                                                       |                                                                                       |      |  |
| 2525 M-5 | 25       | 25                         | 150 | 25.4 |       |    |                                                                                                |                                    |                                                                                       |                                                                                       |      |  |


## SGWHR/L



## SGWHR/L

| МОДЕЛЬ  |            | Наружная канавка |    |     |      |    |    |    |  | Винт<br> | Ключ<br> |
|---------|------------|------------------|----|-----|------|----|----|----|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|         |            | h                | b  | L   | S    | T  | H1 | f  |                                                                                     |                                                                                             |                                                                                             |
| SGWHR/L | 1212 H3200 | 12               | 12 | 100 | 0.75 | 18 | 12 | 16 |  |          |          |
|         | 1212 H3200 |                  |    |     | 0.95 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 1212 H3200 |                  |    |     | 1.25 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 1212 H3200 |                  |    |     | 1.45 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 1212 H3200 |                  |    |     | 1.50 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 1212 H3215 |                  |    |     | 1.75 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 1212 H3223 |                  |    |     | 2.00 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 1616 H3200 | 16               | 16 | 100 | 0.75 | 18 | 16 | 20 |                                                                                     |                                                                                             |                                                                                             |
|         | 1616 H3200 |                  |    |     | 0.95 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 1616 H3200 |                  |    |     | 1.25 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 1616 H3200 |                  |    |     | 1.45 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 1616 H3200 |                  |    |     | 1.50 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 1616 H3215 |                  |    |     | 1.75 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 1616 H3223 |                  |    |     | 2.00 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 2020 K3200 | 20               | 20 | 125 | 0.75 | 18 | 20 | 25 |                                                                                     |                                                                                             |                                                                                             |
|         | 2020 K3200 |                  |    |     | 0.95 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 2020 K3200 |                  |    |     | 1.25 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 2020 K3200 |                  |    |     | 1.45 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 2020 K3200 |                  |    |     | 1.50 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 2020 K3215 |                  |    |     | 1.75 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 2020 K3223 |                  |    |     | 2.00 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 2525 M3200 | 25               | 25 | 150 | 0.75 | 18 | 25 | 32 |                                                                                     |                                                                                             |                                                                                             |
|         | 2525 M3200 |                  |    |     | 0.95 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 2525 M3200 |                  |    |     | 1.25 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 2525 M3200 |                  |    |     | 1.45 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 2525 M3200 |                  |    |     | 1.50 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 2525 M3215 |                  |    |     | 1.75 |    |    |    |                                                                                     |                                                                                             |                                                                                             |
|         | 2525 M3223 |                  |    |     | 2.00 |    |    |    |                                                                                     |                                                                                             |                                                                                             |

## FGDHX...



## FGDHX... Совместна с пластинами Korloy


| МОДЕЛЬ           |                  | Торцевая канавка |     |      |      |      |     |                    |  | Винт<br>NLJ<br> | Ключ<br> |         |
|------------------|------------------|------------------|-----|------|------|------|-----|--------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------|
|                  |                  | H(h)             | W   | L    | S    | T    | H1  | f                  |                                                                                     |                                                                                                    |                                                                                             |         |
| FGDHX            | 1616 H-15/20-3   | 16               | 16  | 100  | 17.8 | 8    | 15  | 20                 | FMM300R                                                                             | 0520                                                                                               | L4.0                                                                                        |         |
|                  | 1616 H-20/25-3   | 16               | 16  | 100  |      |      | 20  | 25                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 1616 H-25/30-3   | 16               | 16  | 100  |      | 12   | 25  | 30                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 1616 H-30/35-3   | 16               | 16  | 100  |      |      | 30  | 35                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 1616 H-35/48-3   | 16               | 16  | 100  |      |      | 35  | 48                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2020 K-15/20-3   | 20               | 20  | 125  | 21.8 | 8    | 15  | 20                 |                                                                                     |                                                                                                    |                                                                                             | FMM300R |
|                  | 2020 K-20/25-3   | 20               | 20  | 125  |      |      | 20  | 25                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2020 K-25/30-3   | 20               | 20  | 125  |      | 12   | 25  | 30                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2020 K-30/35-3   | 20               | 20  | 125  |      |      | 30  | 35                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2020 K-35/48-3   | 20               | 20  | 125  |      |      | 35  | 48                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2020 K-48/60-3   | 20               | 20  | 125  |      | 25   | 48  | 60                 | FGD300R<br>FGM300R                                                                  |                                                                                                    |                                                                                             |         |
|                  | 2020 K-60/75-3   | 20               | 20  | 125  |      |      | 60  | 75                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2020 K-75/100-3  | 20               | 20  | 125  |      |      | 75  | 100                |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2020 K-100/140-3 | 20               | 20  | 125  |      |      | 100 | 140                |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2525 M-15/20-3   | 25               | 25  | 150  |      | 27.8 | 8   | 15                 | 20                                                                                  |                                                                                                    |                                                                                             |         |
|                  | 2525 M-20/25-3   | 25               | 25  | 150  | 20   |      |     | 25                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2525 M-25/30-3   | 25               | 25  | 150  | 12   |      | 25  | 30                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2525 M-30/35-3   | 25               | 25  | 150  |      |      | 30  | 35                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2525 M-35/48-3   | 25               | 25  | 150  |      |      | 35  | 48                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2525 M-48/60-3   | 25               | 25  | 150  | 25   |      | 48  | 60                 | FGD300R<br>FGM300R                                                                  |                                                                                                    |                                                                                             |         |
|                  | 2525 M-60/75-3   | 25               | 25  | 150  |      |      | 60  | 75                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2525 M-75/100-3  | 25               | 25  | 150  |      |      | 75  | 100                |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2525 M-100/140-3 | 25               | 25  | 150  |      |      | 100 | 140                |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 1616 H-15/20-4   | 16               | 16  | 100  | 17.8 | 8    | 20  | 20                 | FMM400R                                                                             |                                                                                                    |                                                                                             |         |
|                  | 1616 H-20/25-4   | 16               | 16  | 100  |      |      | 25  | 25                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 1616 H-25/30-4   | 16               | 16  | 100  |      | 12   | 30  | 30                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 1616 H-30/35-4   | 16               | 16  | 100  |      |      | 35  | 35                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 1616 H-35/48-4   | 16               | 16  | 100  | 21.8 | 8    | 48  | 48                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2020 K-15/20-4   | 20               | 20  | 125  |      |      | 15  | 20                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2020 K-20/25-4   | 20               | 20  | 125  |      |      | 20  | 25                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2020 K-25/30-4   | 20               | 20  | 125  |      | 12   | 25  | 30                 |                                                                                     |                                                                                                    |                                                                                             |         |
|                  | 2020 K-30/35-4   | 20               | 20  | 125  |      |      | 30  | 35                 |                                                                                     |                                                                                                    |                                                                                             |         |
| 2020 K-35/48-4   | 20               | 20               | 125 | 35   |      |      | 48  |                    |                                                                                     |                                                                                                    |                                                                                             |         |
| 2020 K-48/60-4   | 20               | 20               | 125 | 25   |      | 48   | 60  | FGD400R<br>FGM400R |                                                                                     |                                                                                                    |                                                                                             |         |
| 2020 K-60/75-4   | 20               | 20               | 125 |      |      | 60   | 75  |                    |                                                                                     |                                                                                                    |                                                                                             |         |
| 2020 K-75/100-4  | 20               | 20               | 125 |      |      | 75   | 100 |                    |                                                                                     |                                                                                                    |                                                                                             |         |
| 2020 K-100/140-4 | 20               | 20               | 125 |      |      | 100  | 140 |                    |                                                                                     |                                                                                                    |                                                                                             |         |
| 2525 M-15/20-4   | 25               | 25               | 150 | 27.8 | 8    | 15   | 20  | FMM400R            |                                                                                     |                                                                                                    |                                                                                             |         |
| 2525 M-20/25-4   | 25               | 25               | 150 |      |      | 20   | 25  |                    |                                                                                     |                                                                                                    |                                                                                             |         |
| 2525 M-25/30-4   | 25               | 25               | 150 |      | 12   | 25   | 30  |                    |                                                                                     |                                                                                                    |                                                                                             |         |
| 2525 M-30/35-4   | 25               | 25               | 150 |      |      | 30   | 35  |                    |                                                                                     |                                                                                                    |                                                                                             |         |
| 2525 M-35/48-4   | 25               | 25               | 150 |      |      | 35   | 48  |                    |                                                                                     |                                                                                                    |                                                                                             |         |



## FGDHX... Совместна с пластинами Korloy

| МОДЕЛЬ |                  | Торцевая канавка |    |     |      |    |     |     |  | Винт<br>NLJ<br> | Ключ<br> |
|--------|------------------|------------------|----|-----|------|----|-----|-----|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|        |                  | h                | b  | L   | S    | T  | H1  | f   |                                                                                     |                                                                                                    |                                                                                             |
| FGDHX  | 2525 M-48/60-4   | 25               | 25 | 150 | 27.8 | 25 | 48  | 60  | FGD400R<br>FGM400R                                                                  | 0520                                                                                               | L4.0                                                                                        |
|        | 2525 M-60/75-4   | 25               | 25 | 150 |      |    | 60  | 75  |                                                                                     |                                                                                                    |                                                                                             |
|        | 2525 M-75/100-4  | 25               | 25 | 150 |      |    | 75  | 100 |                                                                                     |                                                                                                    |                                                                                             |
|        | 2525 M-100/140-4 | 25               | 25 | 150 |      |    | 100 | 140 |                                                                                     |                                                                                                    |                                                                                             |
|        | 1616 H-15/20-5   | 16               | 16 | 100 | 17.8 | 8  | 15  | 20  | FMM500R                                                                             |                                                                                                    |                                                                                             |
|        | 1616 H-20/25-5   | 16               | 16 | 100 |      |    | 20  | 25  |                                                                                     |                                                                                                    |                                                                                             |
|        | 1616 H-25/30-5   | 16               | 16 | 100 |      |    | 25  | 30  |                                                                                     |                                                                                                    |                                                                                             |
|        | 1616 H-30/35-5   | 16               | 16 | 100 |      |    | 30  | 35  |                                                                                     |                                                                                                    |                                                                                             |
|        | 1616 H-35/48-5   | 16               | 16 | 100 |      |    | 35  | 48  |                                                                                     |                                                                                                    |                                                                                             |
|        | 2020 K-15/20-5   | 20               | 20 | 125 | 21.8 | 8  | 15  | 20  |                                                                                     |                                                                                                    |                                                                                             |
|        | 2020 K-20/25-5   | 20               | 20 | 125 |      |    | 20  | 25  |                                                                                     |                                                                                                    |                                                                                             |
|        | 2020 K-25/30-5   | 20               | 20 | 125 |      |    | 25  | 30  |                                                                                     |                                                                                                    |                                                                                             |
|        | 2020 K-30/35-5   | 20               | 20 | 125 |      |    | 30  | 35  |                                                                                     |                                                                                                    |                                                                                             |
|        | 2020 K-35/48-5   | 20               | 20 | 125 |      |    | 35  | 48  |                                                                                     |                                                                                                    |                                                                                             |
|        | 2020 K-48/60-5   | 20               | 20 | 125 |      | 22 | 48  | 60  | FGD500R<br>FGM500R                                                                  |                                                                                                    |                                                                                             |
|        | 2020 K-60/75-5   | 20               | 20 | 125 |      |    | 60  | 75  |                                                                                     |                                                                                                    |                                                                                             |
|        | 2020 K-75/100-5  | 20               | 20 | 125 |      |    | 75  | 100 |                                                                                     |                                                                                                    |                                                                                             |
|        | 2020 K-100/140-5 | 20               | 20 | 125 |      |    | 100 | 140 |                                                                                     |                                                                                                    |                                                                                             |
|        | 2525 M-15/20-5   | 25               | 25 | 150 | 27.8 | 8  | 15  | 20  | FMM500R                                                                             |                                                                                                    |                                                                                             |
|        | 2525 M-20/25-5   | 25               | 25 | 150 |      |    | 20  | 25  |                                                                                     |                                                                                                    |                                                                                             |
|        | 2525 M-25/30-5   | 25               | 25 | 150 |      |    | 25  | 30  |                                                                                     |                                                                                                    |                                                                                             |
|        | 2525 M-30/35-5   | 25               | 25 | 150 |      |    | 30  | 35  |                                                                                     |                                                                                                    |                                                                                             |
|        | 2525 M-35/48-5   | 25               | 25 | 150 |      | 35 | 48  |     |                                                                                     |                                                                                                    |                                                                                             |
|        | 2525 M-48/60-5   | 25               | 25 | 150 |      | 22 | 48  | 60  | FGD500R<br>FGM500R                                                                  |                                                                                                    |                                                                                             |
|        | 2525 M-60/75-5   | 25               | 25 | 150 |      |    | 60  | 75  |                                                                                     |                                                                                                    |                                                                                             |
|        | 2525 M-75/100-5  | 25               | 25 | 150 |      |    | 75  | 100 |                                                                                     |                                                                                                    |                                                                                             |
|        | 2525 M-100/140-5 | 25               | 25 | 150 |      |    | 100 | 140 |                                                                                     |                                                                                                    |                                                                                             |


## KGMR/L



## KGMR/L Совместна с пластинами Куосега

| МОДЕЛЬ |            | Наружная канавка |    |     |       |    |  | Винт<br>NLJ<br> | Ключ<br> |
|--------|------------|------------------|----|-----|-------|----|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|        |            | h                | b  | L   | f     | T  |                                                                                     |                                                                                                    |                                                                                             |
| KGMR/L | 1616 H-1.5 | 16               | 16 | 100 | 16.25 | 9  | CMM1520...MT                                                                        | 0520                                                                                               | L4.0                                                                                        |
|        | 2020 K-1.5 | 20               | 20 | 125 | 20.25 |    | CMM2020...MT                                                                        |                                                                                                    |                                                                                             |
|        | 2525 M-1.5 | 25               | 25 | 150 | 25.25 |    | CMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|        | 1616 H-2   | 16               | 16 | 100 | 16.25 |    | CMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|        | 2020 K-2   | 20               | 20 | 125 | 20.25 |    | CMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|        | 2525 M-2   | 25               | 25 | 150 | 25.25 |    | CMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|        | 1616 H-2.5 | 16               | 16 | 100 | 16.3  |    | CMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|        | 2020 K-2.5 | 20               | 20 | 125 | 20.3  |    | CMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|        | 2525 M-2.5 | 25               | 25 | 150 | 25.3  |    | CMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|        | 1616 H-3   | 16               | 16 | 100 | 16.35 |    | CMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|        | 2020 K-3   | 20               | 20 | 125 | 20.35 |    | CMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|        | 2525 M-3   | 25               | 25 | 150 | 25.35 |    | CMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|        | 1616 H-4   | 16               | 16 | 100 | 16.35 | 10 | GMG3020...MS                                                                        |                                                                                                    |                                                                                             |
|        | 2020 K-4   | 20               | 20 | 125 | 20.35 |    | GMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|        | 2525 M-4   | 25               | 25 | 150 | 25.35 |    | GMG4020...MS                                                                        |                                                                                                    |                                                                                             |
|        | 2020 K-5   | 20               | 20 | 125 | 20.4  |    | GMM4020...MS                                                                        |                                                                                                    |                                                                                             |
|        | 2525 M-5   | 25               | 25 | 150 | 25.4  |    | GMG5020...MS                                                                        |                                                                                                    |                                                                                             |


## KGMR/L-T



## KGMR/L-T

| МОДЕЛЬ   |                | Наружная канавка и отрезка |    |     |       |    |  | Винт<br>NLJ<br> | Ключ<br> |
|----------|----------------|----------------------------|----|-----|-------|----|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|          |                | h                          | b  | L   | f     | T  |                                                                                     |                                                                                                    |                                                                                             |
| KGMR/L-T | 1616 H-2-T17   | 16                         | 16 | 100 | 16.25 | 17 | CMM3020...MS                                                                        | 0520                                                                                               | L4.0                                                                                        |
|          | 2020 K-2-T17   | 20                         | 20 | 125 | 20.25 |    | CMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|          | 2525 M-2-T17   | 25                         | 25 | 150 | 25.25 |    | CMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|          | 1616 H-2.5-T17 | 16                         | 16 | 100 | 16.3  |    | CMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|          | 2020 K-2.5-T17 | 20                         | 20 | 125 | 20.3  |    | CMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|          | 2525 M-2.5-T17 | 25                         | 25 | 150 | 25.3  | 20 | GMG3020...MS                                                                        |                                                                                                    |                                                                                             |
|          | 1616 H-3-T20   | 16                         | 16 | 100 | 16.35 |    | GMM3020...MS                                                                        |                                                                                                    |                                                                                             |
|          | 2020 K-3-T20   | 20                         | 20 | 125 | 20.35 |    | GMG4020...MS                                                                        |                                                                                                    |                                                                                             |
|          | 2525 M-3-T20   | 25                         | 25 | 150 | 25.35 |    | GMM4020...MS                                                                        |                                                                                                    |                                                                                             |
|          | 1616 H-4-T20   | 16                         | 16 | 100 | 16.35 |    | GMG4020...MS                                                                        |                                                                                                    |                                                                                             |
|          | 2020 K-4-T20   | 20                         | 20 | 125 | 20.35 |    | GMM4020...MS                                                                        |                                                                                                    |                                                                                             |
|          | 2525 M-4-T20   | 25                         | 25 | 150 | 25.35 | 25 | GMG5020...MS                                                                        |                                                                                                    |                                                                                             |
|          | 2020 K-5-T25   | 20                         | 20 | 125 | 20.4  |    | GMM5020...MS                                                                        |                                                                                                    |                                                                                             |
|          | 2525 M-5-T25   | 25                         | 25 | 150 | 25.4  |    | GMG6020...MS                                                                        |                                                                                                    |                                                                                             |



## SNGR/L



## SNGR/L Совместна с пластинами Куосега

| МОДЕЛЬ |          | Внутренняя канавка |    |     |    |    |     |      |  | Винт<br>NLJ<br> | Ключ<br> |
|--------|----------|--------------------|----|-----|----|----|-----|------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|        |          | D                  | d  | L   | L1 | H  | T   | S    |                                                                                     |                                                                                                    |                                                                                             |
| SNGR/L | 0008 H07 | 10                 | 8  | 100 | 45 | 7  | 1.5 | 5.8  | 7GR/L                                                                               | 2.5*8                                                                                              | T-8                                                                                         |
|        | 0812 H07 | 10                 | 12 | 100 | 45 | 11 | 1.5 | 5.8  |                                                                                     |                                                                                                    |                                                                                             |
|        | 1012 K07 | 12                 | 12 | 125 | 45 | 11 | 1.5 | 6.8  |                                                                                     |                                                                                                    |                                                                                             |
|        | 0816 H07 | 10                 | 16 | 100 | 45 | 15 | 1.5 | 5.8  |                                                                                     |                                                                                                    |                                                                                             |
|        | 1016 K07 | 12                 | 16 | 125 | 65 | 15 | 1.5 | 6.8  |                                                                                     |                                                                                                    |                                                                                             |
|        | 0010 K08 | 12.5               | 10 | 125 | 45 | 9  | 2   | 7.3  | 8GR/L                                                                               |                                                                                                    |                                                                                             |
|        | 1012 K08 | 12.5               | 12 | 125 | 45 | 11 | 2   | 7.3  |                                                                                     |                                                                                                    |                                                                                             |
|        | 0012 M08 | 14                 | 12 | 150 | 65 | 11 | 2   | 8.1  |                                                                                     |                                                                                                    |                                                                                             |
|        | 1016 K08 | 12.5               | 16 | 125 | 45 | 15 | 2   | 7.3  |                                                                                     |                                                                                                    |                                                                                             |
|        | 1216 M08 | 14                 | 16 | 150 | 65 | 15 | 2   | 8.1  |                                                                                     |                                                                                                    |                                                                                             |
|        | 1416 N08 | 14                 | 16 | 160 | 45 | 15 | 2   | 9.1  |                                                                                     |                                                                                                    |                                                                                             |
|        | 0016 Q09 | 17                 | 16 | 180 | 65 | 15 | 3.5 | 11.2 |                                                                                     |                                                                                                    |                                                                                             |
|        | 0020 R09 | 18                 | 20 | 200 | 65 | 18 | 3.5 | 11.2 |                                                                                     |                                                                                                    |                                                                                             |



## MGEVR/L



## MGEVR/L Совместна с пластинами Kyocera

| МОДЕЛЬ  |          | Торцевая канавка |    |     |      |     |  | Винт<br>NLJ<br> | Ключ<br> |
|---------|----------|------------------|----|-----|------|-----|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|         |          | h                | b  | L   | f    | T   |                                                                                    |                                                                                                    |                                                                                             |
| MGEVR/L | 2020-2   | 20               | 20 | 125 | 23.5 | 3.5 | MGMN200                                                                            | 0520                                                                                               | L4.0                                                                                        |
|         | 2525-2   | 25               | 25 | 150 | 28.5 |     |                                                                                    |                                                                                                    |                                                                                             |
|         | 3232-2   | 32               | 32 | 170 | 35.5 |     |                                                                                    |                                                                                                    |                                                                                             |
|         | 2020-2.5 | 20               | 20 | 125 | 24   | 4   | MGMN250                                                                            |                                                                                                    |                                                                                             |
|         | 2525-2.5 | 25               | 25 | 150 | 29   |     |                                                                                    |                                                                                                    |                                                                                             |
|         | 3232-2.5 | 32               | 32 | 170 | 36   |     |                                                                                    |                                                                                                    |                                                                                             |
|         | 2020-3   | 20               | 20 | 125 | 25.5 | 5   | MGMN300                                                                            |                                                                                                    |                                                                                             |
|         | 2525-3   | 25               | 25 | 150 | 30.5 |     |                                                                                    |                                                                                                    |                                                                                             |
|         | 3232-3   | 32               | 32 | 170 | 37.5 |     |                                                                                    |                                                                                                    |                                                                                             |
|         | 2020-4   | 20               | 20 | 125 | 25.5 | 5   | MGMN200                                                                            |                                                                                                    |                                                                                             |
|         | 2525-4   | 25               | 25 | 150 | 30.5 |     |                                                                                    |                                                                                                    |                                                                                             |
|         | 3232-4   | 32               | 32 | 170 | 37.5 |     |                                                                                    |                                                                                                    |                                                                                             |
|         | 2020-5   | 20               | 20 | 125 | 27   | 7   | MGMN200                                                                            |                                                                                                    |                                                                                             |
|         | 2525-5   | 25               | 25 | 150 | 32   |     |                                                                                    |                                                                                                    |                                                                                             |
|         | 3232-5   | 32               | 32 | 170 | 39   |     |                                                                                    |                                                                                                    |                                                                                             |


## MFHR/L



## MFHR/L Совместна с пластинами Korloy

| МОДЕЛЬ |            | Торцевая канавка |    |     |    |    |      |     |     |     |   |  | Винт<br>NLJ<br> | Ключ<br> |
|--------|------------|------------------|----|-----|----|----|------|-----|-----|-----|---|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
|        |            | D                | d  | L   | L1 | H  | S    | φD1 | φD2 | fa° | T |                                                                                       |                                                                                                      |                                                                                               |
| MFHR/L | 320R25/70  | 21               | 20 | 200 | 56 | 18 | 10.5 | 25  | 70  | 8   | 5 | MGMN300                                                                               | 0620-P                                                                                               | L4.0                                                                                          |
|        | 325S25/70  | 26               | 25 | 250 | 56 | 23 | 13   | 25  | 70  | 8   |   |                                                                                       |                                                                                                      |                                                                                               |
|        | 325S30/120 | 33               | 32 | 250 | 56 | 23 | 13   | 30  | 120 | 6   |   |                                                                                       |                                                                                                      |                                                                                               |
|        | 432S32/140 | 33               | 32 | 250 | 56 | 30 | 16.2 | 32  | 140 | 5   |   | MGMN400<br>MGMN500                                                                    | 0620                                                                                                 | L5.0                                                                                          |
|        | 432T40/200 | 33               | 32 | 300 | 56 | 30 | 16.2 | 40  | 200 | 5   |   |                                                                                       |                                                                                                      |                                                                                               |
|        | 540T40/200 | 41               | 40 | 300 | 56 | 36 | 20.5 | 40  | 200 | 5   |   |                                                                                       |                                                                                                      |                                                                                               |


## GHDR/L



## GHDR/L Совместна с пластинами Iscar

| МОДЕЛЬ |         | Наружная канавка и отрезка |    |     |       |   |    |  | Винт<br>NLJ<br> | Ключ<br> |    |
|--------|---------|----------------------------|----|-----|-------|---|----|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|----|
|        |         | h                          | b  | L   | f     | H | T  |                                                                                     |                                                                                                    |                                                                                             |    |
| GHDR/L | 1616H-3 | 16                         | 16 | 100 | 16.35 | 4 | 11 | GIP<br>GIF<br>GIPV<br>GIPV<br>GIA<br>GITM                                           | GIM<br>GIMY<br>GPV3<br>TIP<br>GIMF                                                                 | M5*20                                                                                       | L4 |
|        | 2020K-3 | 20                         | 20 | 125 | 20.35 | ⊗ |    |                                                                                     |                                                                                                    |                                                                                             |    |
|        | 2525M-3 | 25                         | 25 | 150 | 25.35 | ⊗ |    |                                                                                     |                                                                                                    |                                                                                             |    |
|        | 1616H-4 | 16                         | 16 | 100 | 16.35 | 4 |    |                                                                                     |                                                                                                    |                                                                                             |    |
|        | 2020K-4 | 20                         | 20 | 125 | 20.35 | ⊗ | 15 |                                                                                     |                                                                                                    |                                                                                             |    |
|        | 2525M-4 | 25                         | 25 | 150 | 25.35 |   |    |                                                                                     |                                                                                                    |                                                                                             |    |
|        | 2020K-5 | 20                         | 20 | 125 | 20.4  |   |    |                                                                                     |                                                                                                    |                                                                                             |    |
|        | 2525M-5 | 25                         | 25 | 150 | 25.4  |   |    |                                                                                     |                                                                                                    |                                                                                             |    |

## GHGR/L Совместна с пластинами Iscar





## GHGR/L


| МОДЕЛЬ |         | Наружная канавка и отрезка |    |     |       |   |    |  | Винт<br>NLJ<br> | Ключ<br> |    |
|--------|---------|----------------------------|----|-----|-------|---|----|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|----|
|        |         | h                          | b  | L   | f     | H | T  |                                                                                       |                                                                                                      |                                                                                               |    |
| GHGR/L | 1616H-3 | 16                         | 16 | 100 | 16.35 | 4 | 20 | GIP<br>GIF<br>GIPV<br>GIPV<br>GIA<br>GITM                                             | GIM<br>GIMY<br>GPV3<br>TIP<br>GIMF                                                                   | O5*20                                                                                         | L4 |
|        | 2020K-3 | 20                         | 20 | 125 | 20.35 | ⊗ |    |                                                                                       |                                                                                                      |                                                                                               |    |
|        | 2525M-3 | 25                         | 25 | 150 | 25.35 | ⊗ |    |                                                                                       |                                                                                                      |                                                                                               |    |
|        | 1616H-4 | 16                         | 16 | 100 | 16.35 | 4 |    |                                                                                       |                                                                                                      |                                                                                               |    |
|        | 2020K-4 | 20                         | 20 | 125 | 20.35 | ⊗ |    |                                                                                       |                                                                                                      |                                                                                               |    |
|        | 2525M-4 | 25                         | 25 | 150 | 25.35 | ⊗ |    |                                                                                       |                                                                                                      |                                                                                               |    |
|        | 2020K-5 | 20                         | 20 | 125 | 20.4  | ⊗ |    |                                                                                       |                                                                                                      |                                                                                               |    |
|        | 2525M-5 | 25                         | 25 | 150 | 25.4  | ⊗ |    |                                                                                       |                                                                                                      |                                                                                               |    |





## GQCR/L



## GQCR/L

| МОДЕЛЬ |              | Наружняя канавка |    |     |          |         |                |    |  | Винт<br>NLJ | Ключ |
|--------|--------------|------------------|----|-----|----------|---------|----------------|----|-------------------------------------------------------------------------------------|-------------|------|
|        |              | h                | b  | L   | S        | T       | H <sub>1</sub> | f  |                                                                                     |             |      |
| GQCR/L | 1212 H1 6-15 | 12               | 12 | 100 | 0.5-1.80 | 1.0-2.5 | 12             | 12 | QC16R/L050-180                                                                      | 3,5*8       | T15  |
|        | 1616 H1 6-15 | 16               | 16 | 100 |          |         | 16             | 16 |                                                                                     |             |      |
|        | 2020 K1 6-15 | 20               | 20 | 125 |          |         | 20             | 20 |                                                                                     |             |      |
|        | 2525 M1 6-15 | 25               | 25 | 150 |          |         | 25             | 25 |                                                                                     |             |      |
|        | 1212 H16-15  | 12               | 12 | 100 | 1.8-2.3  | 2.5     | 12             | 12 | QC16R/L180-300                                                                      |             |      |
|        | 1616 H16-25  | 16               | 16 | 100 |          |         | 16             | 16 |                                                                                     |             |      |
|        | 2020 K16-25  | 20               | 20 | 125 |          |         | 20             | 20 |                                                                                     |             |      |
|        | 2525 M16-25  | 25               | 25 | 150 |          |         | 25             | 25 |                                                                                     |             |      |
|        | 2020 K22-15  | 20               | 20 | 125 | 1.0-2.3  | 2.0-3.5 | 20             | 20 | QC22R/L100-230                                                                      | 5*12        | T20  |
|        | 2525 M22-15  | 25               | 25 | 150 |          |         | 25             | 25 |                                                                                     |             |      |
|        | 2020 K22-25  | 20               | 20 | 125 |          |         | 20             | 20 |                                                                                     |             |      |
|        | 2525 M22-25  | 25               | 25 | 150 |          |         | 25             | 25 |                                                                                     |             |      |
|        | 2020 K22-35  | 20               | 20 | 125 | 3.3-4.8  | 5.0     | 20             | 20 | QC22R/L330-480                                                                      |             |      |
|        | 2525 M22-35  | 25               | 25 | 150 |          |         | 25             | 25 |                                                                                     |             |      |

## TTSIR/L




## TTSIR/L

Совместна с пластинами Taegutec и Ingersoll

| МОДЕЛЬ  |               | Внутренняя канавка |    |     |    |    |     |      |  | Винт<br>NLJ | Ключ |
|---------|---------------|--------------------|----|-----|----|----|-----|------|---------------------------------------------------------------------------------------|-------------|------|
|         |               | D                  | d  | L   | ℓ  | H  | T   | S    |                                                                                       |             |      |
| TTSIR/L | 16-12.5-2     | 12.5               | 16 | 150 | 20 | 15 | 2.5 | 10.5 | TDIM2E<br>TDIP 2E                                                                     | M4-10       | T15  |
|         | 16-12.5-2T3.5 | 12.5               | 16 | 150 | 20 | 15 | 3.5 | 11.4 |                                                                                       |             |      |
|         | 16-14-2       | 14                 | 16 | 150 | 25 | 15 | 3   | 11   |                                                                                       | M5-15       | T20  |
|         | 16-14-2T4     | 14                 | 16 | 150 | 25 | 15 | 4   | 12   |                                                                                       |             |      |
|         | 16-16-2       | 16                 | 16 | 150 | 40 | 15 | 4   | 12   | TDIM 3E<br>TDIP 3E                                                                    | M4-10       | T15  |
|         | 16-12.5-3     | 12.5               | 16 | 150 | 20 | 15 | 2.5 | 10.5 |                                                                                       |             |      |
|         | 16-14-3       | 14                 | 16 | 150 | 25 | 15 | 3   | 11   |                                                                                       | M5-15       | T20  |
|         | 16-16-3       | 16                 | 16 | 150 | 40 | 15 | 4   | 12   |                                                                                       |             |      |
|         | 20-20-3       | 20                 | 20 | 150 | 40 | 18 | 4   | 14   |                                                                                       |             |      |

## TTER/L



### TTER/L Совместна с пластинами Taegutec и Ingersoll

| МОДЕЛЬ  |         | Наружняя канавка |     |      |      |    |  | Винт<br>NLJ<br> | Ключ<br> |
|---------|---------|------------------|-----|------|------|----|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|         |         | h                | b   | L    | f    | T  |                                                                                     |                                                                                                    |                                                                                             |
| TTER/L  | 1616-2  | 16               | 16  | 100  | 16.1 | 12 | TD□□2□□                                                                             | M5*20                                                                                              | L4                                                                                          |
|         | 2020 -2 | 20               | 20  | 125  | 20.1 |    |                                                                                     |                                                                                                    |                                                                                             |
|         | 2525 -2 | 25               | 25  | 150  | 25.1 |    |                                                                                     |                                                                                                    |                                                                                             |
|         | 1616-3  | 16               | 16  | 100  | 16.3 | 12 | TD□□3□□                                                                             |                                                                                                    |                                                                                             |
|         | 2020 -6 | 20               | 20  | 125  | 20.3 |    |                                                                                     |                                                                                                    |                                                                                             |
|         | 2525 -3 | 25               | 25  | 150  | 25.3 |    |                                                                                     |                                                                                                    |                                                                                             |
|         | 1616-4  | 16               | 16  | 100  | 16.5 | 15 | TD□□4□□                                                                             |                                                                                                    |                                                                                             |
|         | 2020 -4 | 20               | 20  | 125  | 20.5 |    |                                                                                     |                                                                                                    |                                                                                             |
|         | 2525 4  | 25               | 25  | 150  | 25.5 |    |                                                                                     |                                                                                                    |                                                                                             |
|         | 2020 -5 | 20               | 20  | 125  | 20.6 | 20 | TD□□5□□                                                                             |                                                                                                    |                                                                                             |
| 2525 -5 | 25      | 25               | 150 | 25.6 |      |    |                                                                                     |                                                                                                    |                                                                                             |

### TTER/L-T Совместна с пластинами Taegutec и Ingersoll

| МОДЕЛЬ     |            | Наружняя канавка |     |      |       |    |  | Винт<br>NLJ<br> | Ключ<br> |
|------------|------------|------------------|-----|------|-------|----|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
|            |            | h                | b   | L    | f     | T  |                                                                                       |                                                                                                      |                                                                                               |
| TTER/L-T   | 1616-2T17  | 16               | 16  | 100  | 116.1 | 17 | TD□□2□□                                                                               | M5*20                                                                                                | L4                                                                                            |
|            | 2020 -2T17 | 20               | 20  | 125  | 20.1  |    |                                                                                       |                                                                                                      |                                                                                               |
|            | 2525 -2T17 | 25               | 25  | 150  | 25.1  |    |                                                                                       |                                                                                                      |                                                                                               |
|            | 1616 -3T20 | 16               | 16  | 100  | 16.3  | 20 | TD□□3□□                                                                               |                                                                                                      |                                                                                               |
|            | 2020 -3T20 | 20               | 20  | 125  | 20.3  |    |                                                                                       |                                                                                                      |                                                                                               |
|            | 2525-3T20  | 25               | 25  | 150  | 25.3  |    |                                                                                       |                                                                                                      |                                                                                               |
|            | 1616 -4T25 | 16               | 16  | 100  | 16.5  | 25 | TD□□4□□                                                                               |                                                                                                      |                                                                                               |
|            | 2020 -4T25 | 20               | 20  | 125  | 20.5  |    |                                                                                       |                                                                                                      |                                                                                               |
|            | 2525 -4T25 | 25               | 25  | 150  | 25.5  |    |                                                                                       |                                                                                                      |                                                                                               |
|            | 2020 -5T25 | 20               | 20  | 125  | 20.6  | 25 | TD□□5□□                                                                               |                                                                                                      |                                                                                               |
| 2525 -5T25 | 25         | 25               | 150 | 25.6 |       |    |                                                                                       |                                                                                                      |                                                                                               |